

Effect of Different Torque Settings on The Incidence of Dentinal Defects During Root Canal Preparation Using a Single File Preparation System

(An in Vitro Study)

Thesis submitted to

Faculty of Dentistry

Ain Shams University

For

Partial fulfillment of the requirement for the master degree in Endodontics

By

Reem Esmat Mohamed Kamal Katat

B.D.S.

Faculty of Dentistry

(Ain Shams University, 2011)

2018

Supervisors

Dr. Shehab Eldin Mohamad Saber

Professor of Endodontics

Faculty of Dentistry, Ain Shams University

Dr. Mohamed Mokhtar Nagi

Associate professor of Endodontics
Faculty of Dentistry, Ain Shams University



Acknowledgement

I am greatly honored to express my thankful gratitude and sincere appreciation to **Dr. Shehab Eldin Mohamad Saber** Professor of Endodontics, Faculty of Dentistry, Ain Shams University for his continuous guidance and help to overcome the difficulties long the way until my thesis got completed.

I would like to thank

Dr. Mohamed Mokhtar Nagy Associate professor of

Endodontics, Faculty of Dentistry, Ain Shams University for his

cooperation, support and valuable comments throughout this

work.

Personal appreciation and thanks to all the stuff members of the Endodontic Department, my friends and colleagues for their effort and help whenever asked.

Dedication

I would like to dedicate my Master thesis to my Father's Saul and my lovely Mother...the source of encouragement and inspiration to me throughout my life.

I dedicate it also to my brothers and sisters, without them none of my success would be possible.

And finally to my dear friends for their special & great support and help.

List of Contents

Title	Page No.
List of Figures	
List of Tables	iv
Introduction	1
Review of Literature	4
Aim of the Study	79
Materials and Methods	80
Results	92
Discussion	133
Summary and conclusions	140
References	143
Appenix	157
Arabic Summary	

List of Figures

Figure No.	Title Page No.
Figure (1):	One Shape file80
Figure (2):	Neoniti A1 file81
Figure (3):	X-ray showing Schnider's Method using
	image J software83
Figure (4):	Teeth sections: 1 is the coronal section, 2 is
	the middle section, and 3 is the apical
	section86
Figure (5):	Dino Lite Digital Microscope86
Figure (6):	Stacked bar chart showing defects in the
	sections of control group95
Figure (7):	Control group sample; apical section
	showing incomplete crack near the
	mesiolingual canal95
Figure (8):	Control group sample; middle section
	showing complete crack near the
	mesiobuccal canal96
Figure (9):	Stacked bar chart showing the count of
	defects in the sections of group I100
Figure (10):	Group I sample; apical section showing
	complete crack (continuous arrow) and

	incomplete cracks (dotted arrow) near the
	mesiobuccal canal100
Figure (11):	Group I sample; coronal section showing
	complete crack near the mesiobuccal canal101
Figure (12):	Group I sample; middle section showing
	complete crack near the mesiobuccal canal102
Figure (13):	Stacked bar chart showing the count of
	defects in the sections of group II106
Figure (14):	Group II sample; apical section showing
	complete crack near the mesiolingual canal107
Figure (15):	Group II sample; coronal section showing
	complete crack (continuous arrow)and
	incomplete cracks (dotted arrow) near the
	mesiolingual canal
Figure (16):	Stacked bar chart showing the count of
	defects in the sections of group III111
Figure (17):	Group III sample; apical section showing
	complete crack (continuous arrow)and
	incomplete cracks (dotted arrow) near the
	mesiobuccal canal
Figure (18):	Group III sample; apical section showing
	complete crack (continuous arrow)and
	incomplete cracks (dotted arrow) near the
	mesiobuccal canal113

Figure (19):	Group III sample; apical section showing
	complete crack near the mesiobuccal canal114
Figure (20):	Stacked bar chart showing the count of
	defects in the sections of group IV118
Figure (21):	Group IV sample; apical section showing
	incomplete crack near the mesiolingual
	canal119
Figure (22):	Group IV sample; middle section showing
	incomplete crack near the mesiolingual
	canal120
Figure (23):	Group IV sample; apical section showing
	complete crack (continuous arrow)and
	incomplete cracks (dotted arrow) near the
	mesiolingual canals121
Figure (24):	Stacked bar chart showing the count of
119010 (21).	defects in sections of all groups126
Figure (25):	Stacked bar chart showing the count of
118010 (23).	defects in sections of low and high torque
	groups
Figure (26):	Stacked bar chart showing the count of
- 18u1 v (20)	defects in sections of one shape-mesiobuccal
	and neoniti-mesiolingual groups132
	and neomin mesionizating groups132