

Oral Health Condition among a Group of Egyptian Children having Sickle Cell Anemia

Thesis

*SUBMITTED TO THE
FACULTY OF ORAL & DENTAL MEDICINE
CAIRO UNIVERSITY*

*IN PARTIAL FULFILLMENT OF THE REQUIREMENT
FOR
MASTER'S DEGREE IN PEDIATRIC DENTISTRY*

BY

Mohamed Farouk Rashed Helal

(B.D.S, Cairo University, 2004)

Researcher Assistant, National Research Center

CAIRO UNIVERSITY

2011

Supervisors

Prof. Dr. Fatma Ahmed Hamdy El-Shehaby

Professor of Pediatric Dentistry and Dental Public Health

Faculty of Oral and Dental Medicine

Cairo University

Ass. Prof. Dr. Mona Kamal El-Ghamrawy

Associate Professor of Pediatrics

Faculty of Medicine

Cairo University

Dr .Walid Ali Mohamed Fouad

Lecturer of Pediatric Dentistry and Dental Public Health

Faculty of Oral and Dental Medicine

Cairo University

Acknowledgment

All thanks to Allah, remembering his power and merci that helped me to achieve this work in this way.

After thanking Allah, I would like to express my sincere gratitude for my advisor **Prof. Dr. Fatma Ahmed Hamdy El-Shehaby**, Professor of Pediatric and Dental Public Health, Faculty of Oral and Dental Medicine, Cairo University for providing me with her continuous support and motivation, scientific methodology, and good ideas. I will always remember her friendly manner and I was greatly honored working under her supervision.

I am greatly indebted and extremely grateful to **Ass. Prof. Dr. Mona Kamal El-Ghamrawy**, Assistant Professor of Pediatrics, Faculty of Medicine, Cairo university for her continuous concern, unlimited effort and generous assistance in facing any difficulty during accomplishing this work.

Deepest appreciation and thanks are extended to **Dr .Walid Ali Mohamed Fouad**, Lecturer of Pediatric and community Dentistry Department, Faculty of Oral and Dental Medicine, Cairo University for his support, meticulous guidance, unique cooperation, patience and constructive effort during the supervision of this thesis.

Special acknowledgement to **Ass. Prof. Dr. Mohamed Abu EL-Yazeed Ahmed**, Assistant Researcher and Chairman of Orthodontics and Pediatric Dentistry Department, National Research Center for his guidance and help from the beginning of this research.

I would like to express my heartfelt thanks to all children and their parents who tolerated me during the whole period of the work.

Finally, my thanks to everyone who gave me help or support.

Dedication

This work is dedicated to:

The soul of my father,

My mother, the finest person in the universe

And all my family whom I owe a lot.

Table of contents

	Pages
Introduction.....	1
Review of literature.....	3
Aim of the study.....	32
Subjects and Methods.....	33
Results.....	58
Discussion.....	122
Conclusion.....	131
Recommendations.....	133
References.....	135
Summary.....	143
Arabic summary.....	

List of Tables

		Page
Table (1)	Types and characteristics of Sickle Cell Syndromes	4
Table (2)	Scores and criteria of plaque index	37
Table (3)	Criteria for classifying debris	40
Table (4)	Criteria for classifying calculus	41
Table (5)	Scores and criteria of gingival index	43
Table (6)	Mean and standard deviation values of def index and its components among the whole group sample	60
Table (7)	Mean and standard deviation values of DMF index and its components among the whole group sample	60
Table (8)	Mean and standard deviation values of GI and PI among the whole group sample	63
Table (9)	Mean and standard deviation values of OHI-S and its components before and after program among the whole group sample	63
Table (10)	Frequency and percentages of vertical relationships among the whole group sample	66
Table (11)	Frequency and percentages of molar relationships among the whole group sample	66
Table (12)	Frequency and percentages of canine relationships among the whole group sample	66
Table (13)	Frequency and percentages of anterior dento-alveolar relationships among the whole group sample	66
Table (14)	Frequency and percentages of facial profile among the whole group sample	70

Table (15)	Frequency and percentages of midline shift among the whole group sample	70
Table (16)	Frequency and percentages of posterior dento-alveolar relationships among the whole group sample	70
Table (17)	Frequency and percentages of TMJ problems among the whole group sample	72
Table (18)	Frequency and percentages of oral habits recorded among the whole group sample	74
Table (19)	Frequency and percentages of other findings recorded among the whole group sample	74
Table (20)	Frequency and percentages of bone changes among the whole group sample	76
Table (21)	Mean and standard deviation values of def index among the two genotype sickle cell anemia groups	78
Table (22)	Mean and standard deviation values of DMF index among the two genotype sickle cell anemia groups	78
Table (23)	Mean and standard deviation values of gingival index and oral hygiene indices in the two genotype sickle cell anemia groups	81
Table (24)	Frequency and percentages of molar relationships among the two genotype sickle cell anemia groups	84
Table (25)	Frequency and percentages of canine relationships among the two genotype sickle cell anemia groups	84
Table (26)	Frequency and percentages of anterior dento-alveolar relationships among the two genotype sickle cell anemia groups	85
Table (27)	Frequency and percentages of facial profile among the two genotype sickle cell anemia groups	85
Table (28)	Mean and standard deviation values of def index among the two residence sickle cell anemia groups	89
Table (29)	Mean and standard deviation values of DMF index among the two residence sickle cell anemia groups	89

Table (30)	Mean and standard deviation values of gingival index and oral hygiene indices among the two residence sickle cell anemia groups	92
Table (31)	Frequency and percentages of molar relationships among the two residence sickle cell anemia groups	95
Table (32)	Frequency and percentages of canine relationships among the two residence sickle cell anemia groups	95
Table (33)	Frequency and percentages of anterior dento-alveolar relationships among the two residence sickle cell anemia groups	96
Table (34)	Frequency and percentages of facial profile among the two residence sickle cell anemia groups	96
Table (35)	Mean and standard deviation values of def index among the three blood transfusion sickle cell anemia groups	100
Table (36)	Mean and standard deviation values of DMF index among the three blood transfusion sickle cell anemia groups	100
Table (37)	Mean and standard deviation values of gingival index and oral hygiene indices among the three blood transfusion sickle cell anemia groups	103
Table (38)	Frequency and percentages of molar relationships among the three blood transfusion sickle cell anemia groups	106
Table (39)	Frequency and percentages of canine relationships among the three blood transfusion sickle cell anemia groups	106
Table (40)	Frequency and percentages of anterior dento-alveolar relationships among the three blood transfusion sickle cell anemia groups	107
Table (41)	Frequency and percentages of facial profile among the three blood transfusion sickle cell anemia groups	107
Table (42)	Mean and standard deviation values of def index among the three vaso-occlusive crises sickle cell anemia groups	111
Table (43)	Mean and standard deviation values of DMF index among the three vaso-occlusive crises sickle cell anemia groups	111

Table (44)	Mean and standard deviation values of gingival index and oral hygiene indices among the three vaso-occlusive crises sickle cell anemia groups	114
Table (45)	Frequency and percentages of molar relationships among the three vaso-occlusive crises sickle cell anemia groups	117
Table (46)	Frequency and percentages of canine relationships among the three vaso-occlusive crises sickle cell anemia groups	117
Table (47)	Frequency and percentages of anterior dento-alveolar relationships among the three vaso-occlusive crises sickle cell anemia groups	118
Table (48)	Frequency and percentages of facial profile among the three vaso-occlusive crises sickle cell anemia groups	118

List of Figures

		Page
Figure (1)	The pathophysiology of sickle cell disease.	4
Figure (2)	Sickle cell trait distribution	8
Figure (3)	Malaria distribution	8
Figure (4)	Necrosis of the maxilla is present from first premolar to the third molar	16
Figure (5)	Pathophysiology of sickle cell osteomyelitis	16
Figure (6)	Panoramic radiograph showing agenesis of all second premolars, the maxillary right permanent lateral incisor and the left third molar (12, 15; 25, 28; 35; 45), and transposition of the maxillary right permanent canine	18
Figure (7)	Orthopantomogram shows that the trabecular bone density had decreased, and the bone marrow spaces were enlarged and had become locular	21
Figure (8)	‘Stepladder’ in periapical radiograph of right posterior mandible	22
Figure (9)	" a" Mandibular infarct in the anterior area. "b" "Detail of <i>circled</i> area of the infarct shown in "a"	23
Figure (10)	"a" Mandibular infarct in the molar area. "b" Detail of <i>circled</i> area of the infarct shown in" a"	23
Figure (11)	Extensive mandibular infarct in the premolar–molar area(<i>circle</i>)	24
Figure (12)	Teeth used in plaque index	37
Figure (13)	Scores and criteria of plaque index	38
Figure (14)	Teeth used in Oral hygiene index simplified	39

Figure (15)	Poster showing nature of caries and gingival disease and their effect on overall health.	47
Figure (16)	Poster showing healthy food pyramid.	48
Figure (17)	Poster showing cariogenic and anticariogenic food.	49
Figure (18)	Poster showing proper brushing technique.	50
Figure (19)	Poster showing importance of regular dental visits and summary of the previous posters.	51
Figure (20)	Mean def and its components among the whole group sample	61
Figure (21)	Mean DMF and its components among the whole group sample	61
Figure (22)	Mean GI and PI among the whole group sample	64
Figure (23)	Changes in mean OHI-S and its components before and after program among the whole group sample	64
Figure (24)	Percentages of vertical relationships among the whole group sample	67
Figure (25)	Percentages of molar relationships among the whole group sample	67
Figure (26)	Percentages of canine relationships among the whole group sample	68
Figure (27)	Percentages of anterior dento-alveolar relationships among the whole group sample	68
Figure (28)	Percentages of facial profile among the whole group sample	71
Figure (29)	Percentages of midline shift among the whole group sample	71
Figure (30)	Percentages of posterior dento-alveolar relationships among the whole group sample	71

Figure (31)	Percentages of TMJ problems among the whole group sample	72
Figure (32)	Percentages of oral habits recorded among the whole group sample	75
Figure (33)	Percentages of other findings recorded among the whole group sample	75
Figure (34)	Percentages of bone changes among the whole group sample	76
Figure (35)	Mean def among the two genotype sickle cell anemia groups	79
Figure (36)	Mean DMF among the two genotype sickle cell anemia groups	79
Figure (37)	Mean gingival index and oral hygiene indices in the two genotype sickle cell anemia groups	81
Figure (38)	Percentages of molar relationships in the two genotype sickle cell anemia groups	86
Figure (39)	Percentages of canine relationships in the two genotype sickle cell anemia groups	86
Figure (40)	Percentages of anterior dento-alveolar relationships in the two genotype sickle cell anemia groups	87
Figure (41)	Percentages of facial profile in the two genotype sickle cell anemia groups	87
Figure (42)	Mean def index among the two residence sickle cell anemia groups	90
Figure (43)	Mean DMF index among the two residence sickle cell anemia groups	90
Figure (44)	Mean gingival index and oral hygiene indices among the two residence sickle cell anemia groups	92
Figure (45)	Percentages of molar relationships among the two residence sickle cell anemia groups	97
Figure (46)	Percentages of canine relationships among the two residence sickle cell anemia groups	97

Figure (47)	Percentages of anterior dento-alveolar relationships among the two residence sickle cell anemia groups	98
Figure (48)	Percentages of facial profile among the two residence sickle cell anemia groups	98
Figure (49)	Mean def index among the three blood transfusion sickle cell anemia groups	101
Figure (50)	Mean DMF index among the three blood transfusion sickle cell anemia groups	101
Figure (51)	Mean gingival index and oral hygiene indices among the three blood transfusion sickle cell anemia groups	103
Figure (52)	Percentages of molar relationships among the three blood transfusion sickle cell anemia groups	108
Figure (53)	Percentages of canine relationships among the three blood transfusion sickle cell anemia groups	108
Figure (54)	Percentages of anterior dento-alveolar relationships among the three blood transfusion sickle cell anemia groups	109
Figure (55)	Percentages of facial profile among the three blood transfusion sickle cell anemia groups	109
Figure (56)	Mean def index among the three vaso-occlusive crises sickle cell anemia groups	112
Figure (57)	Mean DMF index among the three vaso-occlusive crises sickle cell anemia groups	112
Figure (58)	Mean gingival index and oral hygiene indices in the three vaso-occlusive crises sickle cell anemia groups	114
Figure (59)	Percentages of molar relationships among the three vaso-occlusive crises sickle cell anemia groups	119
Figure (60)	Percentages of canine relationships among the three vaso-occlusive crises sickle cell anemia groups	119
Figure (61)	Percentages of anterior dento-alveolar relationships among the three vaso-occlusive crises sickle cell anemia groups	120

Figure (62)	Percentages of facial profile among the three vaso-occlusive crises sickle cell anemia groups	120
------------------------	---	-----