

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

STUDY OF ANGIOTENSIN CONVERTING ENZYME IN DIABETIC NEPHROPATHY

Thesis
Submitted For Partial Fulfillment Of
M.D. Degree In Endocrinology

By Ahmed El-Sayed Abdel-Rahman M.B.,B.Ch., M.Sc.

Supervised by

Prof. Dr. Samir M. Sadek

Professor Of Internal Medicine and Endocrinology Faculty Of Medicine Ain Shams University Prof. Dr. Soheir M. Gamal El-Dein

Professor Of Internal Medicine and Endocrinology Faculty Of Medicine Ain Shams University

Dr. Mohamed Reda A. Halawa

Lecturer Of Internal Medicine. Faculty Of Medicine Ain Shams University

Faculty Of Medicine Ain Shams University

1998

V. &

My .

ACKNOWLEDGMENT

Foremost and lastly I would offer my dedicated gratitude to **ALLAH** for all his gifts and merciful.

I would like to express my deepest gratitude to Prof. Dr. Samir Sadek, professor of Internal Medicine and Endocrinology, Faculty of Medicine, Ain Shams University for close supervision and great co-operation throughout the whole course of this study.

I wish to express my highest appreciation and thanks to Prof. Dr. Soheir Gamal El-Din, professor of Internal Medicine and Endocrinology, Faculty of Medicine, Ain Shams University, who offered me the generous support and many useful suggestions throughout this work.

Most sincere thanks to Prof. Dr. Wassef Girgis, professor of Internal Medicine and head of Endocrinology unit, National Research Center, who has chosen the point of this study and gave me the broadoutline of such subject for his precious guidance, help and continuous supervision during this work.

Many thanks to Dr. Mohamed Reda, lecturer of Internal Medicine and Endocrinology, Faculty of Medicine, Ain Shams University for his advices and support.

A lot of thanks to Dr. Saadia Ibraheim, lecturer of biochemistry, National Research Center, for performing the laboratory procedures of this work.

Also, I wish to express my deepest thanks to Dr. Afaf Abdel-Wahab Haggag, fellow of Endocrinology and Metabolism, Ain Shams University, for great co-operation during this work.

Lastly, I'm grateful to all patients who have shared in this study to whom I'm greatly indebted.

Ahmed Elsayed

Contents	Page
Introduction & Aim of the work	VI
♦ Review of literature	
Renin Angiotensin Aldosterone System	1
Diabetes Mellitus	19
Pathogenesis of daibetic complications	24
Diabetic Nephropathy	42
 RAS in Diabetes Mellitus 	59
 Syndrome of hyporeninemic hypoaldosteronism 	n 69
 Angiotensin Converting Enzyme in Diabetes 	
Mellitus	77
Subjects and Methods	85
♦ Results	108
♦ Discussion	124
♦ Summary, Conclusion and recommendation	134
♦ References	137
• Arabic Summary	

Sett Calendar Carlos Carlos

List Of Tables

	List Of Tables	-,
No	Title	Page
	Regulation of renin secretion	7
2	Some physiologic effects attributed to angiotensin-II	13
3	Inhibitors of the RAS	17
4	Classification of diabetes mellitus and other	20
ļ <u>-</u> -	categories of glucose intolerance	
. 5	Possible mechanisms by which hyperglycemia produces vascular complications	27
6	Clinical and laboratory characteristics in patients with the	
	syndrome of hyporeninemic hypoaldosteronism	71
7	Clinical data of all groups	112
8	Routine laboratory data of all groups	112
9	Plasma renin activity in different groups.	113
10	Plasma renin activity in complicated diabetics with	113
	nephropathy (microalbuminurics + macro-albuminurics),	114
	control subjects and non complicated diabetics	
11	Correlation between PRA and serum creatinine in all	444
	groups.	114
12	Serum ACE activity in different groups.	115
13	Scrum ACE activity in complicated diabetics (with	115
	nephropathy: microalbuminuries + macro-albuminuries)	113
	in comparison with both control group and non-	
	complicated diabetics	
14	Serum ACE activity in non complicated diabetics	116
	correlated with duration of diabetes blood alucose level	***
	(lasting and postprandial), and blood pressure (systolic)	
1.5	and diastolic).	
15	Serum ACE activity in microalbuminuric diabetics	116
	correlated with duration of diabetes blood alueoso level	
	(fasting and postprandial), and blood pressure (systolic and diastolic).	
16		
	Serum ACE activity in macroalbuminuric diabetics	116
	correlated with duration of diabetes, blood glucose level	
	(fasting and postprandial). and blood pressure (systolic and diastolic).	
17	Serum ACE activity in diabetic patients with retinopathy	
	in comparison with diabetic patients without retinopathy	117
18	LACTION AT BE Continued in the continued	
	hypoglycemic drugs in comparison with diabetic patients	117
	on insulin therapy.	
19	Plasma angiotensin II in different groups	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	mmummummummummmmmmmmmmmmmmmmmmmmmmmmmm	118

List Of Figures

No	Title	Page
1	The renin-angiotensin-aldosterone cascade. Solid lines represent positive influence and dashed lines represents	2
	negative influence	
2	Possible mechanism of polyol effect on cellular function and redox potential.	28
3	Redox relationship in the polyol pathway	30
4	Formation of AGEs from glucose	32
5	Mechanism of glucose autooxidation	36
6	ACE in diabetic patients.	119
7	PRA in different groups.	119
8	Serum ACE activity in different groups.	120
9	Serum ACE activity in diabetic patients with and without retinopathy.	120
10	Serum ACE activity in diabetic patients on oral hypoglycemic drugs in comparison with diabetic patients on insulin therapy.	121
11	Plasma Angiotensin II in different groups.	121
	Correlation between PRA and scrum creatinine in control group.	122
13	Correlation between PRA and scrum creatinine in non complicated diabetics	122
14	Correlation between PRA and serum creatinine in microalbuminuric diabetics.	123
15	Correlation between PRA and serum creatinine in macroalbuminuric diabetics	123