

بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية

التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار





بعض الوثائق الأصلية تالفة





بالرسالة صفحات لم ترد بالأصل



Study of HLA-G genotypes in preeclampsia in relation to its mRNA expression in placental tissue

Thesis

Submitted for partial fulfillment of M.D degree in Medical Biochemistry

By

Magda Ibrahim Mohammed

Assistant Lecturer in Medical Biochemistry & Molecular Biology department

M.B.B.ch, Master of Medical Biochemistry & Molecular Biology

Supervised by

Professor Doctor: Noura M. El Kholy

Professor of Medical Biochemistry & Molecular Biology

Faculty of Medicine - Ain Shams University

Professor Doctor: Salah Taha Fayed

Professor of Gynecology and Obstetrics

Faculty of Medicine - Ain Shams University

Doctor: Maha M. Sallam

Assistant Professor of Medical Biochemistry & Molecular Biology

Faculty of medicine- Ain Shams University

Doctor: Hanan H. Shehata

Lecturer of Medical Biochemistry & Molecular Biology

Faculty of medicine- Ain Shams University

Faculty of Medicine - Ain Shams University-

2009

Acknowledgment

First and foremost we thank "ALLAH" the most merciful. I would like to express my sincere gratitude to Professor **Noura M. El Kholy**, Professor of Medical Biochemistry, Faculty of Medicine, Ain Shams University, for suggesting subject and plan of this research and for her judicious and meticulous effort in writing and revising the thesis. Her great support; patience, and constructive supervision throughout this work are beyond acknowledgment.

I am deeply grateful to Professor **Salah Taha Fayed** Professor of Gynecology and Obstetrics, Faculty of Medicine, Ain Shams University for providing the patient samples, for revising all clinical aspects of thesis, and for his continuous encouragement and support.

I wish to express my cordial thanks and gratitude to Assistant Professor **Maha M Sallam**, Assistant professor of Medical Biochemistry, Faculty of Medicine, Ain Shams University, for her great help and continuous valuable instructions and support throughout this study.

I wish to express my deep thanks for Dr. **Hanan H. Shehata** Lecturer of medical biochemistry, Ain Shams University for her great and honest help and support throughout and beyond this work.

I hope to thank every patient who participates in this study, with my hope to be in health through her life.

Finally, I wish to extend my thanks and gratitude to all my professors and colleagues in the Medical Biochemistry Department, Faculty of Medicine, Ain Shams University.

List of Contents

<i>Title</i>	<i>Page</i>
Introduction & Aim of the Work	1
Review of Literature	
<i>Immune tolerance in pregnancy</i>	<i>4</i>
<i>HLA</i>	<i>7</i>
<i>HLA-G</i>	<i>14</i>
<i>Preeclampsia</i>	<i>46</i>
Material and Methods	78
Results	128
Discussion	157
Recommendations	174
Summary & Conclusion	175
References	180
Arabic Summary	

List of Figures

No.	Figure	page
<u>Fig (1):</u>	Antigen processing and presentation by MHC class I & II	9
<u>Fig (2):</u>	MCH class I & II structures-----	11
<u>Fig (3):</u>	The structure of peptide antigen groove in MHC class I & II---	12
<u>Fig (4)</u>	The non-classical human leukocyte antigen (HLA) class Ib genes-- -----	15
<u>Fig(5):</u>	Structure of HLA-G gene, mRNA and protein-----	18
<u>Fig (6):</u>	Immuno cell targets of HLA-G molecule-----	30
<u>Fig (7):</u>	Interaction between HLA-G and its receptor on APC-----	34
<u>Fig (8):</u>	Flt1 and sFlt1 protein structures-----	61
<u>Fig (9):</u>	Two-stage model of the pathophysiology of preeclampsia---	64
<u>Fig (10):</u>	Summary of pathogenesis of preeclampsia-----	68
<u>Fig (11):</u>	Illustration of band quantitation by Quantity one computer program version 4.6.3-----	102
<u>Fig (12):</u>	(A): The principle of SSCP analysis (B) A sliver stained SSCP for single nucleotide polymorphism-----	111
<u>Fig (13):</u>	The different steps in sequencing-----	123
<u>Fig (14):</u>	The linear amplification of the gene in sequencing-----	123
<u>Fig (15):</u>	The separation of the sequenced molecules in polyacrylamide gel electrophoresis-----	124
<u>Fig (16):</u>	The scanning and detection system on the ABI Prism-----	125
<u>Fig (17)</u>	Ethidium Bromide-Stained Agarose Gel Electrophoresis of the RT-PCR products of HLA-G and β -actin co-amplification-----	132

Fig (18):

A: Interactive dot diagram showing cut-off value of placental HLA-G expression.

B: ROC curve analysis of placental HLA-G expression-----135

Fig (19): Silver stained 10% polyacrylamide gel electrophoresis showing SSCP patterns of HLA-G exon 4 alleles -----140

**Fig (20)Chromatogram showing C-T substitution in codon 258 of exon 4-
-----141**

Fig (21): Ethidium Bromide-Stained Agarose Gel Electrophoresis showing the amplified PCR products of HLA-G exon 4 and exon 8---146

Fig (22): Ethidium bromide stained 10% nondenaturing polyacrylamide gel Electrophoresis showing different genotypes of 14bp insertion/deletion polymorphism from placental tissue-----147

List of tables

No.	Table	page
<u>Table (1):</u>	HLA-G polymorphism-----	20
<u>Table (2)</u>	The HLA-G allele distributions in different ethnic population--- -----	23
<u>Table (3):</u>	Previous HLA-G studies in preeclampsia-----	41
<u>Table (4):</u>	Comparison between mild and severe preeclampsia-----	51
<u>Table (5):</u>	Properties of HLA-G & β -actin mRNA primers-----	90
<u>Table (6):</u>	RT-PCR master mix-----	95
<u>Table (7):</u>	the properties of exon 4 and exon 8 primers-----	106
<u>Table (8):</u>	PCR master mix composition of exons 4 & 8-----	108
<u>Table (9)</u>	Clinical data and pregnancy outcome of total preeclamptic (PE) group, mild and severe PE subgroups as compared to normal pregnancy (NP) control group-----	130
<u>Table (10)</u>	Placental HLA-G expression of total, mild and severe PE in comparison to normal pregnancy (NP) group-----	133
<u>Table (11)</u>	Receiver Operating Characteristic (ROC) curve analysis of placental HLA-G expression-----	136
<u>Table (12):</u>	Comparison of placental HLA-G expression levels between preeclamptic and normal pregnancy groups according to the cut-off value calculated from the ROC curve-----	137

<u>Table (13):</u> Correlation between placental HLA-G expression and pregnancy outcome and clinical data in all subjects of this study-----	138
<u>Table (14)</u> Genotypes distribution of codon 258 *SNP in normal pregnant group (NP), total preeclamptic (PE), mild and severe PE subgroups-----	142
<u>Table (15)</u> Comparison in pregnancy outcome and placental HLA-G expression between different genotypes of codon 258-----	143
<u>Table (16):</u> Comparison in HLA-G expression and pregnancy outcome among different genotypes of codon 258 in NP and PE groups-----	144
<u>Table (17)</u> Genotypes distribution and alleles frequency of 14bp insertion/deletion polymorphism among different groups-----	148
<u>Table (18)</u> Comparison between mild and severe PE in genotypes distribution and alleles frequency of 14bp insertion/deletion polymorphism-----	149
<u>Table (19)</u> Comparison in placental HLA-G expression between different genotypes of 14 bp insertion/deletion polymorphism-----	150
<u>Table (20):</u> Comparison in placental HLA-G expression among different genotypes of 14bp insertion/deletion polymorphism in PE and NP groups-----	151
<u>Table (21)</u> Comparison in pregnancy outcome among different genotypes of 14 bp insertion/deletion polymorphism-----	153
<u>Table (22)</u> Comparison in pregnancy outcome between different genotypes of 14bp insertion/deletion polymorphism in PE and NP groups-----	154

Table (23) Placental genotypes distribution of codon 258 SNP and 14bp insertion/deletion polymorphism in all subjects of this study-----156

Abbreviations

ADMA	Asymmetric Di Methyl Arginine
ANOVA	Analysis of Variance
ANG2	angiopoietin 2
APC	Antigen-Presenting Cells
aPL	antiphospholipid
APS	Ammonium PerSulfate
BLAST	Basic Local Alignment Search Tool
BME	β -Mercaptoethanol
C.S	Cesarean Section
CCD	Charged Coupled Device
cGMP	cyclic Guanosine MonoPhosphate
CTLs	Cytotoxic T Lymphocytes
dATP	deoxy Adenosine TriPhosphate
dCTP	deoxy Cytosine TriPhosphate
ddNTP	dideoxy Nucleotide TriPhosphate
dGTP	deoxy Guanosine TriPhosphate
DIC	Disseminated Intra vascular Coagulopathy
DNA	Deoxy Nucleic acid
dNTP	deoxy Nucleotide TriPhosphate
dsDNA	Double-stranded DNA
DTT	Dithiothreitol
dTTP	deoxy Thymidine TriPhosphate
EDHF	Endothelial Derived Hyperpolarizing Factor