



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



# شبكة المعلومات الجامعية

## التوثيق الالكتروني والميكرو فيلم

# جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

## قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
علي هذه الأفلام قد اعدت دون أية تغيرات



## يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of  
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية




# بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات  
لم ترد بالأصل



# **PARASITOLOGICAL STUDIES ON MONOGENETIC TREMATODES INFECTING SOME FRESH WATER FISH IN EGYPT**

**A THESIS SUBMITTED FOR THE AWARD OF Ph. D. IN ZOOLOGY**

**BY**  
**NAHIL M. M. EL AROUSI**  
**(M. Sc.)**

**SUPERVISED BY**

**DR. AMEEN A. ASHOUR**  
PROF. OF PARASITOLOGY  
DEPARTMENT OF ZOOLOGY  
FACULTY OF SCIENCE  
AIN SHAMS UNIVERSITY

**DR. MOHY EL DEEN ABDEL HAFEZ**  
**HASSANIN**  
PROF. OF PARASITOLOGY  
NATIONAL CENTER FOR  
RESEARCHES

**DR. SAID IBRAHIM ABUL ELA SHALABY**  
PROF. OF PARASITOLOGY  
NATIONAL CENTER FOR RESEARCHES

DEPARTMENT OF ZOOLOGY  
FACULTY OF SCIENCE  
AIN SHAMS UNIVERSITY

1999

B771V

from  
study  
of  
order

### DEDICATION

I dedicate this work to the soul of late Professor M. A. Roshdy Zoology Department, Faculty of Science, Ain Shams University who proposed the study point



17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

## ACKNOWLEDGMENT

*Praise and thanks are to Allah without whose help, I would not have been able to complete this work.*

*I wish to thank Dr. Ameen A. Ashour professor of Parasitology, Zoology Department, Faculty of Science, Ain Shams University, for his sincere guidance and valuable advice and for all the facilities he gave me to complete this work.*

*I would like also to thank Dr. Mohy El Deen Abdel Hafeez, professor of Parasitology, National Research Center, for his kind care, keen supervision, continuous help and encouragement.*

*Sincere thanks are due to Dr. Said Ibrahim Abul Ela, <sup>Sh. Gab</sup> professor of Parasitology, National Research Center, for keen supervision, continuous help and encouragement.*

*I am also greatly indebted to Dr. Mohammad I. Soliman Lecturer of Parasitology and Invertebrates, Zoology Department, Faculty of Science, Ain Shams University, who kindly prepared the ultrastructural work in this thesis.*

*Sincere thanks are also due to Dr Adel Bakir professor of Pathology, Faculty of Veterinary Medicine, Cairo University, and Dr. Nadia Farid Ramadan, professor of Protozoology, Zoology Department, Faculty of Science, Ain Shams University.*

*Most sincere thanks are also due to Dr. Abdalla M. Ibrahim the head of Zoology Department, Faculty of Science, Ain Shams University and to all the staff members of the Department.*

*My deepest thanks are due to my family for their help and encouragement without which this work would have never been started.*

# LIST OF CONTENTS

	Pages
Acknowledgment	i
Contents	iii
List of Figures	iv
List of Tables	xi
List of Abbreviations	xiv
Host Parasite List	xv
Abstract	xvi
Introduction	1
Aim of the work	2
Chapter I Literature Review	3
Chapter II Material and Methods	29
Chapter III. Morphometric, Epizootological, Seasonal Prevalence of Infection and Histopathological Studies	33
Results:	
I. Incidence of infection	33
II. Monthly prevalence	33
III. Seasonal dynamics	35
IV. Percentage of infection	36
V. Monogenetic worm burden	37
VI. Worm burden of gills	37
VII. Percentage of infection	37
- Morphology of recorded flukes	38
- Histopathological findings	176
Discussion	183
Chapter IV Ultrastructure of monogenean tegument	197
Results	197
Discussion	207
Chapter V Ultrastructure of Sperm and Spermato- genesis of <i>Cichlidogyrus thurstonae</i>	211
Results	211
Discussion	217
Summary	221
References	226
Arabic Summary	



## List of Figures and Plates

	Pages
Plate 1: Percentage of infection	67
Plate 2: Monthly and seasonal prevalence of infection with monogenetic trematodes and relation of infection to fish weight among <i>Oreochromis nilotica</i>	68
Plate 3: Monthly and seasonal prevalence of infection with monogenetic trematodes and relation of infection to fish weight among <i>Clarias lazera</i>	69
Plate 4: Monthly and seasonal prevalence of infection with monogenetic trematodes and relation of infection to fish weight among <i>Synodontis schall</i>	70
Plate 5: Monthly and seasonal prevalence of infection with monogenetic trematodes and relation of infection to fish weight among <i>Labeo niloticus</i>	71
Plate 6: Monthly and seasonal prevalence of infection with monogenetic trematodes and relation of infection to fish weight among <i>Bagrus bayaad</i>	72
Plate 7: Monthly and seasonal prevalence of infection with monogenetic trematodes and relation of infection to fish weight among <i>Anguilla vulgaris</i>	73
Plate 8: Monthly and seasonal prevalence of infection with monogenetic trematodes and relation of infection to fish weight among <i>Lates niloticus</i>	74
Plate 9: Monthly and seasonal prevalence of infection with monogenetic trematodes and relation of infection to fish weight among <i>Schilbe mystus</i>	75
Fig. 1-a: Photomicrograph of <i>Characidotrema</i> sp. whole worm	108
Fig. 1-b: Photomicrograph of <i>Characidotrema</i> sp. prohaptor	109
Fig. 1-c: Photomicrograph of <i>Characidotrema</i> sp. opithaptor	109
Plate 10: Camera lucida drawings of <i>Characidotrema</i> sp.	110

SEI	Fig. 2-a: Photomicrograph of <i>Cichlidogyrus aegypticus</i> (whole worm)	111
SEI	Fig. 2-b: Photomicrograph of <i>Cichlidogyrus aegypticus</i> (prohaptor)	112
SEI	Fig. 2-c: Photomicrograph of <i>Cichlidogyrus aegypticus</i> (opithaptor)	112
SEI	Plate 11: Camera lucida drawings of <i>Cichlidogyrus aegypticus</i>	113
PEI	Fig 3-a: <i>Cichlidogyrus arthracanthus</i> whole worm (100 X)	114
	Fig 3-b: Prohaptor (400 X)	114
SEI	Fig 3-c: Cirrus pouch	115
SEI	Fig 3-d: Opithaptor (400 X)	115
SEI	Plate 12: <i>Cichlidogyrus arthracanthus</i>	116
SEI	Fig. 4-a: <i>Cichlidogyrus cirratus</i> whole worm (100 X)	117
SEI	Fig. 4-b: Prohaptor (400 X)	118
SEI	Fig. 4-c: Opisthaptor (400 X)	118
SEI	Plate 13: <i>Cichlidogyrus cirratus</i>	119
OP	Fig.5-a: <i>Cichlidogyrus euzeti</i> whole worm	120
	Fig. 5-b: Embryo & cirrus complex (40× 1.25 X)	121
SEI	Fig. 5-c: Opisthaptor (40× 1.25 X)	121
SEI	Plate 14: <i>Cichlidogyrus euzeti</i>	122
SEI	Fig. 6-a: <i>Cichlidogyrus longicornis longicornis</i> whole worm (100X)	123
	Fig. 6-b: Prohaptor & pharynx (400 X)	123
SEI	Fig. 6-c: Prohaptor showing eye spot and cirrus pouch (400 X)	124
SEI	Fig. 6-d: Opisthaptor (400 X)	124
SEI	Plate 15: <i>Cichlidogyrus longicornis longicornis</i>	125
SEI	Fig. 7-a: <i>Cichlidogyrus</i> sp. whole worm (10×1.25 X)	126
SEI	Fig. 7-b: Prohaptor, showing cephalic gland and eye spots (1.5×1.25 X)	126
SEI	Fig. 6-c: Prohaptor, showing cirrus pouch (400 X)	127
SEI	Fig. 6-d: Opisthaptor (400 X)	127
SEI	Plate 16: <i>Cichlidogyrus</i> sp.	128
SEI	Fig.8-a: <i>Cichlidogyrus thurstonae</i> whole worm (100 X)	129
SEI	Fig. 8-b: Prohaptor, showing pharynx, eye spots, cirrus complex (400 X)	130
SEI	Fig.8-c: Opisthaptor (1.25×40 X)	130
SEI	Plate 17: <i>Cichlidogyrus thurstonae</i>	131