



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات

لم ترد بالأصل

B 11527

NUTRITIONAL STUDIES ON RABBITS

**EFFECTS OF DIFFERENT LEVELS OF FIBER,
AND VITAMIN C ON PRODUCTIVE, REPRODUCTIVE
PERFORMANCE AND SOME BLOOD PARAMETERS IN NEW
ZEALAND WHITE RABBITS DOES DURING SUMMER SEASON**

BY
MAHMOUD SALAH AHMED MADY
B. Sc. Agric. (Agronomy production) Tanta Univ., 1981

THESIS
Submitted to the Graduate Division
in Partial Fulfillment of the Requirements for the Degree of
MASTER OF AGRICULTURAL SCIENCE
(POULTRY PRODUCTION)

Department of Poultry Production

Faculty of Agriculture,
Kafr El-Sheikh,
Tanta University

(1998)

APPROVAL SHEET

Title of Thesis **NUTRITIONAL STUDIES** **ON RABBITS**

**EFFECTS OF DIFFERENT LEVELS OF FIBER,
AND VITAMIN C ON PRODUCTIVE, REPRODUCTIVE
PERFORMANCE AND SOME BLOOD PARAMETERS IN NEW
ZEALAND WHITE RABBIT DOES DURING SUMMER SEASON**

BY
Mahmoud Salah Ahmed Mady
B. Sc. Agric. (Agronomy Production)
Tanta Univ., 1981

Thesis had been approved by:

Prof. Dr. : E. M. Omar

Professor of Poultry Nutrition
Dept. of Poultry Prod. Fac. of Agric. Fayom
Cairo University.




Prof. Dr.: K. M. Saleh

Chairman of Poultry Production Dept. and
Prof. of Poultry Breeding
Dept. of Poultry Prod. Fac. of Agric.
Kafr El- Sheikh, Tanta University.



Prof. Dr. : Fatma, M. Abd El- Naby

Professor of Poultry Husbandry,
Dept. of Poultry Prod. Fac. of Agric.
Kafr El- Sheikh, Tanta University.



Prof. Dr. : N. S. Isshak

Professor of Poultry Nutrition
Dept. of Poultry Prod. Fac. of Agric.
Kafr El- Sheikh, Tanta University.



Date of examination : 22/3/1998

CONTENTS

	<i>PAGE</i>
1- INTRODUCTION	1
2- REVIEW OF LITERATURE	3
2-1- Effect of vitamin C on animal performance	3
2-2- Effect of diet composition on feed intake and performance of rabbits	6
2-3- Effect of high ambient temperature on	9
2-3-1- Physiological states and thermoregulation	9
2-3-2- Feed intake, productive and reproductive per- formance	12
3- MATERIALS AND METHODS	15
3-1- Animals	15
3-2- Rabbitry	16
3-3- The Experimental Design	20
3-4- Season and Period	20
3-5- Experimental Diets	21
3-6- Experimental Parameters	23
3-6-1- Initial live body weight	23
3-6-2- Litter size	23
3-6-3- Still birth and pre weaning mortality	23
3-6-4- Litter weight	23
3-6-5- Weekly total litter gain	24
3-6-6- Mean weekly bunny gain	24
3-6-7- Weekly milk output per doe	24
3-6-8- Feed consumption	24
3-6-9- Blood sampling and its biochemical analysis	25
3-7- Statistical Analysis	28
4- RESULTS AND DISCUSSION	29
4-1- Effect of diets on :	29
4-1-1- Daily and total feed intake	29
4-1-2- Litter size	36
4-1-3- Litter weight from birth to weaning	42
4-1-4- Average daily litter gain and total bunny gain.	48
4-1-5- Milk yield	54
4-1-6- Average litter weight from birth to weaning	66
4-1-7- Percentage of still birth and pre weaning mortality	72
4-1-8- Loss or gain of does weight during the experimental period	75
4-1-9- Acceptance to mating and conception rate	77

	PAGE
4-1-10- Blood parameters	79
4-1-10-1- Total protein, Albumin and Globulin	79
4-1-10-2- Total lipids and cholesterol	79
4-1-10-3- Cortisol	79
4-1-10-4- Serum glucose level	80
4-1-10-5- Red blood cell's and white blood cell's	80
4-1-10-6- Hemoglobin and hematocrit	80
4-2- Effect of vitamin C Administration on :	78
4-2-1- Daily feed intake and total feed intake	78
4-2-2- Litter size	88
4-2-3- Weekly litter weight from birth to weaning	88
4-2-4- Average daily litters gain and total pup gain	89
4-2-5- Milk yield	89
4-2-6- Still birth and pre weaning mortality percentage	90
4-2-7- Loss or gain of does weight during the experimental period.....	90
4-2-8- Does acceptance to mating and conception rate	91
4-2-9- Blood parameters	91
4-2-9- 1- Total protein, albumin and globulin	91
4-2-9- 2- Total lipids and cholesterol	92
4-2-9- 3- Cortisol level	92
4-2-9- 4- Serum glucose	92
4-2-9- 5- R.B.C's and W.B.C's counts	93
4-2-9- 6- Hemoglobin and hematocrit	93
4-3- Effects of the interaction between vitamin C and dietary fiber on :	93
4-3-1- Feed intake	93
4-3-2- Litter size	94
4-3-3- Weekly litter weight	94
4-3-4- Average daily litter gain and total pup gain	94
4-3-5- Daily milk yield or daily milk intake	94
4-3-6- Blood parameters	95
4-4- The economical study :	95
4-4-1- Effect of diets on	95
4-4-1-1- Productivity of does (kg weaning rabbits/doe)	95
4-4-1-2- Feeding cost (LE/kg weaning rabbits)	96
4-4-2- Effect of vitamin C on	96

	<i>PAGE</i>
4-4-2-1- Productivity of does (kg weaning rabbits/doe)	96
4-4-2-2- Feeding cost (LE/kg weaning rabbits)	96
4-4-3-Effect of the interaction between the diets and vitamin C on	96
4-4-3-1- Productivity of does (kg weaning rabbits/doe)	96
4-4-3-2- Feeding cost (LE/kg weaning rabbits)	97
4-5- Conclusion	97
5- ENGLISH SUMMARY	100
6- REFERENCES	104
7- ARABIC SUMMARY	

LIST OF TABLES

No.	Title	<i>Page</i>
Table (1) :	Differences among weekly means of ambient temperature and relative humidity registered four times daily.....	17
Table (2) :	The experimental factorial design (2×3).	20
Table (3) :	Chemical analysis of some ingredients used in the experimental diets formulation.	21
Table (4) :	Composition of the experimental diets.	22
Table (5) :	Chemical analysis of the experimental diets	23
Table (6) :	Total feed intake for different stages of first parity period (g/doe) as affected by vitamin C administration and dietary fiber.	30
Table (7) :	Total feed intake for different stages of second parity period (g/doe) as affected by vitamin C administration and dietary fiber.	31
Table (8) :	Daily feed intake for does through different stages of first parity period (g/doe/day) as affected by vitamin C administration and dietary fiber.	32
Table (9) :	Daily feed intake for does through different stages of second parity period (g/doe/day) as affected by vitamin C administration and dietary fiber.	33
Table (10) :	Litter size (offspring's /doe) from birth to weaning for the first parity as affected by vitamin C administration and dietary fiber levels.	38
Table (11) :	Litter size (offspring's/doe) from birth to weaning for the second parity as affected by vitamin C administration and dietary fiber levels.	39

II

No.	Title	<i>Page</i>
	Table (12) : Weekly litter weight from birth to weaning for first parity as affected by vitamin C administration and dietary fiber level.	43
	Table (13) : Weekly litter weight from birth to weaning for second parity as affected by vitamin C administration and dietary fiber level	44
	Table (14) : Average daily litter gain (g/day) and total bunny gain (g) from birth to weaning for first parity as affected by vitamin C administration and dietary fiber levels.	49
	Table (15) : Average daily litter gain (g/day) and total bunny gain (g) from birth to weaning for second parity as affected by vitamin C administration and dietary fiber levels.	50
	Table (16) : Daily milk intake (g/bunny/day) and total milk intake (g/bunny) throughout lactation period for first parity as affected by vitamin C administration and dietary fiber levels.	55
	Table (17) : Daily milk intake (g/bunny/day) and total milk intake (g/bunny) throughout lactation period for second parity as affected by vitamin C administration and dietary fiber levels.	56
	Table (18) : Daily milk yield throughout different weeks (g/doe/day) and total milk yield per doe for lactation period (g/doe) of first parity as affected by vitamin C administration and dietary fiber levels.	57
	Table (19) : Daily milk yield throughout different weeks (g/doe/day) and total milk yield per doe for lactation period (g/doe) of second parity as affected by vitamin C administration and dietary fiber levels.	58

III

No.	Title	Page
Table (20) :	Average litter weight between birth and weaning in the first parity as affected by dietary fiber levels and vitamin C administration.	67
Table (21) :	Average litter weight between birth and weaning in the second parity as affected by dietary fiber levels and vitamin C administration.	68
Table (22) :	Percentage of still birth and pre-weaning mortality as affected by dietary fiber levels and vitamin C administration.	73
Table (23) :	Effects of dietary fiber levels and vitamin C administration on loss or gain of does weight during the experimental period.	75
Table (24) :	Percentage of does Acceptance and conception rate as affected by dietary fiber level and vitamin C administration.	77
Table (25) :	Effect of vitamin C administration and dietary fiber level on some blood parameters of first samples.	81
Table (26) :	Effect of vitamin C administration and dietary fiber level on some blood parameters of second samples.	82
Table (27) :	Productivity of does and feeding cost throughout first and second parities as affected by dietary fiber level and vitamin C administration.	98
Table (28) :	Means of feeding cost (L.E./kg weaning rabbits as affected by dietary fiber level and vitamin C administration	99

LIST OF FIGURES

<i>No.</i>	<i>Title</i>	<i>Page</i>
Fig. (1) :	Weekly means of minimum and maximum temperature inside the rabbitry during the experimental period	18
Fig. (2) :	Weekly means of minimum and maximum relative humidity inside the rabbitry during the experimental period.	18
Fig. (3) :	The diurnal variation in air temperature inside the rabbitry recorded four times daily	19
Fig. (4) :	The diurnal variation in relative humidity inside the rabbitry recorded four times daily.	19
Fig. (5) :	Computerized calibration curve for converting of gamma counter numbers (of the radiolabeled cortisol) to calculate the cortisol concentration in the serum samples.	27
Fig. (6) :	Average daily feed intake of does and their litters through different stages of the first parity as affected by vitamin C administration and dietary fiber.	34
Fig. (7) :	Average daily feed intake of does and their litters through different stages of the second parity as affected by vitamin C administration and dietary fiber	34
Fig. (8) :	Litter size (offsprings/doe) from birth to weaning for the first parity as affected by vitamin C administration and dietary fiber levels.	40
Fig. (9) :	Litter size (offsprings/doe) from birth to weaning for the second parity as affected by vitamin C administration and dietary fiber levels	41
Fig. (10):	Effect of vitamin C administration and dietary fiber levels on weekly litter weight from birth to weaning for the first parity.	45

<i>No.</i>	<i>Title</i>	<i>Page</i>
Fig. (11):	Effect of vitamin C administration and dietary fiber levels on weekly liter weight from birth to weaning for the second parity.	46
Fig. (12):	Effect of vitamin C administration and dietary fiber levels on mean of litter weight at birth for first and second parity.	47
Fig. (13):	Effect of vitamin C administration and dietary fiber levels on mean of litter weight at weaning for first and second parity.	47
Fig. (14):	Average daily litter gain from birth to weaning for the first parity as affected by vitamin C administration and dietary fiber levels.	51
Fig. (15):	Average daily litter gain from birth to weaning for the second parity a affected by vitamin C administration and dietary fiber levels.	52
Fig. (16):	Average total litter gain as affected by vitamin C administration and dietary fiber levels.	53
Fig. (17):	Daily milk intake (gm/bunny/day) through the lactation period of first parity as affected by vitamin C administration and dietary fiber levels	59
Fig. (18):	Daily milk intake (gm/bunny/day) through the lactation period of second parity as affected by vitamin C administration and dietary fiber levels.	60
Fig. (19):	Effect of vitamin C administration and dietary fiber levels on total milk intake (gm/bunny) of first and second parity.	61
Fig. (20)	Daily milk yield (gm/doe/day) for the first parity as affected by vitamin C administration and dietary fiber levels.	62