SOME STUDIES ON INFECTION WITH YERSINIA MICROORGANISM AMONG FRESHWATER FISH UNDER CULTURED CONDITIONS

Thesis

Presented by

MOHAMMED HOSSAM LOTFY EL-GAMAL

B.V.Sc. Alexandria University (1990) M.V. Sc. Tanta University (2000)

For The Degree of

Ph. D. Vet. Sci. (Fish Diseases and Hygiene)

To

Department of Poultry and Fish Diseases Faculty of Veterinary Medicine Alexandria University

(2005)

Under supervision of

Prof. Dr. Magdy Khalil Soliman

Prof. of . Fish Diseases and Hygiene Dept. of Poultry and Fish Diseases Faculty of Vet. Med.

Alex. Univ.

Dr. Riad Hassan Khalil

Assoc.Prof. of Fish Diseases and Hygiene Department of Poultry and Fish Diseases Faculty of Vet. Med. Alex. Univ.

تحت إشراف

الأستاذ الدكتور/ مجدى خليل سليمان أستاذ صحة وأمراض الأسماك كلية الطب البيطرى-جامعة الإسكندرية

الدكتور/ رياض حسن خليل أستاذ صحة وأمراض الأسماك الساعد قسم طب الطيور والأسماك كلية الطب البيطرى-جامعة الإسكندرية

بعض الدراسات على الإصابات بميكروب اليارسينيا فى اسماك المياه العذبة تحت ظروف الاستزراع

رسالة مقدمة من

ط. بد/ محمد حسام الدين محمد لطفي الجمل

بكالوريوس العلوم الطبية البيطرية (جامعة الإسكندرية) (١٩٩٠) ماجستير العلوم الطبية البيطرية (جامعة طنطا) (٢٠٠٠)

للحصول على درجة دكتوراه الفلسفة في العلوم الطبية البيطرية (صحة وأمراض الأسماك)

مقدمة إلى

سرطب الطيوس والأسماك كليت الطب البيطسى جامعتم الإسكندس يت

7..0

ACKNOWLEDGEMENT

First of all prayerful thanks to our *GOD* who gives me every thing I have.

I am greatly indebted to *Dr. Magdy Khalil Soliman*, Professor of Fish Diseases and Hygiene, Department of Poultry and fish diseases, Faculty of Veterinary Medicine, Alexandria University for his stimulating supervision, and for valuable and continuous share and interest encouragement.

Also, special thanks for **Dr**. *Riad Hassan Khalil*, Associate Professor of fish Disease and Hygiene, Faculty of Veterinary Medicine, Alexandria University for directs effective supervision during the fulfillment of this study.

I wish to express my deepest appreciation and sincere gratitude to *Prof. Dr.E. El-Manakhly*, Professor of Pathology for his help in performing the histopathological studies.

Thanks are also due to the *Staff members* of Department of Avian and Aquatic Animal Medicine specially *Dr. Talaat Talaat Saad* Lecturer of Fish Diseases and Hygiene, Faculty of Veterinary Medicine, Alexandria University, for their great support and encouragement during this work.

بسم الله الرحمن الرحيم و ما أوتبتم من العلم إلا قلبلا صدق الله العظيم سورة الإسراء الأبية رقم ٨٥

CONTENTS

Item	Page
	Number
I-INTRODUCTION	1
II-REVIEW OF LITERATURE	4
1-Introduction about <i>Y. ruckeri</i>	4
2-Historical aspects of ERM disease.	5
3-Definition. of <i>Y. ruckeri</i> and Enteric Red-Mouth (ERM) Diseases ERM)	6
4-Characters of <i>Yersinia</i> :	8
5-Types of <i>Yersinia</i> :-	10
6-Sources and methods of infection of Yersinia ruckeri	13
7-Fish species susceptible to infection with <i>Yersinia ruckeri</i> .	14
8-Geographical distribution of Yersinia ruckeri	17
9-Experiemntal infection of fish with Yersinia ruckeri	18
10-Biochemical characters of Yersinia ruckeri	23
11-Diseases caused by Yersinia ruckeri	25
12-Incubation period	26
13-Pathogenesis of Yersinia	26
14-Symptoms of Yersinia ruckeri affected fish	29
15-P. M lesions of Yersinia ruckeri affected fish	30
16-Identification of Yersinia ruckeri	31
17-Prevention and control of Yersinia ruckeri	37
A-Drugs	37
B-Vaccination of fish against <i>Y. ruckeri</i>	40
III-MATERIALS AND METHODS	47
I-Materials:	47
1-Fish	47
2. Aquaria	48
3. Fish diets	48
4. Yeast strains	48
5-Media used for bacterial isolation	49
6-Media and reagents used for identification and biochemical reactions of Y.	50
ruckeri:-	
7-Reagents for biochemical identification.	51
8. Kits for GOT, GPT, Alk Ph, Total protein, Albumin, Globulin and	51
Cholesterol (Pasteur Lab.) France.	
9. Solutions, buffers, reagents and stains:	51
-Reagents of electron-microscope:	52
10. Syringes:	53
11. Petri dishes of 5 and 10 Cm diameter.	53
12. Pasteur pipette, centrifuge tube, capillary tube (haematocrite tubes),	53

Epindorph tubes, slides, cover slips, rack slid.	
13. Apparatus used:-	53
15-Antibiotic discs:-	54
II-Methods:-	55
1-Clinical and Postmortem examination:-	55
2-Bacteriological examination:-	55 55
3-Experimental infection in fish:-	60
A-Presumptive test:-	60
B-Determination of Lethal dose 50 (LD ₅₀) and Acute infection:-	60
C-The 3 rd experiment (Chronic infection):-	62
4- Histopathological studies:	63
5. Blood sampling:	63
6. Differential leucocytic count:	64
7. Determination of phagocytic activity and phagocytic index:	64
8. Hematological investigations:-	65
9. Clinico-biochemical analysis:	65
10- 4 th experiment (Challenge test):-	70
11. Statistical analysis:	73
12. Electrone microscope examination:-	74
•	
IV-RESULTS	75
1-Clinical signs and postmortem findings of naturally infected fish:	75
2-Isolation and identification of <i>Y. ruckeri</i> :-	75
3-Biochemical tests:-	76
4-Sensitivity test	76
5-Results of expermintal infection:-	76
6-Clinical signs and P.M lesions of inoculated fish.	77
7-Histopathologic results:-	79
8-Results of electron microscope examination:-	82
9-Results of haematological studies:-	82
10-Results of of serum enzymatic examinations:-	84
11-Antibody titers:-	85
V-TABLES AND FIGUERS	86
VI-DISCUSSION	126
VII- CONCLUSION	142
VIII- SUMMARY	143
IX-References	147
X-Arabic summary	

LIST OF TABLES

Item	Page Number
Table (1): Classifications of fish samples among different fish species andtheir localities:	47
Table (2): Explains the steps and doses of bacteria for determination of LD_{50} . Explain the design of the chronic experiment.	61
Table (3): Explain the design of the chronic experiment.	62
Table (4): Explain the design of the 4 th experiment (The challenge experiment).	70
Table (5): Biochemical characteristics of <i>Y. ruckeri</i> isolates.	86
Table (6): Results of antibiotic sensitivity test.	87
Table (7): Mortality percentage and LD ₅₀ among different fish species.	88
Table (8): Differential leucocytic counts in chronic infection.	89
Table (9): Results of Phagocytic activity and phagocytic index during the chronic infection at different periods.	90
Table (10): WBCs, RBCs and Hb during the chronic experiment at different weeks.	91
Table (11): GPT, GOT, and alkaline phosphatase in chronic experiment at different weeks.	92
Table (12): Results of Glucose and Cholesterol in chronic exp. at different weeks.	93
Table (13): Albumin, globulin, total protein as well as albumin to globulin ratio in chronic experiment at different weeks.	94
Table (14): Antibody titer among both fish species.	95
Table (15): Relative level of protection (R.L.P) among vaccinated and non vaccinated fish species.	96

LIST OF FIGUERS

Item	Page Number
Fig. (1): <i>Oreochromis niloticus</i> naturally infected with <i>Yersinia ruckeri</i> showing redness of abdomin, isthmus and arround the mouth.	97
Fig. (2): <i>Oreochromis niloticus</i> naturally infected with <i>Yersinia ruckeri</i> showing haemorrhages under the operculum and pectoral fin.	97
Fig. (3): <i>Oreochromis niloticus</i> naturally infected with <i>Yersinia ruckeri</i> showing haemorrhagic patches of abdomen with eye opacity.	98
Fig. (4): <i>Oreochromis niloticus</i> naturally infected with <i>Yersinia ruckeri</i> showing congestion of the liver, kidney and gills with bloody fluid in abdomin.	98
Fig. (5): <i>Oreochromis niloticus</i> infected with 10 ⁻³ from the isolate no. 4 of <i>Y. ruckeri</i> showing haemorrhage at different parts of the body (tail, abdomen and head).	99
Fig. (6):): <i>Oreochromis niloticus</i> infected with 10^{-2} dil. of isolate no. 4 of <i>Y. ruckeri</i> showing congestion of isthmus and arround gill cover.	99
Fig. (7):): <i>Monosex tilapia</i> injected with 10 ⁻⁴ dil. of isolate no. 4 of <i>Y. ruckeri</i> showing congestion and redness of oral cavity and snout region with slight exophthamia.	100
Fig. (8): <i>Monosex tilapia</i> injected with 10 ⁻³ di. of isolate no. 4 of <i>Yersinia ruckeri</i> showing congestion and redness of buccal cavity.	100
Fig. (9): <i>O. niloticus</i> injected with 10 ⁻⁴ dil. of isolate no.4 of <i>Y. ruckeri</i> showing congestion of kidney, gills and palness colouration of liver.	101
Fig. (10): <i>Monosex tilapia</i> in chronic state at 1 st Wk, showing darkness of the dorsum of fish with congested snout region.	101
Fig. (11): <i>Monosex tilapia</i> in chronic state at 2 nd Wk, showing congested anal opening and pectoral fish origin.	102
Fig. (12): <i>Monosex tilapia</i> in chronic state at 2 nd Wk of experiment showing ascitis with haemorrhagic spots and inflammed anal opening.	102

Fig. (13): <i>Monosex tilapia</i> in chronic state at 2 nd Wk of experiment showing errosion of the tail fin.	103
Fig. (14): <i>Monosex tilapia</i> at chronic state within the 2 nd Wk of experiment showing ulcer on gill cover with slight exophthalmia.	103
Fig. (15): <i>Monosex tilapia</i> at chronic state at 1 st Wk of experiment showing redness of oral cavity with congested snout.	104
Fig. (16): <i>Monosex tilapia</i> at chronic state within 2 nd Wk of experiment showing clowdness of the eye which leads to blindness.	104
Fig. (17): <i>Monosex tilapia</i> at chronic experiment within the 4 th Wk of experiment showing errosion of tail with detachement of scales and congestion at base of pectoral fin.	105
Fig. (18): <i>Monosex tilapia</i> at chronic state within 3 rd Wk of experiment showing congestion of dorsal, pectoral fin, gill cover and arround the eye.	105
Fig. (19): <i>Monosex tilapia</i> in chronic state within the 4 th Wk showing congestion of kidney and liver.	106
Fig. (20): <i>Monosex tilapia</i> in chronic experiment within 3 rd Wk showing errosion and palness of gills with congested liver and kidneys.	106
Fig. (21): <i>Common carp</i> in chronic state, within 3 rd Wk showing slight errosion of caudal fin with haemorrhagic spots on body surface and exophthalmia.	107
Fig. (22): <i>C. carp</i> in chronic state within 2 nd Wk. showing ascitis with congestion of abdomina and errosion of tail fin.	107
Fig. (23): <i>Common carp</i> in chronic state within the 4 th Wk showing congestion of the internal organs with different degrees at gills, liver and kidney.	108
Fig. (24): Gills of a naturally infected <i>O. niloticus</i> with <i>Y. ruckeri</i> showing marked swelling of a primary filament with goblet cells hyperplasia (Small arrows). The neighbouring filament was necrotic (Large arrow). H, E. (X 250).	108
Fig. (25): Gills of an acutely infected <i>Common carp</i> fish afte the 1 st week showing focal lamellar necrosis of a gill filament (arrow). H, E. (X 160).	109
Fig. (26): Gills of naturally infected <i>Oreochromis niloticus</i> with <i>Y. ruckeri</i> showing edematous gill arch (A) with EGCs infiltration (arrows) H, E. (X 250).	109

Fig. (27): Hepatopancrease of an acutely infected <i>Monosex tilapia</i> with <i>Y. ruckeri</i> during 1 st week showing hydropic degeneration of the hepatocytes (H & E) (X 160).	110
Fig. (28): Hepato pancrease of an acutely infected <i>Monosex tilapia</i> with <i>Y. ruckeri</i> during 1 st week showing vaculation of the pancreatic cells (arrows) as well as of hepatocytes H, E. (X 250).	110
Fig. (29): Kidney of <i>Monosex tilapia</i> , in acute stage showing eosinophilic hyaline massess inside tubular Epith. Which indicate hyaline droplet degeneration of proximal convoluted tubules. H, E. (X 250).	111
Fig. (30): Spleen of aspontaneusly infected <i>Monosex tilapia</i> with <i>Y. ruckeri</i> showing: Marked enlargement of melanomacrophage center (H & E) (X 160)	111
Fig. (31): Gills of a chronically infected <i>Common carp</i> during the 2 nd week with <i>Y. ruckeri</i> showing: Edema of gill arch with EGCS and leukocytic infiltration. H, E. (X 160).	112
Fig. (32): Gills of a chronically infected <i>Oreochromis niloticus</i> during the 2 nd week with <i>Y. ruckeri</i> showing: Edema at the base of secondary lamellae (arrows). H, E. (X 160).	112
Fig. (33): Gills of a chronically infected <i>Monosex tilapia</i> during the 4 th week with <i>Y. ruckeri</i> showing: Marked swelling of the filaments due to epithelial hyperplasia and hypertrophy. H, E. (X 160).	113
Fig. (34): Hepatopancrease of a chronically infected <i>Common carp</i> fish during the 2 nd week with <i>Y. ruckeri</i> showing: Diffuse hydropic degeneration of the hepatocytes. H, E. (X 160).	113
Fig. (35): Hepatopancrease of a chronically infected <i>Monosex tilapia</i> with <i>Y. ruckeri</i> during the 3 rd week showing: Lymphocytic infiltration (arrows) besides hydropic degeneration. H, E. (X 160).	114
Fig. (36): Hepatopancrease of a chronically infected <i>Monosex tilapia</i> with <i>Y. ruckeri</i> during the 4 th week showing: Fatty change of some hepatocytes besides hydropic degeneration. H, E. (X 160).	114
Fig. (37): Kidney of <i>Common carp</i> infected with <i>Y. ruckeri</i> after 3 rd Wk of experiment in chronic stage showing: Severe hyaline droplet degeneration of some	115

convoluted tubules with high assingulities infiltration	
conveluted tubules with high eosinophilic infiltration.	
Fig. (38): Spleen of a chronically infected <i>Common carp</i> with <i>Y. ruckeri</i> during the 3 rd week showing: Marked enlargement of the melanomacrophage centers. H, E. (X 160).	115
Fig. (39)	116
Fig. (40): Electro micrograph of isolated <i>Y. ruckeri</i> appeared as rod-shaped bacteria demonstrating 7 – 8 peritrichus flagellation (X 7140).	116
Fig (41):Differential leucocytic counts among different fish species at different weeks in chronic experiment	117
Fig. (42):Phagocytic activity and Phagocytic index among different fish species at different weeks in chronic experiment	118
Fig. (43): Low level of phagocytosis with pseudopodia and clamidospores forming in <i>Monosex tilapia</i> at 2 nd Wk of experimental infection with <i>Y. ruckeri</i> .	119
Fig. (44): Digestion and engulphement stage with pseudopodia formation in <i>C. carp</i> fish at 3 rd Wk of experimental infection with <i>Y. ruckeri</i> .	119
Fig. (45): Poor phagocytosis with pseudopodia formation and clamidospore forming in <i>Monosex tilapia</i> at 4 th Wk of experimental infection with <i>Y. ruckeri</i>	120
Fig. (46): Poor phagocytosis with pseudopodia formation in <i>C. carp</i> fish at 4 th Wk of experimental infection with <i>Y. ruckeri</i>	120
Fig. (47): WBCs, RBCs and Hb in chronic experiment at different weeks	121
Fig. (48): GPT, GOT and alkaline phosphatase in chronic experiment of different weeks.	122
Fig. (49): Glucose anddCholesterol in chronic experiment of different weeks.	123
Fig. (50): Albumin, Globulin, total protein as well as albumin / globulin ratio among different fish species at different weeks in chronic experiment.	124
Fig. (51): Antibody titer among different fish species at different weeks in chronic experiment.	125