تقييم فعالية الليزر في إلصاق الحاصرات على السطوح الخزفية (دراسة معملية)

رسالة

مقدمة للحصول على درجة الماجستير في تقويم الأسنان

مقدمة من

الطبيب/ أحمد سليم محمد قتيبة الصفدي

بكالوريوس طب و جراحة الفم و الأسنان

جامعة البنجاب كلية دي مونتمرنسي لطب الأسنان (٢٠٠٣) (باكستان)

> كلية طب الأسنان جامعة عين شمس



تحت إشراف

أ.د/ حمدي حافظ الزاهد

أستاذ تقويم الأسنان وكيل الكلية لشئون المجتمع والبيئة كلية طب الأسنان جامعة عين شمس

أ.م.د/ علي محمد الحسيني سعفان

أستاذ مساعد في قسم تطبيقات الليزر الطبية (طب الفم و الأسنان) المعهد القومي لعلوم الليزر و تطبيقاتها جامعة القاهرة

د. إسلام طارق حسن

مدرس بقسم التقويم و طب أسنان الأطفال كلية طب الأسنان جامعة عين شمس

Assessment of the Efficacy of Laser Surface Treatment for Bracket-Porcelain Bonding (An In-Vitro Study)

A thesis
Submitted to the Faculty of Dentistry
Ain shams university

In Partial Fulfillment of the Requirements for Master's Degree in Orthodontics

Ву

Ahmad Saleem Mohammad Qutayba Al-Safadi

B.D.S (2003)
Punjab University. de'Montmorency College of Dentistry
(Pakistan)

Faculty of Dentistry
Ain Shams University
2011



Supervisors

Dr. HAMDY HAFEZ EL-ZAHED

Professor of Orthodontics,
Vice Dean of Social and Environmental Affairs
Faculty of Dentistry,
Ain Shams University

Dr. Ali M. Al-Housainy Saafan

Assistant Professor,

Dental Laser Applications

National Institute of Laser Enhanced Sciences (N.I.L.E.S)

Cairo University

Dr. Islam Tarek Hassan

Lecturer of Orthodontics,
Orthodontic and Pediatric Dentistry Department
Faculty of Dentistry,
Ain Shams University

DEDICATION

To my father and mother who taught me: knowledge is the most precious possession one can ever acquire.

Without their support, nothing would have been possible.

To my sisters, Mirvat and Rawda, for their love, kindness and encouragement they have given me throughout my life.

ACKNOWLEDGEMENT

I would like to express my most sincere gratitude and grateful appreciation to **Prof. Dr. Hamdy H. El-Zahed** Professor of Orthodontics, Vice Dean of Social and Environmental Affairs. His endless encouragement, great help, extreme patience, valuable guidance and immeasurable support, will always be sincerely remembered.

I would like to offer my deep appreciation and gratitude to **Dr. Ali. M. Al-Housainy Safaan**, Assistant Professor, Dental Laser Applications, National Institute of Laser Enhanced Sciences (N.I.L.E.S), Cairo University. For his unlimited support, scientific suggestion as well as his skills in the field of laser.

Words fail to express my deepest thanks as well as gratefulness to **Dr. Islam Tarek Hassan**, Lecturer of Orthodontics, Orthodontic and Pediatric Dentistry Department, Faculty of Dentistry, Ain Shams University. His enormous effort throughout the past years, his remarkable help, and unique cooperation are highly appreciated and will always be remembered.

My deep thanks to **Dr. Mohammad. S. Nassif**, Lecturer of Dental Material. Dental Material Department, Faculty of Dentistry, Ain Shams University. For his supervision and kind help. This work would have never been completed without his extraordinary assistance and sincere guidance.

Thanks are extended to my professors, colleagues and staff members of orthodontic Department, Faculty of Dentistry, Ain Shams University for their valuable time, impressive advice, great support, encouragement and cooperation.

Saleem Al-Safadi

TABLE OF CONTENTS

Chapter		Page
I	INTRODUCTION	1
П	LITERATURE REVIEW	5
Ш	AIM OF THE STUDY	37
IV	MATERIALS AND METHODS	39
V	RESULTS	71
VI	DISCUSSION	91
VII	SUMMARY	111
VIII	CONCLUSIONS	113
IX	RECOMMENDATIONS	115
Х	ABBREVIATIONS	117
ΧI	REFERENCES	119
XII	ARABIC SUMMARY	

LIST OF FIGURES

Fig.	Title	Page
1	Shear and tensile force.	9
2	Laser optical cavity	30
3	Elite Opti-MIM™ Mini Edgewise bracket (A) labial view, (B) Base view, (C) side view	40
4	Intraoral microetcher II with high speed handpiece line adaptor.	41
5	Intraoral microetcher II with three-quarter filled jar with dry abrasive.	41
6	Aluminum oxide powder	42
7	9% hydrofluoric acid gel with inspiral bruch tip	42
8	Unite™ bonding kit	44
9	Coarse diamond bur for porcelain surface deglazing	44
10	Brass mould	45
11	Plates with screw	45
12	Mould with fixed screw plate	45
13	Wax pattern in the mould	47

14	Spruing by sticky wax	47
15	Rubber crucible former	47
16	Cone-shaped plastic ring for a ringless casting system.	47
17	Investment material	47
18	Plastic ring with Investment	47
19	Centrifugal casting machine	48
20	Sandblasted base alloy	48
21	Opaque layers	48
22	Porcelain vacuum furnace	48
23	Final glazed porcelain sample	48
24	Coarse diamond bur application for porcelain sample deglazing	49
25	SEM photographs of laser-treated glazed porcelain surfaces. A , 15 W; B , 5 W; C , 3W (continous mode); D , 2W.	51
26	SEM photograhs of laser treated degalzed porcelain surfaces. A , 15 W; B , 5 W; C , 3W (continous mode); D , 2W.	51
27	Crown cemented in extracted tooth	53

28	Digital thermometer with thermocapule connected Indicating room base temperature	53
29	Porcelain specimen with the scotch tape	56
30	Microetcher with wood piece handle	56
31	Adjust 5 mm distance of specimen from nozzle tip	56
32	CO₂ laser machine	57
33	Aiming beam of laser	57
34	Laser parameters for porcelain surface treatment	57
35	SEM of sandblast and laser surface treatment A , sandblast followed by laser surface treatment; B , laser followed by sandblast surface treatment.	58
36	SEM of hydrofluoric acid and laser surface treatment A , hydrofluoric acid followed by laser surface treatment; B , laser followed by hydrofluoric acid surface treatment.	59
37	Sputter coating device	61
38	Specimens on carbon double-sided adhesive tape with gold coating	61

39	Scanning electron microscope	61
40	Tension/Compression gauge	63
41	Bracket bonded to porcelain surface	63
42	Hot water bath	65
43	Cold-water bath	65
44	Plastic cap after immersion In hot and cold water baths	65
45	Universal testing machine	67
46	Mould containing porcelain bracket assembly	67
47	Specimen mounted on universal testing machine	67
48	Stereomicroscope assembly	69
49	A bar graph showing the mean shear bond strength in MegaPascal for the four different porcelain surface treatment	72

50	A bar graph showing the coefficient of variation in percent for the four different porcelain surface treatment	74
51	Different porcelain surface treatment A: diamond bur; B: sandblast followed by Hydrofluoric acid; C: laser; D: hydrofluoric acid followed by laser; E: laser followed by sandblast	78
52	ARI scores: score 0: indicating no adhesive remained on porcelain	80
53	ARI scores: score 1: indicating less than 50% of adhesive remained In porcelain surface	80
54	ARI scores: score 2: indicating more than 50% of adhesive remained In porcelain surface	81
55	ARI scores: score 3: indicating all the adhesive remained on porcelain surface, with distinct impression of bracket mesh	81
56	A bar graph showing the percentage of the ARI for the four methods of porcelain surface treatment	84
57	Incidence of crack in porcelain in sandblast and hydrofluoric acid group, arrow indicating site of crack	85
58	A scanning electron microscope of untreated porcelain surface (original magnification X500)	88
59	A scanning electron microscope of deglazed porcelain surface (original magnification X500)	88

60	A scanning electron microscope of sandblast and hydrofluoric acid treated porcelain surface (original magnification X500)	89
61	A scanning electron microscope of lased porcelain surface (original magnification X500)	89
62	A scanning electron microscope of laser and sandblast treated porcelain surface (Original magnification X500)	90
63	A scanning electron microscope of hydrofluoric acid and laser treated porcelain surface (Original magnification X500)	90