



كلية العلوم
قسم الفيزياء

نظريات الدفع الكهروديناميكي وتطبيقاتها

رسالة تكميلية بالدراسة والبحث مقدمة للحصول على درجة
الماجستير فى العلوم

إلى قسم الفيزياء
كلية العلوم
جامعة عين شمس

من طالب الدراسات العليا
شريف محمد الحسينى إسماعيل محمد
بكالوريوس علوم (فيزياء)

2005

رسالة ماجستير في الفيزياء

أسم الطالب : شريف محمد الحسيني إسماعيل محمد

عنوان الرسالة : نظريات الدفع الكهروديناميكي وتطبيقاتها

أسم الدرجة : ماجستير في علوم الفيزياء

لجنة الإشراف

- أستاذ دكتور / مصطفى محمد إسماعيل شلبي .
أستاذ دكتور وعميد كلية العلوم - جامعة عين شمس
- دكتور / عاطف عبد المنعم خزيك .
مدرس بقسم الفيزياء - كلية العلوم - جامعة عين شمس

لجنة التحكيم:

- أستاذ دكتور / مصطفى محمد إسماعيل شلبي .
أستاذ دكتور وعميد كلية العلوم - جامعة عين شمس
- الأستاذ الدكتور / فاروق إسماعيل أحمد .
أستاذ الآلات الكهربائية - كلية الهندسة - جامعة القاهرة
- الأستاذ الدكتور / نبيل محمد عبد الحميد السراجي
أستاذ دكتور - كلية العلوم - جامعة طنطا

تاريخ البحث:

الدراسات العليا:


الرسالة بتاريخ:

أوجيزت:

قسم الإجازة:

موافقة مجلس الجامعة:

موافقة مجلس الكلية:



كلية العلوم
قسم الفيزياء

أسم الطالب : شريف محمد الحسينى إسماعيل محمد

العنوان : نظريات الدفع الكهروديناميكي وتطبيقاتها

أسم الدرجة : ماجستير في العلوم (فيزياء)

القسم التابع لة : الفيزياء

أسم الكلية : علوم

الجامعة : عين شمس

سنة التخرج : 2000

سنة المنح : 2005

شكر وتقدير

أود أن أتقدم بخالص شكري وتقديري إلى أسرة قسم الفيزياء (كلية العلوم - جامعة عين شمس) لدعمهم لي أثناء العمل في هذا البحث العلمي . وأخص بالذكر كل من : الأستاذ الدكتور / مصطفى إسماعيل شلبي (عميد كلية العلوم - جامعة عين شمس) ، والدكتور / عاطف عبد المنعم خزيك ، لإشرافهم الدقيق ومعاونتهم المثمرة لي أثناء أداء هذا البحث .

شريف محمد الحسيني

شكر وتقدير

أود أن أتقدم بخالص شكري وتقديري إلى أسرة قسم الفيزياء (كلية العلوم - جامعة عين شمس) لدعمهم لي أثناء العمل في هذا البحث العلمي . وأخص بالذكر كل من : الأستاذ الدكتور / مصطفى إسماعيل شلبي (عميد كلية العلوم - جامعة عين شمس) ، والدكتور / عاطف عبد المنعم خزيك ، لإشرافهم الدقيق ومعاونتهم المثمرة لي أثناء أداء هذا البحث .

شريف محمد الحسيني

شكر وتقدير

أود أن أتقدم بخالص شكري وتقديري إلى أسرة قسم الفيزياء (كلية العلوم - جامعة عين شمس) لدعمهم لي أثناء العمل في هذا البحث العلمي . وأخص بالذكر كل من : الأستاذ الدكتور / مصطفى إسماعيل شلبي (عميد كلية العلوم - جامعة عين شمس) ، والدكتور / عاطف عبد المنعم خزيك ، لإشرافهم الدقيق ومعاونتهم المثمرة لي أثناء أداء هذا البحث .

شريف محمد الحسيني



Ain Shams University
Faculty of Science, Physics Department

ELECTRODYNAMICAL PROPULSION THEORIES AND THEIR APPLICATIONS

Thesis Submitted to

The Department of Physics
FACULTY OF SCIENCE, AIN SHAMS UNIVERSITY

In
Partial Fulfillment of the Requirements for the Degree of
Master of Science
(M. Sc.)

By
Sherif Mohammad E. Ismael

2005

The Master Thesis

Student name: Sherif Mohammad El-Hosainy Ismael

Thesis address: ELECTRODYNAMICAL PROPULSION THEORIES
AND THEIR APPLICATIONS

Name of the degree: The Master

Supervisor committee

- Prof. Dr. Mustafa Mohammad Ismael Shalaby
Dean of the Faculty of Science,
Faculty of Science, Ain Shams University
- Dr. Atef Abd El-Mon'em Khazbak
Physics department, Faculty of Science, Ain Shams University

Examining committee

- Prof. Dr. Mustafa Mohammad Ismael Shalaby
Dean of the Faculty of Science,
Faculty of Science, Ain Shams University
- Prof. Dr. Farouk Ismael Ahmed
Faculty of Engineering, Cairo University
- Prof. Dr. Nabil Mohammed Abd el-Hameed El-Seragy
Faculty of Science, Tanta University

Research date: 3/2002

Graduate studies:

Grant department:

Grant date:

Faculty of science: Ain Sham University



Ain Shams University
Faculty of Science, Physics Department

Student name: Sherif Mohammad El-Hosainy Ismael

Thesis address: ELECTRODYNAMICAL PROPULSION THEORIES
AND THEIR APPLICATIONS

Scientific Degree: The Master

The department: Physics

Faculty: Science

University: Ain Shams

Graduation date: may 2000

Grant date:

II

وَقُلْ رَبِّ زِدْنِي
عِلْمًا

Ω

In the Name of Allah, the Most Gracious, the Most Merciful

".. And say: My Lord! Increase me in Knowledge"

"TAHA/114, the Glorious QurAn"

ACKNOWLEDGEMENT

I would like to thank the family of Physics Department for their support . I wish to express my deepest gratitude to Prof. Dr. Mostafa Ismael Shalaby, the Dean of Faculty of Science, Ain Shams University, and Dr. Atef Khazbak for their kind supervision and helpful discussions during the preparation of this research work.

Sherif Mohammad E. Ismael

CONTENTS

Abstract	(1)
Summary	(2)
List of Symbols	(4)
Introduction	(5)
 Chapter I: Fields of Applications of Electrodynamics in Linear Propulsion Systems	 (9-14)
Ground Transportation	(9)
Space Launcher	(10)
Space UTSTAR Launcher	(11)
Laser Propulsion	(13)
Military Applications	(14)
 Chapter II: Representation of the MMF distribution and the Linear Current Density of the Electro-Dynamic Linear Propulsion Systems by Fourier Integrals	 (15-27)
 Chapter III: One-dimensional Field Problem	 (28-44)
Description of the Mathematical Model	(28)
Mathematical analysis	(30)
The Force Expression	(37)
Analytical derivation of the force expression	(40)
Calculation of the secondary input power	(46)
Calculation of the efficiency of the secondary sheet	(49)

Chapter VI: Two-dimensional Field Problem (51-78)

The description of the mathematical model (52)

Field Analysis (53)

Derivation of the Partial Differential Equations in each region (55)

Boundary conditions (B.C) (59)

 The Boundary conditions between regions I and III (59)

 The Boundary conditions between regions II and III (60)

Determination of the arbitrary constants (61)

The force expression (66)

Evaluation of the Thrust Force (F_x) (68)

Calculation of the secondary input power (74)

The Efficiency (76)

Calculation of the normal Force component (F_y) (76)

Chapter V: Results and Discussions (79-93)

5-1 One-Dimensional Field Analysis (79)

 I-One-Dimensional Analytical Results (79)

 II-One-Dimensional Numerical Results (82)

 III- The comparison Between the Analytical and Numerical Solution (84)

 IV- The efficiency curve for the one-dimensional solution (85)

5-2 Two-Dimensional Field Analysis... .. (85)

 I- Two-Dimensional Thrust force component (85)

 II- Two-Dimensional thrust force Numerical Results (88)

 III- The comparison Between the Analytical and Numerical Solutions (90)

 IV- The efficiency of the Two-dimensional model... .. (90)

 V-Comparison between the One- and the Two-dimensional Analytical
 Solutions... .. (91)

 VI- Calculations of the Normal Force (F_y) (92)

VII- Two-dimensional Numerical evaluation of the normal force...	(94)
Mechanical and Electrical Parameters of the Studied Mathematical Model	(97)
Chapter VI: Conclusion	(98-99)
Selected References	(100)

List of Figures

Figure No	Figure Title	Page
Figure 1.1	A sectional view of a Monorail Vehicle and its driving (LPS) unit	9
Figure 1.2	A Long UTSTAR Space Launcher Section	11
Figure 2.1	A primary iron core representing a 2-pole model carrying the 3 coil groups where each coil group consists of q-coils and each coil side has n_c conductors.	15
Figure 2.2	A single coil with n_c conductors embedded into laminated silicon steel core.	16
Figure 2.3	The MMF representation of a single coil with n_c conductors.	16
Figure 2.4	The MMF representation of a single coil.	18
Figure 2.5	The MMF distribution of 3-coils per pole pair	20
Figure 2.6	The resultant MMF distribution of the 3-coils per pole pair.	20
Figure 2.7	The Real and the imaginary parts of the sinusoidal wave packet.	27
Figure 3.1	Diagram of the real model	28
Figure 3.2	A sectional view of the one dimensional mathematical model.	29
Figure 3.3	The Mathematical Model.	30
Figure 3.4	(i) Plan view of the secondary conductive sheet. (ii) An elementary piece of the secondary sheet.	32 32
Figure 3.5	Sectional view of the field interaction with the primary current sheet.	37
Figure 3.6	The path of the contour integration in the complex plane and the location of poles. The path around the singularity on the real axis.	41
Figure 3.7	Two sided primary slotted iron core and long secondary conductive sheet.	43
Figure 4.1		51

Cont. List of Figures

Figure No	Figure Title	Page
Figure 4.2	A sectional view of the Two dimensional mathematical model	52
Figure 4.3	Mathematical model showing the PDE's in each region.	55
Figure 4.4	The boundary region between the air gap and the primary iron core.	59
Figure 4.5	The boundary region between the air gap and the secondary conductive sheet.	60
Figure 4.6	The normal force and the thrust force developed in the EM model.	66
Figure 4.7	the normal force is either caused by the primary or secondary region depending on the way we look at B_x and J_z .	67
Figure 4.8	The path of the contour integration in the complex plane and the location of the poles.	69
Figure 4.9	The path around the singularity on the real axis.	71
Figure 5.1	The thrust force generated by the normal wave.	80
Figure 5.2	The thrust force generated by the entry-end-effect wave.	80
Figure 5.3	The thrust generated by the exist-end-effect wave.	81
Figure 5.4	The 3 component thrust forces generated by the model.	81
Figure 5.5	The 3 component Forces and their resultant.	82
Figure 5.6	The Complex Spectrum for different secondary sheet speeds.	83
Figure 5.7	Typical form of the real spectrum.	83
Figure 5.8	The thrust force characteristics calculated numerically.	84
Figure 5.9	Comparison Between Numerical and Analytical Solutions of the thrust forces.	84
Figure 5.10	The efficiency curve of the one-dimensional solution	85
Figure 5.11	The thrust force generated by the normal wave	86

Cont. List of Figures

Figure No	Figure Title	Page
Figure 5.12	The thrust generated by the entry-end-effect wave .	86
Figure 5.13	The thrust generated by the exit-end-effect wave.	87
Figure 5.14	The 3 components of the thrust force.	87
Figure 5.15	The typical real Part of the Complex Spectrum for different secondary conductive sheet speeds.	88
Figure 5.16	A typical form of the real spectrum	89
Figure 5.17	The numerucal Thrust forces	89
Figure 5.18	The Comparison Between The Analytical and the Numerical solutions of the Two-Dimensional theory.	90
Figure 5.19	The efficiency-curve for the two dimensional solution	90
Figure 5.20	Comparison between the one- and two-Dimensional Thrust forces of the analytical solutions	91
Figure 5.21	Comparison between the one- and two-Dimensional efficiencies	91
Figure 5.22	The normal term of the normal thrust force component	92
Figure 5.23	The entry-end-effect wave	93
Figure 5.24	The exit-end-effect specturm	93
Figure 5.25	The resultant normal force together with its components	94
Figure 5.26	The complex spectrum of the normal force components (force of attraction) for different speeds of the secondary conductive sheet.	95
Figure 5.27	A typical form of the real spectrum	96
Figure 5.28	The comparison between the normal forces (the force of attraction) as calculated numerically and analytically. The figure shows highly accurate coincidence between the two different solutions.	96