

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

SPECIFIC IMMUNE COMPLEXES IN EXPERIMENTAL SCHISTOSOMIASIS

Thesis

Introduction for the Degree of M.D. in Basic Medical Science (Parasitology)

BY

Khaled Abdel Rahman Ghaith

Assistant Lecturer of Parasitology Benha Faculty of Medicine

Supervisors

Prof.Dr.Hassan A. Hamadto

Head of Parasitology Department.
Benha Faculty of Medicine
Zagazig University

Prof. Dr. Magdi M. Ismail

Head of Parasitology Department.

Faculty of Medicine

Zagazig University

Prof. Dr. Mohsen M. Hassan

Professor of Parasitology Faculty of Medicine Zagazig University

Prof. Dr. Amani F. El-Fakahany

Professor of Parasitology Benha Faculty of Medicine Zagazig University

Dr. Ali El-Said Ali

Ass.Prof. of Parasitology Benha Faculty of Medicine Zagazig University

2

2001

ACKNOWLEDGEMENT

I would like to express my sincerest gratitude and deepest appreciation to Prof. Dr. Hassan Ahmed Hamadto, Professor and Head of Parasitology department, Benha Faculty of Medicine, Zagazig University for his generous supervision, continuous encouragement, kind advice during the conduction of this work and without his help, this work could never been completed.

I am particularly indebted to **Prof.Dr.Magdy Mahmoud Ismail** Professor and Head of Parasitology department, Faculty of Medicine, Zagazig University for his continuous guidance, encouragement and helpful advice throughout this work.

No words can express my deep gratitude and appreciation to **Prof. Dr. Mohsen Mostafa Hassan**, Professor of Parasitology, Faculty of Medicine, Zagazig University for his generous supervision, specific guidance, continuous support and follow up throughout this work.

I am also much grateful to **Prof.Dr. Amany Faroque El-Fakahany** Professor of Parasitology, Benha Faculty of Medicine, Zagazig University for her sincere devotion, valuable cooperation and honest guidance.

I am also much grateful to **Prof.Dr. Amal Mangoud** Professor of Pathology, Faculty of Medicine, Zagazig University for her sincere devotion, valuable cooperation and honest guidance.

I would like to offer my thanks to **Dr. Ali El-Saaid Ali.**Ass.Professor of parasitology,Benha Faculty of Medicine, Zagazig University for his generous supervision,continuous support and follow up throughout this work.

I would like to offer my thanks to **Dr.Mohamed Husien** saleh. Ass. Professor of parasitology, Faculty of Medicine, Zagazig University for his sincere devotion, valuable cooperation throughout this work.

DEDICATED

То Му

Parents

Wife

Daughter ''Laila''

Son "Hatem"

Contents

	Page
- Introduction	1
- Aim of the work	2
- Review of Literature	3
*Immunity in schistosomiasis	3
*Immunopathology of schistosomiasis	5
*Schistosomal antigens	6
*Schistosomal antibodies	9
*Immune complexes	12
*Diagnosis of schistosomiasis	25
*Chemotherapy of schistosomiasis	42
-Materials and methods	47
-Results	69
-Discussion	108
-Summary	125
-Conclusion	128
-Recommendations	129
-References	130
-Arabic Summary	

LIST OF ABBREVIATIONS

ABTS : Azo-beno-thiazoline-sulphonic acid.

ADCC : Antibody dependent cell mediated cytotoxicity.

APC : Antigen presenting cell.

AWA : Adult worm antigen.

BCA : Bicinchroninic acid.

BSA : Bovine serum albumin.

C : Complement.

CAA : Circulating anodic antigen.

CCA : Circulating cathodic antigen.

CE : Cercarial elastase.

CFF6 : Cationic egg fraction No.6

CFT : Complement fixation test.

CHR : Cercarian hullen reaction.

CIC : Circulating immune complex .

CIE : Counter current immunoelectrophoresis.

COPT : Circumoval precipitin test.

CRS : Chemical reagent strips.

CsAg : Circulating schistosomal antigen.

CSAb : Circulating schistosomal antibody.

CSIgG : Circulating schistosomal immune globulin G.

CSWA : Circulating schistosomal worm antigen.

DASS : Defined antigen substrate sphere system.

DIG ELISA : Diffusion in Gel- Enzyme linked immunosorbent

assay.

DOT ELISA : Dot Enzyme linked immunosorbent assay.

ELISA : Enzyme linked immunosorbent assay.

EGF : Egg per gram faeces.

EPO : Eosinophil peroxidase.

FAST ELISA : Enzyme linked immunosorbent assay based on

Falcon assay screening test system.

GASP : Gut associated schistosome proteoglycan.

GBM : Glomerular basement membrane.

HAMA : Haematobium adult worm microsomal antigen.

HBs Ag : Hepatitis B surface antigen.

HRP : Horse raddish peroxidase.

IC : Immune complexes.

IEP : Indirect electrophoresis.

IHAT : Indirect haemagglutination test.

IDT : Intradermal test.

IFAT : Indirect fluorescent antibody test.

IgA : Immunoglobulin A.

IgE : Immunoglobulin E.

IgG : Immunoglobulin G.

IgM : Immunoglobulin M.

IL : Interleukin .

Mab : Monoclonal antibody .

MAMA : Microsomal antigen of <u>S. mansoni</u> adult worm.

MIT : Miracidial immobilization test.

MSA : Major serologic antigen.

OD : Optical density.

PBS : Phosphate buffer saline.

PSAP : Phenol sulfuric acid peak.

PVDF : Polyvinylidene difuoride membrane.

RIA : Radio-immunoassay.

rPM : Round per minute .

RIP-PEG : Radio-immuno- precipitation polyethylene glycol.

SDS : Sodium dodecyl sulphate.

SEA : Soluble egg antigen.

SMTM : <u>S.mansoni</u> tropomycin.

SMW : <u>S.mansoni</u> worm.

SWAP : Soluble worm antigen protien.

TIA : Thin layer immunoassay technique.

TCA : Trichloroacetic acid.

LIST OF TABLES

Table	Page
No.	
1 Relations between mean O.D. readings of CSIgG in <u>S. mansoni</u>	infected
non treated and treated mice with the negative control.	70
2 Relations between mean O.D. readings of CIC in S. mansoni	infected
non treated and treated mice with the negative control.	70
3 Relations between mean O.D. readings of CIC in <u>S.mansoni</u> infe	ected
mice 10 weeks post treatment [had no worms and did not pass	s eggs]
and infected non treated mice.	74
4 Relations between mean O.D. readings of CSIgG & CIC in <u>S.m.</u>	ansoni
infected non treated and treated mice.	74
5 Relations between the mean egg count and the mean worm be S.mansoni infected non treated and treated mice.	urden in 79
6 Relations between the mean egg count and CSIgG mean O.D. re	ading
in S.mansoni infected non treated and treated mice.	79
7 Relations between the mean egg count and CIC mean O.D. read	ing in
S.mansoni infected non treated and treated mice.	84
8 Relations between the mean worm burden and CSIgG mea	an O.D.
reading in S. mansoni infected non treated and treated mice.	84
9 Relations between the mean worm burden and CIC mean O.D. r	eading
in S.mansoni infected non treated and treated mice.	88
10 Relations between deposited S.mansoni antigen in the liver t	issue of
S.mansoni infected non treated and treated mice.	88
11 Relations between deposited S.mansoni antigen in the spleen	cells of
S.mansoni infected non treated and treated mice.	88

12 Relations between deposited <u>S. mansoni</u> antigen in the intestinal cell	S
of S.mansoni infected non treated and treated mice.	93
13 Relations between shistosomal antigen [deposited in the liver], CSI	gG
and CIC mean O.D., in S.mansoni infected non treated and trea	ted
mice.	93
14 Relations between shistosomal antigen [deposited in the spleen],CSI	gG
and CIC mean O.D. in S.mansoni infected non treated and treated	
mice.	94
15 Relations between schistosomal antigen [deposited in the intesting	ıe],
SCIgG and CIC mean O.D. in S. mansoni infected non treated a	and
treated mice.	94
16 Relations between shistosomal antigen [deposited in the liver],	the
mean egg count and the mean worm burden in S.mansoni infec	ted
non treated and treated mice.	99
17 Relations between shistosomal antigen [deposited in the spleen],	the
mean egg count and the mean worm burden in S. mansoni infec	ted
non treated and treated mice.	99
18 Relations between shistosomal antigen [deposited in the intestine],	the
mean egg count and the mean worm burden in S. mansoni infect	ted
non treated and treated mice.	00

LIST OF FIGURES

ge
ed
71
ed
72
ed
s]
75
<u>ni</u>
76
<u>ni</u> 77
in 80
<u>ni</u> 81
g
2
in
5
Э.
6
ıg
9
er
90