

Al- Azhar University (Girls Branch)
Faculty of Science



**Studies on the distribution and diversity
of zooplankton in River Nile and its
branches (Rosetta and Damietta
branches), Egypt.**

Submitted By

Khadiga Mohammed Gaber Gaber Ibrahim

B.Sc. Zoology

Assistant researcher, National Institute of Oceanography and
Fisheries, Inland water and Aquaculture Division

To

Zoology Department, Faculty of Science.
Al- Azhar University (Girls Branch)

In Partial fulfillment of the
Requirements for the M.Sc. Degree in
ZOOLOGY

**CAIRO
2013**



Acknowledgments

Firstly, I thank Allah the most gracious, the most useful merciful who provided me with patience and strength during my study.

I wish to express my sincere appreciations and gratitude to Prof. Dr. Mohamed Mahmoud Ali Abo Zaid, professor of Aquatic Biology, Department of zoology, Marine Biology and Fishes, Faculty of Science, Al-Azhar University for supervising this work. The valuable comment, critical discussions and suggestions offered by him helped me greatly in carrying out this work.

My grateful thanks are also to prof. Dr. Neveen Hussien Mahmoud, professor of Experimental Zoology, Faculty of Science, Girls, Al-Azhar University, for her supervising this work, reading and correcting the manuscript, valuable advice.

Also, I wish to extend my thanks to Prof. Nehad Khalifa Sayed , Associate professor of Aquatic Invertebrates in National Institute of Oceanography and Fisheries (NIOF), for providing all facilities, revision of manuscript and supervising the thesis, helped me greatly in carrying out this work.

I would like to express my deepest sincere gratitude to Dr. Faten Abd El-Hamed El-Feqe, Lecturer of Invertebrates, Faculty of Science, Girls, Al-Azhar University, for her supervision help and continues encouragement.

Special thanks to all members of Hydrobiology laboratory, National Institute of Oceanography and Fisheries, El-Kanater El-Khairia, Egypt, for helping me in the thesis.

Finally, a pocket of flowers must go to my father, my mother, my sisters, my brother, my lovely husband Eslam Zayed and my honey daughters Mariem and Rofida for their encouragement and building up my stamina, I owe them much more than words can express.

CONTENTS

page

Acknowledgment	
Contents	
List of Tables	
List of Figures	
List of plates	
I Introduction	1
II Literature review	4
III Materials and Methods	24
The study area	24
Zooplankton samples collection	24
Identification of zooplankton	27
Counting of zooplankton	27
Data analysis	28
IV Results	
The River Nile faunal composition	29
Taxonomical study	30
1-Protozoa	30
2-Rotifera	35
3-Cladocera	45
4-Copepoda	45
5-Meroplankton	50
Phylum: Annelida	
Phylum: Arthropoda	
Phylum :Tardigrada	
Phylum :Nematoda	
Seasonal Variation in Faunal Composition	52
main boy of River Nile	52
Rosetta branch	54
Damietta branch	55
Seasonal variation in occurrence and distribution	58

**Of zooplankton species along River Nile, Rosetta
And Damietta branches**

Winter	58
Spring	66
Summer	74
Autumn	82
Statistical analysis	90
Seasonal changes in zooplankton abundance	93
Winter	93
Spring	94
Summer	97
Autumn	99
Seasonal variation in abundance of zooplankton	102
Winter	102
Spring	109
Summer	116
Autumn	124
Species diversity of zooplankton groups at River Nile, Rosetta and Damietta branches	132
Rotifera	132
Protozoa	136
Cladocera	138
Copepoda	139
Meroplankton	141
Diversity index	142
Similarity	144

V	Discussion	150
VI	Summary	164
VII	References	169
IX	Arabic summary	198

List of Table

Table	Page
(1) The collecting stations and its corresponding longitudinal and latitude.	25
(2) Results of analysis of variance (ANOVA) performed using the different treatments and groups during the study period	90
(3) Results of T-test of interaction between different Zooplankton groups in River Nile, Rosetta and Damietta branches from winter 2009 to autumn 2009.	92
(4) Density of individuals (Ind. / m ³) of different Zooplankton groups recorded at each sampling Sites in winter 2009.	104
(5) Density of individuals (Ind. / m ³) of different Zooplankton groups recorded at each sampling Sites in spring 2009.	111
(6) Density of individuals (Ind. / m ³) of different Zooplankton groups recorded at each sampling Sites in summer 2009.	118
(7) Density of individuals (Ind. / m ³) of different Zooplankton groups recorded at each sampling Sites in autumn 2009.	127
(8) the number of individuals/ m ³ of the dominant zooplankton taxon in River Nile and its branches from winter 2009 to autumn 2009.	133

List of Figures

Figure	Page
(1) The plankton net used in sample collection	24
(2) Map of River Nile demonstrating the location of the collected stations	26
(3) Data represented the percentage of different faunal components in zooplankton of the River Nile and its branches	29
(4) Faunal composition of different zooplankton groups during different seasons inhabiting the main body of River Nile	53
(5) Faunal composition of different zooplankton groups During different seasons inhabiting Rosetta branch	55
(6) Faunal composition of different zooplankton groups During different seasons inhabiting Damietta branch	57
(7) The percentage of occurrence of zooplankton species In winter 2009 along the selected sampling sites in River Nile and its branches	58
(8) Distribution of Rotifera species along River Nile, Rosetta and Damietta branches in winter 2009	61
(9) Distribution of Ptozoa species along River Nile, Rosetta and Damietta branches in winter 2009	62
(10) Distribution of Cladocera species along River Nile, Rosetta and Damietta branches in winter 2009	63
(11) Distribution of Copepoda species along River Nile, Rosetta and Damietta branches in winter 2009	64
(12) Distribution of meroplankton species along River Nile, Rosetta and Damietta branches in winter2009	65

(13)	The percentage of occurrence of zooplankton species In spring 2009 along the selected sampling sites in River Nile and its branches	66
(14)	Distribution of Rotifer species along River Nile, Rosetta and Damietta branches in spring 2009	68
(15)	Distribution of Protozoa species along River Nile, Rosetta and Damietta branches in spring 2009	69
(16)	Distribution of Cladocera species along River Nile, Rosetta and Damietta branches in spring 2009	71
(17)	Distribution of Copepoda species along River Nile, Rosetta and Damietta branches in spring 2009	72
(18)	Distribution of meroplankton species along River Nile, Rosetta and Damietta branches in spring 2009	73
(19)	The percentage of occurrence of zooplankton species In summer 2009 along the selected sampling sites in River Nile and its branches	74
(20)	Distribution of Rotifer species along River Nile, Rosetta and Damietta branches in summer 2009	75
(21)	Distribution of Protozoa species along River Nile, Rosetta and Damietta branches in summer 2009	78
(22)	Distribution of Cladocera species along River Nile, Rosetta and Damietta branches in summer 2009	79
(23)	Distribution of Copepoda species along River Nile, Rosetta and Damietta branches in summer 2009	80
(24)	Distribution of meroplankton species along River Nile, Rosetta and Damietta branches in summer 2009	81
(25)	The percentage of occurrence of zooplankton species In autumn 2009 along the selected sampling sites in	

River Nile and its branches	82
(26) Distribution of Rotifer species along River Nile, Rosetta and Damietta branches in autumn 2009	84
(27) Distribution of Protozoa species along River Nile, Rosetta and Damietta branches in autumn 2009	86
(28) Distribution of Cladocera species along River Nile, Rosetta and Damietta branches in autumn 2009	87
(29) Distribution of Copepoda species along River Nile, Rosetta and Damietta branches in autumn 2009	88
(30) Distribution of meroplankton species along River Nile, Rosetta and Damietta branches in autumn 2009	89
(31) Percent composition of different zooplankton groups In main body of River Nile, Rosetta and Damietta Branches in winter 2009.	95
(32) Percent composition of different zooplankton groups In main body of River Nile, Rosetta and Damietta Branches in spring 2009.	96
(33) Percent composition of different zooplankton groups In main body of River Nile, Rosetta and Damietta Branches in summer 2009.	98
(34) Percent composition of different zooplankton groups In main body of River Nile, Rosetta and Damietta Branches in autumn 2009.	99
(35) Density of total zooplankton (Ind./ m ³) recorded at Each Sampling sites in winter 2009.	103
(36) Density of Rotifer and Protozoa (Ind./ m ³) recorded at Each Sampling sites in winter 2009.	105

(37)	Density of Cladocera (Ind./ m ³) recorded at each Sampling sites in winter 2009.	106
(38)	Density of Copepoda and meroplankton(Ind./ m ³) recorded at each Sampling sites in winter 2009.	108
(39)	Density of total zooplankton (Ind./ m ³) recorded at Each Sampling sites in spring 2009.	112
(40)	Density of Rotifer and Orotzoa (Ind./ m ³) recorded at Each Sampling sites in spring 2009.	112
(41)	Density of Caldocera and Copepoda (Ind./ m ³) recorded At each Sampling sites in spring 2009.	114
(42)	Density of meroplankton (Ind./ m ³) recorded at each Sampling sites in spring 2009.	115
(43)	Density of total zooplankton (Ind./ m ³) recorded At each sampling sites in summer 2009.	117
(44)	Density of Rotifer and Protozoa (Ind./ m ³) recorded At each sampling sites in summer 2009.	119
(45)	Density of cladocera and copepoda (Ind./ m ³) recorded At each sampling sites in summer 2009.	122
(46)	Density of meroplankon (Ind./ m ³) recorded At each sampling sites in summer 2009.	123
(47)	Density of total zooplankton (Ind./ m ³) recorded At each sampling sites in autumn 2009.	125
(48)	Density of rotifer and protozoa (Ind./ m ³) recorded At each sampling sites in autumn 2009.	126
(49)	Density of Cladocera and Copepoda (Ind./ m ³) recorded At each sampling sites in autumn 2009.	128
(50)	Density of meroplankton (Ind./ m ³) recorded At each sampling sites in autumn 2009.	129

(51)	Seasonal changes in density (Ind./ m ³) of <i>K.cochlaris</i> at River Nile and its branches during The study period.	132
(52)	Seasonal changes in density (Ind./ m ³) of <i>B.calyciflours</i> at River Nile and its branches during The study period.	134
(53)	Seasonal changes in density (Ind./ m ³) of <i>P.vulgaris</i> at River Nile and its branches during The study period.	135
(54)	Seasonal changes in density (Ind./ m ³) of <i>C.unicornis</i> at River Nile and its branches during The study period.	135
(55)	Seasonal changes in density (Ind./ m ³) of <i>V.campanula</i> at River Nile and its branches during The study period.	136
(56)	Seasonal changes in density (Ind./ m ³) of <i>A.arenaria</i> at River Nile and its branches during The study period.	137
(57)	Seasonal changes in density (Ind./ m ³) of <i>C.polypium</i> at River Nile and its branches during The study period.	137
(58)	Seasonal changes in density (Ind./ m ³) of <i>P.Crenata</i> at River Nile and its branches during The study period.	138
(59)	Seasonal changes in density (Ind./ m ³) of <i>B.longirostris</i> at River Nile and its branches during The study period.	138
(60)	Seasonal changes in density (Ind./ m ³) of	

	<i>C.raticulata</i> at River Nile and its branches during The study period.	139
(61)	Seasonal changes in density (Ind./ m ³) of Nauplius larvae at River Nile and its branches during The study period.	140
(62)	Seasonal changes in density (Ind./ m ³) of <i>D.thomasi</i> at River Nile and its branches during The study period.	140
(63)	Seasonal changes in density (Ind./ m ³) of Nematoda larvae at River Nile and its branches during The study period.	141
(64)	Seasonal changes in density (Ind./ m ³) of Chirominus larvae at River Nile and its branches during The study period.	141
(65)	Shannon's diversity index values during the Investigation period at different seasons in River Nile and its branches.	143
(66)	Dendrogram representing the percentage of Similarity between sampling sites in winter season	145
(67)	Dendrogram representing the percentage of Similarity between sampling sites in spring season	146
(68)	Dendrogram representing the percentage of Similarity between sampling sites in summer Season	148
(69)	Dendrogram representing the percentage of Similarity between sampling sites in autumn Season	149

List of Plates

Plate		page
I	Protozoa	32
II	Protozoa	33
III	Protozoa	34
IV	Rotifera	38
V	Rotifera	39
VI	Rotifera	40
VII	Rotifera	41
VIII	Rotifera	42
IX	Rotifera	43
X	Rotifera	44
XI	Arthropoda (Cladocera)	47
XII	Arthropoda (Cladocera)	48
XIII	Arthropoda (Copepod)	49
XIV	Meroplankton	50



Introduction