

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

### جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

#### قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



## بعض الوثائـــق الإصليــة تالفــة



# بالرسالة صفحات لم ترد بالإصل

مربدا على وريد المخ بسا ولهم و

Preventive Resin Restoration Versus
Preventive Amalgam Restoration in
Permanent molars Using the Atraumatic
Restorative Treatment Technique.
A Comparative Study

ene Vol

Thesis
Submitted To The Faculty of Dentistry, Alexandria University
in Partial Fulfillment for the Requirements
of the Master Degree in

**Pediatric Dentistry** 

by

Ghada Mohamed Mahmoud (B.D.S,1993)

Faculty of Dentistry Alexandria University 2001

#### **SUPERVISORS**

#### Prof. Dr. Ahmed Abdella

Professor of Pedodontics and Community & Preventive Dentistry Faculty of Dentistry, Alexandria University

#### Prof. Dr. Mona H Mohy El-Dine

Professor of Dental Materials Faculty of Dentistry, Alexandria University

Dr. Nadia Aziz

Assisstant Professor of Pedodontics Faculty of Dentistry, Alexandria University To my husband, for his endless support and to my kids, Mohamed and Hana

#### ACKNOWLEDGEMENT

First,I would like to express my deepest gratitude and thanks to **ALLAH** whose magnificent help was the main factor in accomplishing this work.

I would like to express my feelings of gratitude and appreciation to **Prof. Dr. Ahmed Abdella**, Professor of Pedodontics and Community and Preventive Dentistry, Faculty of Dentistry, Alexandria University for his kind guidance , constant supervision and valuable scientific views. His constructive criticism was of essential help in revising this research.

My sincere thanks to **Dr Nadia Aziz** Assistant Professor of Pedodontics, Faculty of Dentistry, Alexandria University for her extensive, dynamic help and valuable cooperation in prosecuting this research. And whose effort in following up and reading were greatly profitable.

My special thanks to **Prof. Dr Mona H.Mohy El-Dine** Professor of Dental Materials, Faculty of Dentistry, Alexandria University for her generous effort, honest help and close supervision of every step throughout the laboratory work of this study.

To All of them ,I thankfully acknowledge my great indebetedness.

#### **CONTENTS**

INTRODUCTION	1
AIM OF THE WORK	30
MATERIALS AND METHODS	31
RESULTS	63
DISCUSSION	86
SUMMARY AND CONCLUSION	99
RECOMMENDATIONS	102
REFERENCES	103
PROTOCOL OF THESIS	
ARABIC SUMMARY	

#### LIST OF ABBREVIATIONS

Amalgambond Plus AP

Atraumatic Restorative Treatment ART

High power additive HPA

Hydroxyethyl methacrylate HEMA

Mega Pascal MPa

4-Methacryloxyethyl trimellitate anhydride 4-META

Mobile Dental System MDS

N-phenyl glycine and glycidyl methacrylate NPG-GMA

Post-transfusion non-A,non-B Hepatitis NANB

Preventive Amalgam Restoration PAR

Preventive Resin Restoration PRR

Resin-modified Glass Ionomer Cements RM GICs

Tributyl borane oxide TBB

U.S. Public Health Service US PHS

#### LIST OF FIGURES

Figure No	Title	Page
1	Caries in lower left first permanent molar.	39
2	Pre-operative Bite-wing radiograph(Right and left).	39
3	Cotton roll holder(Right and Left)	40
4	Pair of single-ended Enamel Hatchets	40
5	Enamel chisels.	40
6	Cavity preparation in lower left first permanent	4.4
	molar.	41
7	Cavity preparation in lower left first permanent molar.	41
8	Prepared cavity in lower left first permanent molar.	41
9	Vitremer.	42
10	Primed inner surface of the cavity	42
11	Light-curing unit.Degulux.	43
12	Cavity filled with Vitremer.	43
13	Delton Direct Delivery System.	43
14	Etched glass ionomer and adjacent occlusal surface.	44
15	Sealant application over the glass ionomer filling and	
	the adjacent occlusal surface.	44
16	Restorative Z100.	44
17	Composite Z100 condensed on top of the sealant.	45
18	Light curing of the composite reinforced resin sealant.	45
19	Checking of occlusion.	45
20	Caries in lower right first permanent molar.	46
21	Cavity preparation in lower right first permanent molar.	46
22	Amalgambond Plus.	46
23	Activator applied to cavity and tooth surface.	47
24	Silamat amalgamator.	47
25	Condensed amalgam inside the cavity and on adjacent pits	
	and fissures.	48
26	Checking of occlusion.	48
27	Stereomicroscope.	57

Figure No	Title Pa	ige
28	The metallic mold for preparation of shear bond strength test specimens.	57
29	Diamond disc.	57
30	The prepared specimen with a flattened enamel surface.	58
31	The prepared specimen with a flattened enamel surface	
	(lateral view).	58
32	A diagram showing the specimen mounted in the mold.	<b>59</b>
33	Reinforced resin sealant specimen inside the mold.	<b>60</b>
34	The finished reinforced resin specimen after removal	60
	from the mold.	
35	The thermocycling machine.	<b>60</b>
36	Universal testing machine.	61
37	The specimen under testing.	61
38	An extracted third molar mounted in an acrylic resin	
	block.	<b>62</b>
39	The finished PAR specimen.	<b>62</b>
40	Bar graph showing retention of reinforced resin sealant	
	and bonded amalgam sealant.	68
41	Bar graph showing marginal integrity of reinforced resin	
	sealant and bonded amalgam sealant.	<b>74</b>
42	Bar graph showing shear bond strength of reinforced resin	
	sealant and bonded amalgam sealant before and after	
	thermocycling.	77
43	Mixed failure pattern in reinforced resin sealant specimen.	79
44	Cohesive failure pattern in reinforced resin sealant specimen.	79
45	Adhesive failure pattern in bonded amalgam sealant specimen.	80
46	Cohesive failure pattern in bonded amalgam sealant specimen.	80
47	Bar graph showing marginal microleakage scores of both	
	reinforced resin sealant and bonded amalgam sealant before	03
	and after thermocycling.	83
48	Reinforced resin sealant specimen showing no dye penetration	0.4
	before thermocycling.	84
49	Reinforced resin sealant specimen showing no dye penetration	0.4
	after thermocycling.	84
49	Reinforced resin sealant specimen showing dye penetration after	
	thermocycling (score 2).	84

•

Figure No	Title	Page
51	Bonded amalgam sealant specimen showing no dye	85
	penetration before thermocycling.	83
52	Bonded amalgam sealant specimen showing no dye	
	penetration after thermocycling.	85
53	Bonded amalgam sealant specimen showing dye penetration	l
	after thermocycling (score 3).	85

#### LIST OF TABLES

Table	Title	Page
I	Comparison between retention of reinforced resin sealant in preventive resin restorations in males and females after 1,3 and 6 months.	65
II	Comparison between retention of bonded amalgam sealant in preventive amalgam restorations in males and females after 1,3 and 6 months.	65
III	Effect of time on retention of reinforced resin sealant in preventive resin restorations.	66
IV	Effect of time on retention of bonded amalgam sealant in preventive amalgam restorations.	66
V	Comparison between retention of reinforced resin sealant and bonded amalgam sealant in preventive restorations after 1,3 and 6 months.	67
VI	Comparison of marginal integrity of reinforced resin sealant in preventive resin restorations in males and females after 1,3 and 6 months.	71
VII	Comparison between marginal integrity of bonded amalgam sealant in preventive amalgam restorations in males and females after 1,3 and 6 months.	71
VIII	Effect of time on marginal integrity of reinforced resin sealant in preventive resin restorations.	72
IX	Effect of time on marginal integrity of bonded amalgam sealant in preventive amalgam restorations.	72