
INTRODUCTION
AND
AIM OF THE WORK

*REVIEW OF
LITRATURE*

MATERIALS AND METHODS

RESULTS

DISCUSSION

SUMMARY

RECOMMENDATIONS

REFERENCES

ARABIC SUMMARY

Effect of Intra Articular Injection of Mesenchymal Stem Cells in Cartilage Repair in Experimental Animals

Thesis

*Submitted for Partial Fulfillment of Master Degree in Physical Medicine,
Rheumatology and Rehabilitation*

By

Amina Mahmoud Mostafa Mostafa

M.B., B.Ch.

Faculty of Medicine, Ain Shams University

Under Supervision of

Prof. Dr. Nadia Salah Kamel Abd El Bar

Professor of Physical Medicine, Rheumatology and Rehabilitation
Faculty of Medicine, Ain Shams University

Prof. Dr. Mona Mahmoud Arafa

Professor of Physical Medicine, Rheumatology and Rehabilitation
Faculty of Medicine, Ain Shams University

Ass. Prof. Dr. Irene Raouf Amin

Assistant Professor of Physical Medicine, Rheumatology and Rehabilitation
Faculty of Medicine, Ain Shams University

**Faculty of Medicine
Ain Shams University**

2009

ACKNOWLEDGMENTS

Many thanks will never be enough to express my endless gratitude to **ALLAH** for giving me the strength and support to carry out this work.

I would like to express my deep appreciation wrapped with great respect to ***Prof. Dr .Nadia Salah Kamel Abd Albar*** Professor of Physical Medicine Rheumatology and Rehabilitation Department, Faculty of Medicine, Ain Shams University, for her encouragement & expert supervision.

I am greatly honored to express my deepest gratitude to ***Prof. Dr. Mona Mahmoud Arafa***, Professor of Physical Medicine Rheumatology and Rehabilitation Department, Faculty of Medicine, Ain Shams University, for her precious advices and valuable observations

Special thanks go to ***Ass. Prof. Dr. Irene Raouf Amin***, Assistant Professor of Physical Medicine, Rheumatology and Rehabilitation Department Faculty of Medicine Ain Shams University, who not only encouraged me but also provided tireless help and continuous guidance throughout this work.

I am deeply grateful to ***Prof. Dr. Hanaa Amer***, Professor of Clinical Pathology Department, Faculty of

Medicine, Ain Shams University, for her exceptional help and valuable cooperation to accomplish this work.

In deep gratitude I gratefully acknowledge the generous help of ***Prof. Dr. Amr Nadim***. Professor of Gynecology and Obstetrics, Faculty of Medicine, Ain Shams University, ***Prof Dr. Mohammed Salah Ayoub***. Professor and Head of Pathology Department Faculty of Dentistry, Ain Shams University., ***Prof. Dr. Larissa Amamieva***; Consultant of Electron Microscopy, Central Labs of Armed Forces, ***Mr. Igor Barfukov***; Electronic Engineer of SEO Company, Central Labs of Armed Forces.

Special thanks to ***Ass. Prof. Dr. Naglaa Samir***. Assistant Professor of Pathology. Faculty of Medicine. Ain Shams University, ***Dr. Fatma Abd Al Karim*** Fellow of Biochemistry. Medical Research Center. Ain Shams University, and ***Dr. Awatef Mady*** Veterinary Fellow of Biochemistry. Medical Research Center. Ain Shams University.

Many thanks to all professors, staff and colleagues in our department, for offering help whenever I needed during this research.

Finally, I must thank my family for their encouragement and support not only during the period of this research but also during my whole life.

LIST OF CONTENTS

Introduction	1
Aim of work	4
Review of Literature	5
• NORMAL ARTICULAR CARTILAGE	5
• OSTEOARTHRITIS	20
• MESENCHYMAL STEM CELLS	34
• UMBILICAL CORD BLOOD MESENCHYMAL STEM CELLS	41
• HYALURONIC ACID	51
Materials and Methods	54
Results	66
Discussion	80
Summary	96
Recommendations	99
References	100
Arabic Summary	-

LIST OF FIGURES

No.	Title	Page
1	Schematic representation of cellular phenotypes associated with developmental fates during condensation, chondrogenesis, chondrocyte proliferation, differentiation, and hypertrophy.	9
2	The structure of human adult articular cartilage.	12
3	Histologic sections of normal (<i>left</i>) and osteoarthritic (<i>right</i>) articular cartilage obtained from the femoral head.	21
4	Schematic representation of pathogenic mechanisms of osteoarthritis.	25
5	Mesenchymal stem cells have a multipotential differentiation capability.	42
6	Albino rat.	54
7	Scratching the cartilage using a sterile needle.	55
8	Umbilical cord blood.	56
9	Isolation of mononuclear cells (MNCs).	57
10	Incubated flasks.	58
11	Mesenchymal stem cells (MSCs).	58
12	Isolated MSCs.	59
13	Preparing MSCs for injection.	60
14	Injecting animal knees.	60
15	Electron microscope	65

No.	Title	Page
16	The cartilage defect repaired with fibrous tissue(H&E \times 400)	71
17	Cartilagenous sequestra surrounded by disorganized fibrous tissue (H&E \times 200)	71
18	Mature chondrocytes with subjacent hyaline matrix (H&E \times 400).	72
19	Mature chondrocytes in a well organized matrix showing intense metachromasia (Masson's trichrome \times 400).	72
20	Hyaline like cartilage covered with smooth surface (H&E \times 200)	73
21	The newly formed cartilage (H&E \times 400)	73
22	Hypercellular hyaline-like cartilage (Masson's trichrome \times 400)	74
23	Fibrohyaline cartilage, with one edge of the defect still discernible(H&E \times 200)	74
24	Fibrocartilagenous tissue filling the defect (Masson's trichrome \times 400).	75
25	Bundles of interlacing collagen fibrils (TEM \times 15000)	76
26	Higher power view of the previous figure (TEM \times 20000).	76
27	Chondrocytes surrounded by fine collagen fibrils (TEM \times 3000)	77
28	Two chondrocytes in their lacuna (TEM \times 3000).	77
29	Active synthesizing chondroblast (TEM \times 20000).	78
30	Higher power view of the previous figure (TEM \times 40000).	78
31	Cytoplasm of a chondrocyte (TEM \times 30000).	79