



Ain Shams University
Faculty of Education
Chemistry Department

Transition Metal Complexes of Some Hydrazones containing Sulfur: Synthesis and Application Studies

**A Thesis Submitted
By**

Omima Mohamed Ibrahim Adly

**B.Sc. & Ed. 2000
M.Sc. 2005**

For The Degree of

**Doctor of Philosophy Degree
For the Teacher's Preparation
In Science
(Inorganic Chemistry)**

**To
Department of Chemistry
Faculty of Education
Ain Shams University**

Cairo -2009



Ain Shams University
Faculty of Education

Transition Metal Complexes of Some Hydrazones containing Sulfur: Synthesis and Application Studies

By

Omima Mohamed Ibrahim Adly

B.Sc. & Ed. (2000)

M.Sc. (2005)

Under the supervision of

1- Prof. Dr. Ali Mahmoud Taha

Prof. of Inorganic Chemistry, Faculty of Education, Ain Shams University.

2- Prof. Dr. Mahmoud Mohamed Mashaly

Prof. of Inorganic Chemistry, Faculty of Education, Ain Shams University.

3- Dr. Adel Abass Ahmed Emara

Ass. Prof. of Inorganic Chemistry, Faculty of Education, Ain Shams University.



Ain Shams University
Faculty of Education

Approval Sheet

Candidate: Omima Mohamed Ibrahim Adly

Degree: Ph.D. Degree for Teacher's Preparation in Science (Inorganic Chemistry)

Title: Transition Metal Complexes of Some Hydrazones Containing Sulfur Compounds: Synthesis and Application Studies.

This thesis has been approved by

Approved

1- Prof. Dr. Ali Mahmoud Taha

2- Prof. Dr. Mahmoud Mohamed Mashaly

3- Ass. Prof. Dr. Adel Abass Ahmed Emara

Prof. Dr. Shaker Labib Stefan

Head of Chemistry Department.

Faculty of Education.

Ain Shams University.

Acknowledgement

Thanking the most powerful and merciful Allah, I'd like to thank my dear professors, **Prof. Dr. Ali Mahmoud Taha** (Prof. of Inorganic Chemistry, Department of Chemistry, Faculty of Education, Ain Shams University), **Prof. Dr. Mahmoud Mohamed Mashaly** (Prof. of Inorganic Chemistry, Department of Chemistry, Faculty of Education, Ain Shams University), and **Dr. Adel Abass Ahmed Emara** (Ass. Prof. of Inorganic Chemistry, Department of Chemistry, Faculty of Education, Ain Shams University) for suggesting the point of this work and continuous guidance throughout all the stages of this research.

I wish to express my thanks to **Prof. Dr. Shaker Labib Astefan**, (Head of the Chemistry Department, Faculty of Education, Ain Shams University) and **Prof. Dr.El-Hossain Ali Reda** (earlier Head of the Chemistry Department, Faculty of Education, Ain Shams University) for facilities provided during the course of research work.

Also I'm thankful to all members of the staff in the Chemistry Department for their faithful cooperation.

Omima Mohamed Ibrahim Adly

Contents

List of Figures	i
List of Tables	vi
List of Structures	ix
List of Schemes	xi
List of abbreviations	xiii
Abstract	xv
Preface	xvi
Aim of the work	xvii

Chapter I

INTRODUCTION

LITERATURE SURVEY ON THE METAL COMPLEXES OF HYDRAZONES DERIVED FROM S-ALKYLDITHIOCARBAZATE

LIGANDS	1
(I) Metal Complexes with NS Bidentate Hydrazone Ligands and Their Biological Activities	1
(II)- Metal Complexes of Tridentate Hydrazone Ligands and Their Biological Activities	11
(II)-A- NNS Hydrazone Ligands	11
(II)-B- NOS Hydrazone Ligands	22
(III) Metal Complexes of N ₂ S ₂ Tetra-dentate Hydrazone Ligands and Their Biological Activities	25
(IV) Metal Complexes of N ₃ S ₂ Pentadentate Hydrazone Ligands and Their Biological Activities	27
(V) Metal Complexes of Miscellaneous Hydrazone Ligands and Their Biological Activities	28

Chapter II

EXPERIMENTAL

(A) Materials	33
---------------	----

CONTENTS

(B)	Synthesis of the hydrazone ligands	33
(i)	Synthesis of S-Methyldithiocarbazate (SMDTC)	34
(ii)	Synthesis of The Hydrazone Ligands	35
	(a) Synthesis of H ₂ L _a ligand	35
	(b) Synthesis of H ₂ L _b ligand	35
	(c) Synthesis of H ₃ L _c ligand	36
	(d) Synthesis of H ₂ L _d ligand	36
(C)	Synthesis of the Hydrazone Metal Complexes	37
(i)	Reaction of Nickel(II) with H ₂ L _a to Form Complex (2)	38
(ii)	Reaction of Copper(II) with H ₂ L _b to Form Complex (8)	38
(iii)	Reaction of Chromium(III) with H ₂ L _b to Form Complex (12)	38
(iv)	Reaction of Oxovanadium(IV) with H ₃ L _c to Form Complex (17)	39
(v)	Reaction of Cobalt(II) with H ₂ L _d to Form Complex (23)	39
(vi)	Unsuccessful Trials	39
(D)	Quantitative Analyses of Metal Cations by EDTA	40
(i)	Determination of copper(II)	40
(ii)	Determination of nickel(II)	40
(iii)	Determination of cobalt(II)	40
(iv)	Determination of iron(III)	41
(v)	Determination of chromium(III)	41
(vi)	Determination of cadmium(II) and Zinc (II)	42
(E)	Physical Measurements	42
(i)	FT-IR Spectra	42
(ii)	Electronic Spectra	42
(iii)	¹ H-NMR Spectra	42

CONTENTS

(iv)	Mass Spectra	43
(v)	Elemental Analyses	43
(vi)	Magnetic Measurements	43
(vii)	Molar Conductance	43
(viii)	Thermal Gravimetric Analysis (TGA)	43
(ix)	ESR Spectra	44
(x)	Melting Points	44
(xi)	Acid Dissociation Constant	44

Chapter III

RESULTS AND DISCUSSION

(A)	IR SPECTRA OF THE PREPARED LIGANDS	46
(B)	ELECTRONIC SPECTRA OF THE PREPARED LIGANDS	48
(C)	MASS SPECTRA OF THE PREPARED LIGANDS	48
(D)	¹ H-NMR SPECTRA OF THE PREPARED LIGANDS	49
(E)	ACID DISSOCIATION CONSTANT	51
(F)	DISTRIBUTION OF THE DISSOCIATED SPECIES OF THE HYDRAZONES LIGANDS	53
(G)	MOLECULAR ORBITAL CALCULATIONS	54

Chapter IV

PHYSICOCHEMICAL STUDIES ON THE SOLID COMPLEXES

(A)	INFRARED SPECTRA	91
(B)	ELECTRONIC, ¹ H-NMR AND ESR SPECTRA	94
(i)	Copper (II) Complexes	94
(ii)	Nickel (II) Complexes	98
(iii)	Cobalt (II) Complexes	103
(iv)	Oxovanadium (IV) Complexes	107

CONTENTS

(v) Iron(III) Complexes	111
(vi) Chromium(III) Complexes	115
(vii) Zinc (II) Complexes	118
(viii) Cadmium (II) Complexes	122

Chapter V

THERMAL GRAVIMETRIC ANALYSIS (TGA) AND THERMODYNAMIC PARAMETERS

(I) THERMAL GRAVIMETRIC ANALYSIS (TGA)	170
(A) TGA for the Metal Complexes of H₂L_a Ligand; Cu(II) Complex 1, Co(II) Complex 3, Fe(III) Complex 5 and Cd(II) Complex 7	170
(B) TGA for the Metal Complexes of H₂L_b Ligand; Cu(II) Complex 8, Ni(II) Complex 9, VO(IV) Complex 10 and Cr(III) Complex 12	175
(C) TGA for the Metal Complexes of H₃L_c Ligand; Ni(II) Complex 15, Co(II) Complex 16, Fe(III) Complex 18 and Cd(II) Complex 20	179
(D) TGA for the Metal Complexes of H₂L_d ligand; Co(II) complex 23, VO(IV) Complex 24, Cr(III) Complex 25 and Cd(II) Complex 26	184
(II) THERMODYNAMIC PARAMETERS	201
Thermodynamic calculations for the metal complexes of Cu(II) complex 1, Ni(II) complex 9, Co(II) complex 16, VO(IV) complex 24, Cr(III) complex 25 and Cd(II) complex 26	203

Chapter VI

BIOLOGICAL ACTIVITY	214
----------------------------	-----

References	221
Summary	

CONTENTS

List of Figures

Figure No.	Title	Page
1.1.	The molecular structure of the complex $[\text{Pd}(\text{L}^1)_2]$.	2
1.2.	The molecular structure of the adducts $\text{Ni}(\text{L}^5)_2(\text{py})_2 \cdot 1.5\text{H}_2\text{O}$ (2).	4
1.3.	The molecular structure of the complex $\text{Pd}(\text{L}^6)_2$.	5
1.4.	The molecular structure of the complex $[\text{Zn}(\text{L}^8)_2]$.	7
1.5.	The molecular structure of the complex $[\text{Cd}(\text{L}^{11})_2]$.	8
1.6.	The molecular structure of the complex $[\text{Ni}(\text{L}^{14})_2]$	10
1.7.	The molecular structure of $[\text{Cu}(\text{L}^{17})(\text{sac})(\text{CH}_3\text{OH})]$ complex	12
1.8.	The molecular structure of the complexes $[\text{Co}(\text{L}^{27})_2]$ and $[\text{Mn}(\text{L}^{28})_2]$	17
1.9.	The molecular structure of the complex $\text{Sn}(\text{L}^{30})\text{I}_3$.	18
1.10.	The molecular structure of the complex $[\text{Zn}(\text{L}^{32})_2]$	20
1.11.	The molecular structure of the complex $[\text{Cd}(\text{L}^{32})\text{NCS}]_2$	20
1.12.	The molecular structure of $[\text{Co}(\text{HL}^{33})_2]$ complex	21
1.13.	The molecular structure of the complex $[\text{Sn}(\text{L}^{46})\text{I}_2]$	28
3.1.	The infrared spectra of (a) H_2L_a ligand, (b) <i>S</i> -methyl-dithiocarbazate and (c) salicylaldehyde.	65
3.2.	The infrared spectra of (a) H_2L_b ligand, (b) <i>S</i> -methyl-dithiocarbazate and (c) <i>o</i> -hydroxyacetophenone.	66
3.3.	Infrared spectra of (a) H_3L_c ligand, (b) <i>S</i> -methyl-dithiocarbazate and (c) 4,6-diacetylresorcinol.	67
3.4.	Infrared spectra of (a) H_2L_d ligand, (b) <i>S</i> -methyl dithiocarbazate and (c) 5-acetyl-4-hydroxy-2H-1,3-thiazine-2,6(3H)-dione.	68
3.5.	Relationships of $\nu_{\text{C}=\text{N}}$ vs δ_{NH} , $\nu_2(\text{in DMF})$ vs pK_1^{H} , $\nu_2(\text{in DMF})$ vs $\nu_{\text{C}=\text{N}}$, and δ_{NH} vs $\nu_{\text{C}=\text{S}}$.	69
3.6.	Electronic spectra of (a) H_2L_a and (b) H_2L_b ligands.	70
3.7.	Electronic spectra of (a) H_3L_c and (b) H_4L_d ligands.	71

LIST OF FIGURES

Figure No.	Title	Page
3.8	The mass spectrum of the hydrazone, H ₂ L _a , ligand.	72
3.9	The mass spectrum of the hydrazone, H ₂ L _b , ligand,	73
3.10	The mass spectrum of the hydrazone, H ₃ L _c , ligand.	74
3.11	The mass spectrum of the hydrazone, H ₂ L _d , ligand.	75
3.12	¹ H-NMR spectra of H ₂ L _a ligand in DMSO- <i>d</i> ₆ , (a) without D ₂ O and (b) with D ₂ O.	76
3.13	¹ H-NMR spectra of H ₂ L _b ligand in deuterated dimethyl sulphoxide, DMSO- <i>d</i> ₆ , (a) without D ₂ O and (b) with D ₂ O.	77
3.14	¹ H-NMR spectra of H ₃ L _c ligand in deuterated dimethyl sulphoxide, DMSO- <i>d</i> ₆ , (a) without D ₂ O and (b) with D ₂ O.	78
3.15	¹ H-NMR spectra of H ₂ L _d ligand in deuterated dimethylsulphoxide, DMSO- <i>d</i> ₆ , without D ₂ O (a) and with D ₂ O (b).	79
3.16	pH-Metric titration curves of H ₂ L _a , H ₂ L _b , H ₃ L _c ligands in 75% (v/v) dioxan –water at 303 K and V ₀ = 30 mL.	80
3.17	Relationships of pK ₁ ^H vs σ Taft, E _{HOMO} vs ν ₂ (in DMF), E _{HOMO} vs ν _{C=N} and E _{LUMO} vs ν ₂ (in DMF)	81
3.18	Distribution Curves of H ₂ L _a as a function of pH, α ₀ represent the undissociated H ₂ L _a and α ₁ and α ₂ are the curves of HL _a [−] and L _a ^{2−} anions; respectively.	82
3.19	Distribution Curves of H ₂ L _b as a function of pH, α ₀ represent the undissociated H ₂ L _b and α ₁ and α ₂ are the curves of HL _b [−] and L _b ^{2−} anions; respectively.	82
3.20	Distribution Curves of H ₃ L _c as a function of pH, where α ₀ represent the undissociated H ₂ L _c and α ₁ and α ₂ are the curves of H ₂ L _c [−] and HL _c ^{2−} anions; respectively.	83

LIST OF FIGURES

Figure No.	Title	Page
3.21	Structures of (a) H_2L_a and (b) H_2L_b ligands	84
3.22	Structures of (c) H_cL_c and (d) H_2L_d ligands	85
4.1	IR spectra of (a) $[CuL_a]_2$ (1) and (b) $[Cu(L_b)]_2$ (8)	140
4.2	IR spectra of (a) $[Cu(HL_c)]_2$ (14) and (b) $[CuL_d]_2 \cdot 2H_2O$ (21)	141
4.3	IR spectra of (a) $[NiL_a]_2 \cdot H_2O$ (2) and (b) $[Ni(L_b)]_2$ (9)	142
4.4	IR spectra of (a) $[Ni(HL_c)]_2 \cdot 2H_2O$ (15) and (b) $[NiL_d(H_2O)]_2 \cdot MeOH$ (22)	143
4.5	IR spectra of (a) $[CoL_a(H_2O)]_2 \cdot H_2O$ (3) and (b) $[Co(H_2L_c)(H_2O)]_2(NO_3)_2 \cdot 2H_2O$ (16)	144
4.6	IR spectra of $[CoL_d(H_2O)]_2 \cdot H_2O$ (23)	145
4.7	IR spectra of (a) $[(VO)L_a(H_2O)]_2$ (4) and (b) $[VO(L_b)(H_2O)]_2 \cdot 0.5H_2O$ (10)	146
4.8	IR spectra of (a) $[VO(HL_c)]_2$ (17) and (b) $[VOL_d(H_2O)]_2 \cdot 2H_2O$ (24)	147
4.9	IR spectra of (a) $[FeL_a(CH_3OH)]_2 \cdot (NO_3)_2 \cdot H_2O$ (5) and (b) $[Fe(L_b)(H_2O)(C_2H_5OH)]_2(NO_3)_2$ (11)	148
4.10	IR spectra of $[Fe(HL_c)(CH_3OH)NO_3]_2 \cdot H_2O \cdot CH_3OH$ (18)	149
4.11	IR spectra of (a) $[Cr(L_b)(C_2H_5OH)]_2 \cdot (NO_3)_2 \cdot 2H_2O$ (12) and (b) $[CrL_d(H_2O)(NO_3)]_2 \cdot 4H_2O$ (25)	150
4.12	IR spectra of (a) $[ZnL_a]_2 \cdot 2H_2O$ (6) and (b) $[Zn(HL_c)]_2 \cdot 6H_2O$ (19)	151
4.13	IR spectra of (a) $[CdL_a]_2 \cdot 4H_2O$ (7) and (b) $[Cd(L_b)]_2 \cdot CH_3OH$ (13)	152
4.14	IR spectra of (a) $[Cd(HL_c)]_2 \cdot H_2O$ (20) and (b) $[Cd(L_d)]_2 \cdot H_2O \cdot MeOH$ (26)	153

LIST OF FIGURES

Figure No.	Title	Page
4.15	Electronic spectra of (a) $[\text{CuL}_a]_2$ (1) and (b) $[\text{Cu}(\text{HL}_c)]_2$ (14)	154
4.16	Electronic spectra of (a) $[\text{NiL}_a]_2 \cdot \text{H}_2\text{O}$ (2) and (b) $[\text{Ni}(\text{HL}_c)]_2 \cdot 2\text{H}_2\text{O}$ (15)	155
4.17	Electronic spectra of (a) $[(\text{VO})\text{L}_a(\text{H}_2\text{O})]_2$ (4) and (b) $[\text{VO}(\text{HL}_c)]_2$ (17)	156
4.18	Electronic spectrum of $[\text{Cr}(\text{L}_b)(\text{C}_2\text{H}_5\text{OH})_2]_2 \cdot (\text{NO}_3)_2 \cdot 2\text{H}_2\text{O}$ (12)	157
4.19	Mass spectrum of $[\text{CuL}_a]_2$ (1) complex	158
4.20	Relationships of ν/cm^{-1} of $\text{Cu}(\text{II})$ vs pK_1^{H} , ν/cm^{-1} of $\text{Cu}(\text{II})$ vs $\nu(\text{C-S})$ of $\text{Cu}(\text{II})$ and $\nu\text{Co-N}$ vs UV.	158a
4.21	X-Band ESR spectra of (a) $[\text{CuL}_a]_2$ (1) and (b) $[\text{Cu}(\text{L}_b)]_2$ (8) complexes.	159
4.22	X-Band ESR spectra of (a) $[\text{Cu}(\text{HL}_c)]_2$ (14) and (b) $[\text{CuL}_d]_2 \cdot 2\text{H}_2\text{O}$ (21) complexes	160
4.23	The ^1H -NMR spectrum of $[\text{Ni}(\text{L}_b)]_2$ (9) in $\text{DMSO-}d_6$.	161
4.24	Relationships of $\nu\text{Co-N}$ vs $\nu_2 \text{Co}(\text{II})$ (in DMF), $\nu\text{VO-N}$ vs E_{HOMO} and νVO (in DMF) vs $\Sigma \text{pK}_1 + \text{pK}_2$.	162
4.25	X-Band ESR spectra of (a) $[(\text{VO})\text{L}_a(\text{H}_2\text{O})]_2$ (4) and (b) $[\text{VO}(\text{L}_b)(\text{H}_2\text{O})]_2 \cdot 0.5\text{H}_2\text{O}$ (10)	163
4.26	X-Band ESR spectra of (a) $[\text{VO}(\text{HL}_c)]_2$ (17) and (b) $[\text{VOL}_d(\text{H}_2\text{O})]_2 \cdot 2\text{H}_2\text{O}$ (24)	164
4.27	Relationships of D_q vs $\nu\text{Fe-N}$ and $\nu\text{Cd-N}$ vs E_{HOMO} .	165
4.28	The ^1H -NMR spectrum of $[\text{Zn}(\text{L}_a)]_2 \cdot 2\text{H}_2\text{O}$ (6) in $\text{DMSO-}d_6$.	166
4.29	The ^1H -NMR spectrum of $[\text{Zn}(\text{HL}_c)]_2 \cdot 6\text{H}_2\text{O}$ (19) in $\text{DMSO-}d_6$ (a) without D_2O and (b) with D_2O .	167
4.30	Mass spectrum of $[\text{CdL}_a]_2 \cdot 4\text{H}_2\text{O}$ (7) complex.	168
4.31	The ^1H -NMR spectrum of $[\text{Cd}(\text{L}_b)]_2 \cdot \text{CH}_3\text{OH}$ (13) in $\text{DMSO-}d_6$.	169

LIST OF FIGURES

Figure No.	Title	Page
5.1	The TGA-DrTGA curves of (a) $[\text{CuL}_a]_2$ (1) and (b) $[\text{CoL}_a(\text{H}_2\text{O})_2]_2 \cdot \text{H}_2\text{O}$ (3).	193
5.2	The TGA-DrTGA curves of (a) $[\text{FeL}_a(\text{MeOH})_2]_2 \cdot (\text{NO}_3)_2 \cdot \text{H}_2\text{O}$ (5) and (b) $[\text{CdL}_a]_2 \cdot 4\text{H}_2\text{O}$ (7).	194
5.3	The TGA-DrTGA curves of (a) $[\text{Cu}(\text{L}_b)]_2$ (8) and (b) $[\text{Ni}(\text{L}_b)]_2$ (9).	195
5.4	The TGA-DrTGA curves of (a) $[\text{VO}(\text{L}_b)(\text{H}_2\text{O})]_2 \cdot 0.5\text{H}_2\text{O}$ (10) and (b) $[\text{Cr}(\text{L}_b)(\text{C}_2\text{H}_5\text{OH})]_2 \cdot (\text{NO}_3)_2 \cdot 2\text{H}_2\text{O}$ (12).	196
5.5	The TGA-DrTGA curves of (a) $[\text{Ni}(\text{HL}_c)]_2 \cdot 2\text{H}_2\text{O}$ (15) and (b) $[\text{Co}(\text{HL}_c)(\text{H}_2\text{O})_2]_2 \cdot (\text{NO}_3)_2 \cdot 2\text{H}_2\text{O}$ (16).	197
5.6	The TGA-DrTGA curves of (a) $[\text{Fe}(\text{HL}_c)(\text{CH}_3\text{OH})(\text{NO}_3)]_2 \cdot (\text{H}_2\text{O}) \cdot \text{CH}_3\text{OH}$ (18) and (b) $\text{Cd}(\text{HL}_c)]_2 \cdot \text{H}_2\text{O}$ (20).	198
5.7	The TGA-DrTGA curves of (a) $[\text{CoL}_d]_2 \cdot 4\text{H}_2\text{O}$ (23) and (b) $[\text{VOL}_d(\text{H}_2\text{O})]_2 \cdot 2\text{H}_2\text{O}$ (24).	199
5.8	The TGA-DrTGA curves of (a) $[\text{CrL}_d(\text{H}_2\text{O})(\text{NO}_3)]_2 \cdot 4\text{H}_2\text{O}$ (25) and (b) $[\text{CdL}_d]_2 \cdot \text{H}_2\text{O} \cdot \text{MeOH}$ (26).	200
5.9	Coats-Redfern plots for $[\text{CuL}_a]_2$ (1).	203
5.10	Coats-Redfern plots for $[\text{Ni}(\text{L}_b)]_2$ (9).	204
5.11	Coats-Redfern plots for $[\text{Co}(\text{HL}_c)(\text{H}_2\text{O})_2]_2 \cdot (\text{NO}_3)_2 \cdot 2\text{H}_2\text{O}$ (16).	205
5.12	Coats-Redfern plots for $[\text{VOL}_d(\text{H}_2\text{O})]_2 \cdot 2\text{H}_2\text{O}$ (24).	206
5.13	Coats-Redfern plots for $[\text{CrL}_d(\text{H}_2\text{O})(\text{NO}_3)]_2 \cdot 4\text{H}_2\text{O}$ (25).	207
5.14	Coats-Redfern plots for $[\text{CdL}_d]_2 \cdot \text{H}_2\text{O} \cdot \text{MeOH}$ (26).	208

List of Tables

Tables No.	Title	Page
3.1	Physical, analytical data and UV/Vis spectral data of the hydrazones, H ₂ L _a , H ₂ L _b , H ₃ L _c , and H ₂ L _d , ligands.	55
3.2	Infrared frequencies (cm ⁻¹) of H ₂ L _a ligand, S-methyldithio carbazate and salicylaldehyde and their tentative assignments.	56
3.3	Infrared frequencies (cm ⁻¹) of H ₂ L _b ligand, 2-hydroxy-acetophenone, S-methyldithiocarbazate and their tentative assignments.	57
3.4	Infrared frequencies (cm ⁻¹) of H ₃ L _c ligand, S-methyldithio carbazate and 4,6-Diacetylresorcinol, and their tentative assignments.	58
3.5	Infrared frequencies (cm ⁻¹) of H ₂ L _d ligand, S-methyldithio-carbazate and 5-acetyl-4-hydroxy-2H-1,3-thiazine-2,6(3H)-dione and their tentative assignments.	59
3.6	The ¹ H-NMR chemical shifts (ppm) of the hydrazone ligands and their assignments.	60
3.7.	Calculations of the dissociation of the hydrazones in 75% (v/v) dioxane-water at 303 K; [L] = 2.0x10 ⁻³ mol dm ⁻³ ; [KOH] = 0.065 mol dm ⁻³ ; V _o = 30 mL; μ = 0.058 mol dm ⁻³ (KNO ₃).	61
3.8.	Calculations of the dissociated species of H ₂ L _a in 75% (v/v) dioxane-water at 303 K, pK ₁ ^H 9.40 and pK ₂ ^H = 13.33.	62
3.9	Structural parameters data of the present ligands as calculated by the <i>Hyperchem</i> 7.5 program.	63 64
3.10	Relationships of the calculated structural parameters <i>versus</i> experimental data of the present hydrazones ligands.	124
4.1	Physical and analytical data of the hydrazone, H ₂ L _a , ligand and its transition metal complexes.	125
4.2	Physical and analytical data of the hydrazone, H ₂ L _b , ligand and its transition metal complexes.	126
4.3	Physical and analytical data of the hydrazone, H ₃ L _c , ligand and its transition metal complexes.	