Al-Azhar University Faculty of Science Botany and Microbiology Department



Spatial variation in vegetation structure of some wadis in Saint Katherine protectorate, South Sinai, Egypt.

Presented By Ahmed Abd Allah Mohamed Mohamed

B. Sc. (2006), Plant Ecology

Environmental Researcher – South Sinai Protectorates Egyptian Environmental Affairs Agency (EEAA)

Thesis Submitted in partial fulfillment for the Master Degree of Science in Botany (Plant Ecology)

Botany and Microbiology Department, Faculty of Science, Al-Azhar University Cairo, Egypt

2013

Supervisors

Dr. Om - Mohammed Ahmed Khafagi

Emeritus Professor of Ecology, Botany Department, Faculty of Science (Girls branch), Al-Azhar University, Cairo, Egypt.

Dr. El-Bialy El-Sayed Ahmed Hatab

Nature Conservation Sector (NCS), Egyptian Environmental Affairs Agency (EEAA).

Dr. Abd El-Monem M. A. Sharaf

Professor of Plant Physiology, Botany Department, Faculty of Science, Al-Azhar University, Cairo, Egypt.

Dr. Mahmoud Ramadan Soffy

Lecturer of Plant Physiology, Botany Department, Faculty of Science, Al-Azhar University, Cairo, Egypt.



Supervisors Committee

Dr. Om - Mohammed Ahmed Khafagi

Emeritus Professor of Ecology, Botany and Microbiology Department, Faculty of Science (Girl's branch), Al-Azhar University, Cairo, Egypt.

Dr. Abd El-Monem M. A. Sharaf

Professor of Plant Physiology, Botany and Microbiology Department, Faculty of Science, Al-Azhar University, Cairo, Egypt.

Dr. El-Bialy El-Sayed Ahmed Hatab

Nature Conservation Sector (NCS), Egyptian Environmental Affairs Agency (EEAA).

Dr. Mahmoud Ramadan Soffy

Lecturer of Plant Physiology, Botany and microbiology Department, Faculty of Science, Al-Azhar University, Cairo, Egypt.

Al-Azhar University Faculty of Science Botany and Microbiology Department



Declaration

This thesis has not been submitted for a degree at this University or any other University

Ahmed Abd Allah Mohamed

Al-Azhar University Faculty of Science Botany and Microbiology Department



Approval Sheet

Thesis Title:

Spatial variation in vegetation structure of some wadis in Saint Katherine protectorate, South Sinai, Egypt.

NAME OF STUDENT:

Ahmed Abd Allah Mohamed Mohamed

DEGREE:

Master of Science in (Ecology)

This thesis has been supervised by:

This thous has been super vised by	
Prof. Dr. Abd El-Monem M. A. Sharaf	
Prof. Dr. Om - Mohammed Ahmed Khafagi	
Dr. El-Bialy El-Sayed Ahmed Hatab	
Dr. Mahmoud Ramadan Soffy	
Examination Committee:	
Prof. Dr. Abd El-Monem M. A. Sharaf Professor of Plant Physiology, Botany Department, Faculty of Science, Al-Azhar University, Cairo, Egypt	
Prof. Dr. Om - Mohammed Ahmed Khafagi Emeritus Professor of Ecology, Botany Department, Faculty of Science (Girls branch), Al-Azhar University.	
Prof. Dr. Emad Al-din Abbas Ewais Professor of Plant Physiology, Botany Department, Faculty of Science, Al-Azhar University, Cairo, Egypt.	
Prof. Dr. Moustafa Sabry El-Hakim Professor of Ecology and Agro-frosty of Arid Land, Desert Research Center.	

Acknowledgements

Initially, and foremost, I am gratefully indebted to ALLAH by grace for completion of this work.

I would like to extend my thanks to all those who contributed time, suggestions and support during the planning, research and writing of this dissertation. I am personally indebted to:

First, I offer my sincerest gratitude to my supervisor, Prof. Dr. Om Mohamed Khafagi Professor of Ecology, Faculty of Science (Girls branch), Al-Azhar University, for the valuable discussions on a wide range of conservational topics and ongoing support; guidance and advice were absolutely invaluable and for active supervision and guidance and creative criticism and continuous encouragement whilst allowing me to work in my own way. One simply could not wish for a better or friendlier supervisor. So I cannot express enough thanks.

Very special thanks are due to Prof. Dr. Abd El-Monem M. A. Sharaf Professor of Plant Physiology, Faculty of Science, Al-Azhar University for active supervision, valuable advice, help in presenting the thesis and in discussion on the results and continuous encouragement and lending me his time and expertise in content analysis and critical theory. Without whose knowledge and assistance this study would not have been successful.

Dr. **El-Bialy Hatab**, General Manager of Technical Office at NCS of Egypt for his grateful work on me to build a new person with open mind and for his support for the field, and the time he gave to show me the basics of plant conservation. My senior, my brother and my friend I never meet a person like him. Supporting and encouraging me without waiting for any replay just to be as him.

Special thanks also to Dr. Mohmoud Ramadan Soffy Lecture of Plant Physiology, Faculty of Science, Al-Azhar University, for grateful advices within this study and for giving me the chance to express my hard work without any stress and constant encouragement throughout this thesis.

I take this opportunity to express my profound gratitude and deep regards to Prof. Dr. Emad Al-din Abbas Ewais The former Head of Botany and Microbiology Department, Faculty of Science, Al-Azhar University for his flexibility and Routine breaks and for his great trust and sufficient support.

I really appreciate the great effort by my friend and my real brother **Dr.** Karim Omar, Environmental researcher / GIS specialist at Nature Conservation Sector (NCS), Egyptian Environmental Affairs Agency (EEAA) for his continuous support, advices, encourage, applying new technics and watching me moment by moment during this research.

Deep thanks are due to my former colleague Mr. **Mohamed Metwaly** to my current colleague Mr. Hatem Shabana for their support in fieldwork and laboratory analysis.

Special thanks are due to Prof. Dr. Mohamed Salem; General Manger of South Sinai Protectorates for his fruitful advices and his support.

I would like to express my deepest grateful to my friends and other family in the south Sinai protectorates, Mr. Gamal El-Gohary, Mr. Alaa Ismail, Mr. Abd allah Nagi, Mr. Ahmed El Sadeq, Mr. Ahmed Salem, Mr. Mohamed Ali, Helmy Abd El Sabour, Gamal Osman and Soilam Gomaa.

I wish to express my deepest gratitude to Eng. Mohamed Kotb, General Manger of Saint Katherine protectorate and Eng. Bakr Mohamed General Manger of Taba protectorate for their support, and I am grateful for their cooperation during the period of my assignment.

I would like to give my appreciation to my lovely family Mr. Abd El-Aaty Abdallah, Miss. Asmaa Fathy, Mr. Ashraf Abd El Sattar and Mr., Said Fathy for their support without waiting for anything just to help me to take my rights.

Special thanks are due to staff members and all my colleagues in Botany and Microbiology Department, Faculty of Science, Al-Azhar University, especially to Mr. **Abd El Ghany Sobhy**, And Mr. **Mahmoud Saqr** for their support.

Ahmed Abd Allah Mohamed

DEDICATION

I would like to dedicate the work on this dissertation to my father and my mother who were with me every step on the way, And to my future wife who gives her sincerity and her pure support at hard situations and to my Sisters and Brothers and to all of my family.

Ahmed Abd Allah Mohamed

11277 Te 777 (20) 175 (20) 175 (20) 175 (20)

{ سُبْحَانَ الَّذِي خَلَقَ الأَزْوَاجَ كُلَّهَا مِمَّا تُنْبِتُ الأَرْضُ وَمِنْ أَنفُسِهِمْ وَمِمَّا لا يَعْلَمُونَ }

المنظمة المنظم

(سورة يس _ آية ٣٦)

Table of contents

A	cknowledgments	I
Ta	able of contents	V
M	ap appendix	V
Ta	able appendix	V
Fi	gures appendix	I
Li	st of Abbreviation	3
>	Abstract	1
	Introduction	3
	Aim of Study	9
>	Review of Literature	1
	- Species distribution and spatial concept	1
	- Spatial heterogeneity importance and effect	1
	- Scale and conservation efforts	1
	- Climate and plant distribution	1
	- Spatial variation and Vegetation structure	2
	- Spatial variation and Soil properties	2
	- Threat factors	2
	- Topography and Species diversity	2
	- Eco- physiology and biochemical responses	3
>	Study area	3
	- Geology of study area	4
	- Hydrology of study area	2
	- Climate of study area	2
	- Location description	4
>	MATERIAL AND METHODS	
Pa	art I : (Phytosociological & Ecological studies)	
	1. Vegetation analysis	4
	2. Soil Analysis	
	3. Threats Analysis	5
	24 I III VAIS (VIIAI VOIS	

Part II: (Spatial Analysis)	
1.Geographical attributes analysis	61
2.Climatic variables analysis	63
Part III: (Physiological studies - Plant chemical analysis)	
1.Study area	66
2. Plant materials	67
3.Plant species that have been chemically analyzed	68
4.Measurements of metabolites	71
> RESULTS AND DISCUSSION	
Part I : (Phytosociological & Ecological studies)	
1. Vegetation Analysis	. 77
2. Soil Analysis	133
3. Threat Analysis	140
Part II: (Spatial Analysis)	
1.Geographical attributes analysis	145
2.Climatic variables analysis	161
3.Conoco analysis	164
4.General Discussion	170
Part III: (Physiological studies - Plant chemical analysis)	
1. Plant chemical analysis within location	178
2. Plant chemical analysis within species	218
3. General Discussion	251
> CONCLUSIONS & RECOMMENDATIONS	254
> SUMMARY	257
> REFERENCES	266
> APPENDICES	297
> ARABIC SUMMARY	1

Maps Appendix

- **Map 1.** Sinai Peninsula map within the study area.
- **Map 2.** The Sinai Geological Map. (Egyptian Geological Survey and Mining Authority, EGSMA).
- **Map 3.** The location Map of the water basins within SKP. (Hatab, 2009 & Omar, 2010).
- **Map 4.** Location map of study area.
- **Map 5.** Location map for study area, 1- Wadi Gebal, 2- Wadi Gharaba, 3- Wadi Hodra and 4- Wadi Khoshbi.
- **Map 6.** Elevation map for study area Altitude showed different spatial elevation ranks.
- **Map 7.** Aspect ranks within study area, (a) Location Wadi Gebal, (b) Location Wadi Gharaba, (c) Location Wadi Hodra and Location Wadi within Aspect.
- **Map 8.** Slope rate among different locations.
- **Map 9.** Variation in Temperature among different Locations which under study, (A) Annual Precipitation, (B) Annual Maximum and (C) Annual Minimum Temperature in SKP.

Table Appendix

- **Table 1.** Illustrations of selected plant species in physiology studies.
- **Table 2-17.** Vegetation analysis of stand 1 to 16 of W. Gebal.
- **Table 18-24.** Vegetation analysis of stand 17 to 23 of W. Gharaba.
- **Table 25-34.** Vegetation analysis of stand 24 to 33 of W. Hodra.
- **Table 35-41.** Vegetation analysis of stand 34 to 40 of W. Khoshbi.
- **Table 42.** Average of vegetation characteristics values among the four Wadis.
- **Table 43.** Species richness, No. of families and No. of Individuals within each wadi.
- **Table 44.** Diversity estimates for the sampled Wadis computed in different ways.
- **Table 45.** Total recorded families and Number of species within each family and its percentage within the four Wadis.
- **Table 46.** Community Similarity between the different Wadis.
- **Table 47.** Recorded Number of species within each Average Cover m2.
- **Table 48.** Spatial variation in plant covers of common species.
- **Table 49.** Main Plant Communities of the study area.
- **Table 50.** Different texture types recorded and their percentages.
- **Table 51.** Physical properties of soil samples collected within the study.
- **Table 52.** Chemical properties of soil samples collected within the study.
- **Table 53.** Chemical properties of soil among different Elevation ranks.

	·				
Table 55.	Human activates percentage recorded within study area				
Table 56.	Different elevation ranks recorded within study.				
Table 57.	Plant Community and Vegetation Cover of among different Elevation ranks.				
Table 58.	Physical properties of soil among different elevation ranks.				
Table 59.	Chemical properties of soil among different Elevation ranks.				
Table 60.	Table 60. One-way analysis of variance (ANOVA) of Chemical and Physical properties of soil among different wadis; significantly different according to LSD = significant at $P < 0.01$ and non-significant at $P > 0.05$.				
Table 61.	Aspect of each stands in different location.				
Table 62.	Aspect with stands to different Locations.				
Table 63.	Variation in Soil physical and chemical prosperities among different habitat aspects.				
Table 64.	Bioclimatic Conspectus for Locations under study (1980-2010 years).				
Table 65.	Environmental parameters used in the DCA and their eigenvalues.				
Table 66. Environmental parameters used in the CCA and their eigenvalues.					
Table 67.	Summary of spatial variation recorded during study among different four Wadis.				
Table 68-75.	Results of one way analysis of variance (ANOVA) of all physiological parameter content during growth stages A and B of Plant species in W.Gebal.				
Table 76-83.	Results of one way analysis of variance (ANOVA) of all physiological parameter content during growth stages A and B of Plant species in W.Gharaba.				
Table 84-91.	Results of one way analysis of variance (ANOVA) of all physiological parameter content during growth stages A and B of Plant species in W. Hodra.				
Table 92-99.	Results of one way analysis of variance (ANOVA) of all physiological parameter content during growth stages A and B of Plant species in W. khoshbi.				
Table 100.	Spatial variation in Fagonia mollis population characteristics.				
Table 101- 108.	Results of one way analysis of variance (ANOVA) of all physiological parameter content during growth stages A and B for <i>Fagonia mollis</i> Delile.				
Table 109.	Bivariate Pearson correlations between the total soluble carbohydrate, water soluble protein, phenol, proline and pigment parameters <i>for Fagonia mollis</i> .				
Table 110.	Spatial variation in Zilla spinosa population characteristics.				
Table 111- 118.	Results of one way analysis of variance (ANOVA) of all physiological parameter content during growth stages A and B for <i>Zilla spinosa</i> .				
Table 119.	Bivariate Pearson correlations between the total soluble carbohydrate, water				

Grazed species recorded within study area with its level.

Table 54.

soluble protein, phenol, proline and pigment parameters for Zilla spinosa.

Table 120.	Spatial variation in	Achillea i	fragrantissima ı	population	characteristics.

 Table 121 Results of one way analysis of variance (ANOVA) of all physiological parameter

content during growth stages A and B for *Achillea fragrantissima*.

Table 129. Bivariate Pearson correlations between the total soluble carbohydrate, water

soluble protein, phenol, proline and pigment parameters for Achillea

fragrantissima.

Table 130. Spatial variation in topographic, edaphic and climatic factors.

Figures Appendix

- **Figure 1**. View of Wadi Gebal.
- Figure 2. View of Wadi Gharaba.
- **Figure 3.** View of Wadi Hodra.
- Figure 4. View of Wadi Khoshbi.
- **Figure 5.** A schematic illustration for the study method, (D) the distance between two stands depending on the length of wadi.
- **Figure 6.** Practical field work methodology of Ecological analysis.
- **Figure 7.** A schematic illustration for soil sample collection method (Omar et al. 2012).
- **Figure 8.** Practical field work methodology of Physiological analysis.
- **Figure 9.** Dendogram obtained by cluster analysis based on presence /absence matrix.
- **Figure 10.** Number of dung droppings per location for recorded animals.
- **Figure 11.** Number of dung droppings per location for recorded animals.
- **Figure 12.** Elevation range of Location studies.
- **Figure 13.** Physical properties of soil among different elevation ranks.
- **Figure 14.** Chemical properties of soil among different elevation ranks.
- **Figure 15.** Grazing pressure among different elevation ranks.
- **Figure 16.** Aspect ranks among all stands.
- **Figure 17.** Aspect of different Location.
- **Figure 18.** Variation in soil physical properties among different aspect.
- **Figure 19.** Variation in soil chemical prosperities among different aspect.
- **Figure 20.** Relation between min, max temperature and rainfall values for the habitats of Different locations.
- Figure 21. The species—samples (triangles and circles, respectively) biplot of the DCA of the whole data set in the lower diagram, and retrospective projection of the environmental variables in the upper diagram.

- **Figure 22.** The samples- Environmental (circles and arrow, respectively) biplot of the DCA of the whole data set.
- **Figure 23.** The species—environmental variables biplot of CCA with environmental variables selected by the forward selection procedure.
- Figure 24. Important Value Index of four dominant species Achillea fragrantissima, Fagonia mollis, Haloxylon salicornicum and Zygophyllum coccineum plotted against important environmental gradient (Alt, pH, EC and water content).
- **Figure 25-32.** (Carbohydrate, Protein, Proline, Phenol, Chlorophyll a, Chlorophyll b, Chlorophyll a + b and Carotenoids contents) during growth stages A and B of Plant species in Wadi Gebal.
- Figure 33. View of Wadi Gebal.
- **Figure 34-41.** (Carbohydrate, Protein, Proline, Phenol, Chlorophyll a, Chlorophyll b, Chlorophyll a + b and Carotenoids contents) during growth stages A and B of Plant species in Wadi Gharaba.
- Figure 42. View of Wadi Gharaba.
- **Figure 43-50.** Carbohydrate, Protein, Proline, Phenol, Chlorophyll a, Chlorophyll b, Chlorophyll a + b and Carotenoids contents) during growth stages A and B of Plant species in Wadi Hodra.
- Figure 51. View of Wadi Hodra.
- **Figure 52-59.** (Carbohydrate, Protein, Proline, Phenol, Chlorophyll a, Chlorophyll b, Chlorophyll a + b and Carotenoids contents) during growth stages A and B of Plant species in Wadi Khoshbi.
- **Figure 60.** View of Wadi Khoshbi.
- **Figure 61-68.** (Carbohydrate, Protein, Proline, Phenol, Chlorophyll a, Chlorophyll b, Chlorophyll a + b and Carotenoids contents) during growth stages A and B of Fagonia mollis Delile species.
- **Figure 69.** Correlation relationship between different metabolites for Fagonia mollis Delile.
- **Figure 70-77.** (Carbohydrate, Protein, Proline, Phenol, Chlorophyll a, Chlorophyll b, Chlorophyll a + b and Carotenoids contents) during growth stages A and B of Zilla spinosa (L.) species.
- **Figure 78.** Correlation relationship between different metabolites for Zilla spinosa (L.).
- **Figure 79-86.** (Carbohydrate, Protein, Proline, Phenol, Chlorophyll a, Chlorophyll b, Chlorophyll a + b and Carotenoids contents) during growth stages A and B of Achillea fragrantissima (Forssk.) species.
- **Figure 87.** Correlation relationship between different metabolites for Achillea fragrantissima (Forssk.).