### **Physics Department**

**Faculty of Science** 

**Ain Shams University** 



### Study of the magnetic and electrical properties of some garnet ferrites

### **Thesis**

Submitted for the degree of Master of Science as a partial Fulfillment for requirement of the Master of Science

in Physics

By

### **Ahmed Mohamed Ahmed Ali Faramawy**

**Physics Department** 

Faculty of Science, Ain Shams University

**Egypt** 

### **Supervisors**

Prof. Dr. Adel Abd El –Sattar

Professor of Solid State Physics Physics Department, Ain Shams University Prof. Dr. Hesham M. El-Sayed

Professor of Solid State Physics Physics Department, Ain Shams University

Assoc.prof. Waleed Ragab Abd El-Rasheed Agami

Assoc.prof. of Solid State Physics Physics Department, Ain Shams University

2016



### **Degree**: Master Degree in Physics

Title: Study of the magnetic and electrical properties of some garnet ferrites

Name: Ahmed Mohamed Ahmed Ali Faramawy

### **Thesis Supervisors:**

### Prof. Dr. Adel Abd El-Sattar

Professor of Solid State Physics

Physics Department, Faculty of Science

Ain Shams University

### Prof. Dr. Hesham M. El-Sayed

Professor of Solid State Physics

Physics Department, Faculty of Science

Ain Shams University

### Assoc.prof. Waleed Ragab Abd El-Rasheed Agami

Assoc.prof. of Solid State Physics

Physics Department, Faculty of Science

Ain Shams University

## CONTAINS

### Contents

Acknowledgement
List of FiguresI
List of TablesVII
Abstract1
Introduction5
Chapter 1: Theoretical background
1.1 Magnetic materials7
1.2 Types of ferrites8
1.2.1 Spinal ferrites
<b>1.2.2</b> Hexagonal ferrites9
<b>1.2.3</b> Garnet ferrites
<b>1.2.3.1</b> Crystal structure of garnet ferrites10
1.3 Superexchange interactions in garnet ferrites11
1.4 Saturation magnetization in garnet ferrites13
1.5 Domain Theory and Mechanism of Magnetization
Process
<b>1.5.1</b> Domain Theory14
<b>1.5.2</b> Magnetization Mechanism
1.6 Néel's theory of ferrimagnetism for three sublattices
system
1.7.1 The heating ability (magnetic loss) at high frequency
1.7.2 The heating ability (magnetic loss) analytical
models 21
1.8. Dielectrics properties of garnets
<b>1.8.1</b> Dipole moment and polarization

<b>1.8.2</b> Macroscopic concept of polarization	22
<b>1.8.3.</b> Frequency dependence of the dielectric	
permittivity	23
<b>1.8.4.</b> Frequency dispersion of complex dielectric	
permittivity	25
Chapter 2: Literature Survey	
2.1. Yttrium iron garnet (YIG)	
2.3. Yttrium Gadolinium Iron Garnets (YGdIG)	33
Aim of the Work	37
Chapter 3: Experimental Technique	1es
3.1 Materials and Procedure	39
<b>3.1.1</b> The standard ceramic method (SC)	39
<b>3.1.2</b> Co-precipitation method (CP)	
3.2 Characterization	42
<b>3.2.1</b> X-ray diffraction measurements	42
<b>3.2.2</b> Porosity Measurements	43
<b>3.2.3</b> Infra-Red spectroscopy	44
<b>3.2.4</b> Field emission scanning electron microscope	45
3.3 Magnetization measurements	46
3.4 Relative permeability and Curie temperature ( $T_c$	)48

	_		_	_		ne samples)49
3.	<b>5.1</b> Circuit (	design and	operation	1		49
3.6	Dielectric M	<b>1</b> easureme	ents			53
	Cha	pter 4: R	Results a	and Dis	cussio	n
4.1	Physical P	roperties				55
4.	<b>1.1</b> X-ray A	nalysis				55
4.	1.2 Density	and Porosi	ty			65
4.	<b>1.3</b> IR Spec	tral Analys	sis		<b></b>	66
4.	<b>1.4</b> Field	Emission	Scanni	ng Ele	ectron	Microscope
(F	FEEM)					73
4.2	Magnetic l	Properties	• • • • • • • •	• • • • • • • • •	• • • • • • • •	78
4.	2.1 Magneti	ic paramete	ers			78
4.	2.2 Temper	ature Depe	ndence o	f Relativ	e Perm	eability86
4.	2.3 Compos	sition Depe	ndence o	f Relativ	e Perm	eability Near
		-				89
4.	2.4 Compos	sition Depe	ndence o	f Curie T	empera	ature91
4.3	Heating	ability	and m	agnetic	losses	s at high
freq	uency					93
4.	3.1 Effect	of sample	concentr	ation on	the he	eating ability
	values.			· · · · · · · · · · · · · · · · · · ·		96
4.4	Electrical p	roperties.				97
4.	<b>4.1</b> Frequen	cy Depend	lence of t	he ac Re	sistivity	,97
	_	_			_	he Dielectric
	-	• •				101
4.						a Part of the
		ric Constai				

### Contents

<b>4.4.4</b> Composition	Dependence	of the	Dielectric	<b>Properties</b>
	<b></b>			106
Conclusion				110
References				112

# 

### <u>ACKNOWLEDGEMENT</u>

Above all, praise to ALLAH, the lord of the world, by whose grace this work has been completed and never leaving me during this stage.

This work is dedicated to my loving family and my wife, for I would not be who I am today without their love, friendship and everlasting support. I am forever thankful.

It was honor for me that I could be one of the students of **Prof. Dr. Adel Abd El-Sattar Mohammed**, Physics Department,

Faculty of Science, Ain Shams University for his advice and invaluable suggestions especially during writing my thesis to this form. Most important acknowledgment goes to him; he often endures difficulties to devote his time for my research problems.

No words could cover my thanks and feeling towards my dissertation advisor **Prof. Dr. Hesham M. El-Sayed**, Physics Department, Faculty of Science, Ain Shams University for proposing and planning this investigation and their continuous encouragements, valuable suggestions, capable supervision and reading throughout the manuscript that have rendered the realization of this work to be possible. The valuable discussions and continuous assistance which were so willingly during the course of this work will never be forgotten.

Deep thanks to Assoc. Prof. Dr. Waleed Ragab Abd El-Rasheed Agami, Physics Department, Faculty of Science, Ain Shams University for proposing and planning this investigation and his continuous encouragements, valuable suggestions, capable supervision and brotherhood.

I express my deep thanks to all of my lab partners in to **Prof. Dr. Ahmed Abd El-Ghany**, Physics Department, Faculty of Science, Ain Shams University, for their kind helpful guidance and encouragement during the work.

I would like to deep thank my colleagues in the Magnetism Lab, Physics Department, Dr. Heba kahil, Mohammed Adel, Alaa Mohammed, Mohammed Ashmawy, Ismail Abd El-Rhiem, Ibrahim Ali, and Zeyad Mohammed and my colleagues in CMRDI, M. Rasly, Diaa, Ali, Shalan, , Sanad, Mortada.

Ahmed Faramawy

### LIST OF FIGURES

### List of figures

- Fig.(1.1) Relationship between an applied magnetic field and the resulting magnetization of a magnetic material.
- Fig.(1.2) The different kinds of atomic sites in YIG.
- Fig.(1.3) Superexchange interaction (indirect exchange interaction).
- Fig.(1.4) The structure of transition layers separating domains.
- Fig.(1.5) The effect of external magnetic field on the domain size.
- Fig.(1.6) Magnetization curve and the classification of magnetization process in a multidomain material.
- Fig.(1.7) Frequency response of dielectric mechanisms.
- Fig.(1.8) Loss tangent vector diagram.
- Fig.(3.1) Flow chart diagram for synthesis of  $Gd_xY_{3-x}Fe_5O_{12}$  by standard ceramic method.
- Fig.(3.2) Flow chart diagram for synthesis of  $Gd_xY_{3-x}Fe_5O_{12}$  by Coprecipitation method.
- Fig.(3.3) Block diagram of a double beam spectrophotometer system.
- Fig.(3.4) Schematic diagram of the Field emission scanning electron microscope.

- Fig.(3.5) Schematic diagram of the vibrating sample magnetometer (VSM).
- Fig.(3.6) Schematic representation of the inductor method for relative permeability and Curie temperature ( $T_c$ ) measurement.
- Fig.(3.7) The circuit diagram showing the induction heater as a modified Mazilli inverter.
- Fig.(3.8) The induction heater (coil), the IR thermometer, sample powder and insolating jacket are shown.
- Fig.(3.9) Schematic diagram of the sample cell used in dielectric measurements.
- Fig.(4.1) XRD patterns of  $Gd_xY_{3-x}Fe_5O_{12}$  for samples prepared by standard ceramic method (SC) at annealing temperature  $1400^{\circ}C$  for 12 h.
- Fig.(4.2) XRD patterns of  $Gd_xY_{3-x}Fe_5O_{12}$  for samples prepared by coprecipitation method (CP) and annealing at  $1200^{\circ}C$  for 3 h.
- Fig.(4.3) The relation between Nelson-Riley function  $F(\theta)$  and the lattice parameter (a) for  $Gd_xY_{3-x}Fe_5O_{12}$  prepared by standard ceramic method (SC).

- Fig.(4.4) The relation between Nelson-Riley function  $F(\theta)$  and the lattice parameter (a) for  $Gd_xY_{3-x}Fe_5O_{12}$  prepared by coprecipitation method (CP).
- Fig.(4.5) The variation of the theoretical and experimental lattice parameter (a) with the Gd concentration for  $Gd_xY_{3-x}Fe_5O_{12}$  prepared via (SC) and (CP) methods and theoretically.
- Fig.(4.6) Variation of porosity (%) and apparent density with Gd concentration (x) for  $Gd_xY_{3-x}Fe_5O_{12}$  prepared via the two preparation methods.
- Fig.(4.7) FT-IR spectra of  $Gd_xY_{3-x}Fe_5O_{12}$  prepared via standard ceramic method (SC).
- Fig.(4.8) FT-IR spectra of  $Gd_xY_{3-x}Fe_5O_{12}$  prepared via Coprecipitation method (CP).
- Fig.(4.9) The variation of the force constant with Gd concentration in samples prepared via SC method.
- Fig.(4.10) The variation of the force constant with Gd concentration in samples prepared via CP method.
- Fig.(4.11) FE-SEM of  $Gd_xY_{3-x}Fe_5O_{12}$  samples prepared via (SC) method.
- Fig.(4.12) FE-SEM of  $Gd_xY_{3-x}Fe_5O_{12}$  samples prepared via (CP) method.

- Fig.(4.13) Particle size distribution of both  $Gd_xY_{3-x}Fe_5O_{12}$  samples prepared via (SC) and (CP) methods.
- Fig.(4.14) Room temperature M-H hysteresis loops of the  $Gd_xY_{3-x}Fe_5O_{12}$  prepared by standard ceramic method (SC) (annealed at  $1400^{\circ}C$  for 12 h).
- Fig.(4.15) Room temperature M-H hysteresis loops of the  $Gd_xY_{3-x}Fe_5O_{12}$  prepared by co-precipitation method (CP) (annealed at 1200°C for 3h).
- Fig.(4.16) Arrott plots (H/M versus  $M^2$ ) of the  $Gd_xY_{3-x}Fe_5O_{12}$  prepared by standard ceramic method (SC).
- Fig.(4.17) Arrott plots (H/M versus  $M^2$ ) of the  $Gd_xY_{3-x}Fe_5O_{12}$  prepared by co-precipitation method (CP).
- Fig.(4.18) The variation of the saturation magnetization in  $Gd_xY_{3-x}Fe_5O_{12}$  prepared via SC and CP methods.
- Fig.(4.19) The variation of the coercivity in  $Gd_xY_{3-x}Fe_5O_{12}$  prepared via SC and CP methods.
- Fig.(4.20) Temperature dependence of the relative permeability for  $Gd_xY_{3-x}Fe_5O_{12}$  prepared via SC method.