



شبكة المعلومات الجامعية

بسم الله الرحمن الرحيم



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

BEV78

***Comparative Study Between Variceal Ligation
For Detachable Snare And Banding In Patients
With Bleeding Esophageal Varices***

Thesis

Submitted in partial fulfillment
Of the M.D. degree (Critical Care Medicine)

By

Hazem Hossam El-Din Abd El-Hak

Supervisors

Prof. Hossam Mowafi, M.D.

Chief of Critical Care Medicine
Cairo University

Prof. Mazen Naga, M.D.

Professor of Medicine
Cairo University

Dr. Fahim Ragab, M.D.


Assist Prof. of Critical Care Medicine
Cairo University

Faculty of Medicine

Cairo University

2001







جامعة القاهرة / كلية الطب
القصر العيني

محضر

اجتماع لجنة الحكم على الرسالة الرقمية من
الطبيب / حارث محمد الدمي عبد الكافي
توظيفة للحصول على درجة الماجستير / الدكتوراة
في طب الكلى والكلى

تحت عنوان : باللغة الانجليزية : Comparative study between variceal ligation for detachable mass and banding in patients with bleeding esophageal varices.
: باللغة العربية : دراسة مقارنة في علاج حالات نزول الدم من الكلى
في الرباط الانشعبي والرباط الشرياني للدراسات

بناءً على موافقة الجامعة بتاريخ ١٠ / ١ / ٢٠٠٧ تم تشكيل لجنة الفحص والمناقشة للرسالة المذكورة أعلاه على النحو التالي :-

- (١) د. حارث الدمي أحمد حوافي عن المشورة
- (٢) د. سلطان عبد الرحمن الحامدي متحن داخلي
- (٣) د. هادي سيد (البيلاوي) متحن خارجي

بعد فحص الرسالة بواسطة كل عضو منفردا وكتابة تقارير منفردة لكل منهم لاعدت اللجنة مجتمعة في يوم الخميس بتاريخ ١٠ / ١ / ٢٠٠٧ بقسم الطب الباطني في الكلية الطبية بـ جامعة القاهرة وذلك لمناقشة الطالب في جلسة علنية في موضوع الرسالة والنتائج التي توصى اليها وكذلك الأسس العلمية التي قام عليها البحث .

قرار اللجنة : أجتمعت اللجنة المبחר اليها لمناقشة الرسالة المذكورة من
الطبيب وناقشت في جميع جوانب الرسالة من حيث الشكل والمضمون
والعلماء في تفصيل الموضوع من قبل والمراجع والجزء العلمي وجد مناقشة
من قبل اللجنة قبول الرسالة وتقديرها من اللجنة لهذا العمل فقد قررت
الرسالة من زفة في الجامعة وأمر يتم توزيعها بين الجامعات اطهر

توزيعات أعضاء اللجنة :-

المتحن الخارجي

المتحن الداخلي

المشرف المتحن

بسم الله الرحمن الرحيم

.....

(عصام)

Abstract:

Variceal bleeding is a very serious complication of liver cirrhosis and portal hypertension. Patients are usually treated by endoscopic injection sclerotherapy or band ligation.

Endoloop ligation is a new technique invested to achieve hemostasis and variceal eradication.

The aim of the present work is to assess effectiveness of endoloop ligation in initial hemostasis and to eradicate the esophageal varices in comparison to band ligation.

This work included fifty patients with acute esophageal variceal bleeding, 25 were managed by band ligation and the other 25 by endoloop ligation.

Although the number of patients who rebled during the follow-up was smaller in the endoloop group (12%) compared to the band group (28%) yet this difference did not reach statistical significance.

Also no statistical significant difference was found between the two group regarding the number of patients who showed complete variceal eradication, the number of active sessions needed to reach variceal eradication or the incidence of variceal recurrence by the end of follow-up period of six months.

The endoloop was quit cheaper, showed more clear field of vision more tight application and good results on junctional varices.

Conclusion:

The endoloop is a new promising technique for managing bleeding esophageal varices.

Key Words:

Variceal ligation-band versus loop.



Acknowledgment

I wish to express my deep gratitude and extreme appreciation to Prof. Dr. Hossam Mowafi, Chief of Critical Care Medicine, Cairo University, for his continuous supervision valuable guidance constant support and encouragement, words cannot express my thanks and respect to him.

Also I would like to express my sincere thanks and appreciation to Prof. Dr. Mazon Naga, Professor of Internal Medicine, Cairo University for his patience, guidance and true efforts in performing this work.

I am very thankful to Dr. Fahim Ragab, Assistant Professor of Critical Care Medicine, Cairo University, for his fruitful guidance and help.

My deep thanks and appreciation to Dr. Hussien Okasha, Assistant Professor of Internal Medicine, Cairo University, for his sincere help and encouragement.

I would like to thank Dr. Manal El Masry, Lecturer of Internal Medicine, Cairo University for her help in this work.

Hazem Hossam

