

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل



4.2404



Analytical Study of Certain Thiazide and Thiazide-Like Diuretics

615,761

A Thesis Presented by

Mahmoud Ahmad Omar Hassan

B. Sci. Pharmaceutical Sciences, Al-Azhar University (1994) M. Sci., Pharmaceutical Analytical Chemistry, Assiut University (1999)

Submitted for the degree of doctor of philosophy in pharmaceutical sciences

(Analytical Chemistry)

Under Supervision of

Prof. Dr.

Wichael E. El-Kommos

Professor and Head of Pharmaceutical Analytical Chemistry Department Faculty of Pharmacy, Assiut University Prof. Dr.

Ahmad A. Ahmad

Professor of Organic Chemistry and Vice Dean of Faculty of Science, Minia University

Dr.

Hesham S. Sharaf El-Din

Associate Professor, Head of Analytical Chemistry Department and Vice Dean of Faculty of Pharmacy, Minia University

Minia University (EGYPT) 2005

M



﴿وَمَا أُوتَيْتُم مِنْ الْعَلَمِ إِلَّا قَلَيْلًا ﴾

العظريم

سورةالإسراءالاية ٨٥

APPROVAL SHEET

Name of the Student

Mahmoud Ahmad Omar Hassan

Title of The Thesis

" Analytical Study of Certain Thiazide and Thiazide-Like Diuretics "
Degree

Doctor of Philosophy in Pharmaceutical Sciences

(Analytical Chemistry)

The committee in charge has approved this thesis on 16/5/2005

Name and Decree	Cianatura
Name and Degree	Signature
Prof. Dr. Hamed M. El-Fatatry	
Prof. of Anal. Chem., Faculty of Pharmacy, Tanta	Évile
university	
Prof. Dr. Michael E. El-Kommos	
Prof. and Head of Pharm. Anal. Chem. Dep.,	Mach
Faculty of Pharmacy, Minia university	, 23
Prof. Dr. Gamal A. Saleh	Ganal Solely
Prof. of Pharm. Anal. Chem., Faculty of	
Pharmacy, Assiut university	
Prof. Dr. Ahmad A. Ahmad	
Prof. of Org. Chem. and Vice Dean, Faculty of	Ahad Ahad
Science, Minia university	
Dr. Hesham S. Sharaf El-Din	
Associate Prof. Head of Anal. Chem. Dep. and	1/2/1
Vice Dean, Faculty of Pharmacy, Minia university	IM MINU

To my family

List of Abbreviations

a Intercept

b Slope

BD Bendroflumethiazide

BZ Benzthiazide

CD Chlorthalidone

CP Clopamide

HC Hydrochlorothiazide

HF Hydroflumethiazide

IP Indapamide

XP Xipamide

Ks Stability constant

LOD Limit of Detection

LOQ Limit of Quantitation

Log Logarithm

r Correlation coeffecient

RFI Relative fluorescence intensity

SD Standard deviation

TLC Thin layer chromatography

μg Microgram

ε Molar absorptivity

NBD-Cl 4-chloro-7-nitrobenzofurazan

SDS Sodium dodecyl sulphate

Contents

	Page
List of Abbreviations	ii
List of tables	iii
List of figures	v
1. General introduction	1
2. Spectrophotometric determination of some thiazide and	
thiazide-like diuretics using ferric hydroxamate method	25
2.1. Experimental	25
2.2. Results and Discussion	31
3. Spectrophotometric determination of some thiazide and	
thiazide-like diuretics using ferricyanide method	56
3.1. Experimental	56
3.2. Results and Discussion	61
4. Spectrofluorimetric determination of thiazide and thiazide-like	
diuretics using 4-chloro-7-nitrobenzofurazan	82
4.1. Experimental	82
4.2. Results and Discussion	87
5. Summary and conclusions	100
6. References	104

7. Summary in Arabic

Table		Page
14	Analysis of the studied drugs in their pharmaceutical	
	dosage forms	81
15	Effect of different solvents on the reaction between the	
	investigated drugs and NBD-Cl	91
16	Quantitative parameters for the reaction of the investigated	
	drugs with NBD-Cl reagent	95
17	Analysis of the studied drugs in their pharmaceutical	
	dosage forms	99

List of Tables

Table		Page
1	The investigated thiazide diuretics	5
2	The investigated thiazide-like diuretics	6
3	Reported HPLC methods for the determination of thiazide	
	and thiazide-like diuretics	12
4	Quantitative parameters for the reaction of hydroxamates	
	of investigated drugs with ferric chloride reagent	46
5	Calculated stability constants of the reaction of the	
	investigated drugs with ferric chloride	48
6	Correlation between the logarithms of calculated stability	
	constants of the resulting ferric chelates and logarithms of	
	ınolar absorptivities	49
7	Stability indicating properties and kinetic parameters for	
	the assay of investigated drugs based on ferric	
	nydroxamate formation	50
8	Effect of commonly used excipients on the determination	
	of investigated drugs	51
9	¹ H-NMR data (δ, ppm) for xipamide and its hydroxamic	
	acid derivative (measured in d ₆ -DMSO)	53
10	Analysis of the studied drugs in their pharmaceutical	
	dosage forms	55
11	Effect of type of base on the reaction of the investigated	
	drugs with potassium ferricyanide	75
12	Effect of type of acid on the reaction of the investigated	
	drugs with potassium ferricyanide	76
13	Quantitative parameters for the reaction of the investigated drugs with potassium ferricyanide	79

Figure		Page
9	Effect of ferric chloride concentration on the reaction	
	between the hydroxamates of investigated drugs (µg/mL)	
	and ferric chloride reagent	41
10	Effect of time on the reaction between the hydroxamates	
	of investigated drugs (µg/mL) and ferric chloride reagent	43
11	Calibration curves of the ferric hydroxamates of	
	hydrochlorothiazide, indapamide, benzthiazide and	
	bendroflumethiazide	44
12	Calibration curves of the ferric hydroxamates of	
	chlorthalidone, xipamide, clopamide and	
	hydroflumethiazide	45
13	Job's plots of continuous variation between the	
	hydroxamates of investigated drugs and ferric chloride	
	reagent	47
14	Absorption spectra of xipamide, (4 µg/mL), potassium	
	ferricyanide, (6 μ g/mL) and xipamide (8 μ g/mL)-	
	ferricyanide complex	62
15	Absorption spectra of hydrochlorothiazide, (4 µg/mL),	
•	clopamide, (4 µg/mL) and chlorthalidone, (10 µg/mL)	
	with potassium ferricyanide reagent	63
16	Absorption spectra of bendroflumethiazide, (4 µg/mL),	
	henzthiazide (Aug/mI) and indonomide (10 /I)	64
	potassium ferricyanide reagent	04
17	Effect of sodium hydroxide concentration on the reaction	
	between the investigated drugs (µg/mL) and potassium	
	ferricyanide reagent	65 ;

List of Figures

Figure		Page
1	Absorption spectra of xipamide , (4µg/mL), ferric	
	chloride, (6 µg/mL) and resulting ferric hydroxamate of	
	xipamide (0.8 μg/mL)	32
2	Absorption spectra of the resulting ferric hydroxamates of	
	clopamide (0.8 $\mu g/mL$), indapamide (1.6 $\mu g/mL$) and	
	benzthiazide (1.6 μg/mL)	33
3	Absorption spectra of the resulting ferric hydroxamates of	
	hydrochlorothiazide (1.6 μ g/mL), hydroflumethiazide (0.8	
	μ g/mL), chlorthalidone (0.4 μ g/mL) and	
	bendroflumethiazide (1.6 μg/mL)	34
4	Effect of hydroxylamine concentration on the reaction	
	between the hydroxamates of investigated drugs (µg/mL)	
	and ferric chloride reagent	35
5	Effect of sodium hydroxide concentration on the reaction	
	between the hydroxamates of investigated drugs (µg/mL)	
	and ferric chloride reagent	36
6	Effect of temperature on the reaction between the	
	hydroxamates of investigated drugs ($\mu g/mL$) and ferric	
	chloride reagent	38
7	Effect of heating time on the reaction between the	
	hydroxamates of investigated drugs ($\mu g/mL$) and ferric	
	chloride reagent	39
8	Effect of hydrochloric acid concentration on the reaction between the hydroxamates of investigated drugs ($\mu g/mL$) and ferric chloride reagent	40