بسو الله الرحمن الرحيم

"رَبَى أَوْرَكُنِى أَنْ أَشَكُّرَ نِعَمَتِكَ الله العَمْ الْفَالِمُ الله العظيم الله العظيم الله العظيم الله العظيم

سورة الأحقاض. آية 15

CLINICAL AND LABORATORY EVALUATION OF COLOR STABILITY OF INDIRECT CEROMER RESTORATIONS VERSUS INDIRECT COMPOSITE RESIN RESTORATIONS

Thesis submitted to Conservative Dentistry Department, Faculty of Dentistry, Ain Shams University in partial fulfillment of the requirement for the Doctor Degree of Science in Conservative Dentistry

By

YASSER ALI AL-MORTADA AL-WASIFI

B.D.S. (Cairo) MSc.D. (Cairo)

Assistant Lecturer
Conservative Dentistry Department
Operative Dentistry Branch
Faculty of Dentistry
Ain Shams University

SUPERVISORS

DR. MOKHTAR NAGY IBRAHEIM

Professor of Operative Dentistry
Former Dean of Faculty of Dentistry
Faculty of Dentistry
Ain Shams University

DR. FADEL SOBHY MAHMOUD

Professor of Operative Dentistry
Head of Conservative Dentistry Department
Faculty of Dentistry
Ain Shams University

بسو الله الرحمن الرحيم

*رَابِي أَوْرِعُنِي أَنْ أَشَكُّرَ نِعَمَتِكَ الله العظيم الْفَالِكِي أَوْ كُلِي الله العظيم وَ الله العظيم الله العظيم

سورة الأحقاض. آية 15

تقييم إكلينيكي و معملي اثبات الون حشوات السيرومير المحبوبة مقارنة بحشوات الكمبوزيت المحبوبة

رسالة مقدمه لقسم طب الأسنان التحفظي بكلية طب الأسنان - جامعة عين شمس توطئة للحصول على درجة دكتوراه العلوم في طب الأسنان التحفظي

مقدمه من/

طبیب / یاسر علي المرتضى الوصیفی

مدرس مساعد بقسم طب الأسنان التحفظي كلية طب الأسنان جامعة عين شمس

المشرفون

د/ مختار ناجي إبراهيم

أستاذ العلاج التحفظى للأسنان عميد كلية طب الأسنان (سابقاً) كلية طب الأسنان جامعة عين شمس

د/ فاضل صبحي محمود

أستاذ العلاج التحفظى للأسنان رئيس قسم الطب التحفظى كلية طب الأسنان جامعة عين شمس

I would like to express my deepest gratitude and appreciation to *Dr. Mokhtar Nagy Ibraheim*, Professor of Operative Dentistry, Faculty of Dentistry, Ain Shams University, for his valuable help, insistence on reaching the most perfect form and continuous guidance through the whole course of this work.

I also sincerely thank *Dr. Fadel Sobhy Mahmoud*, Professor of Operative Dentistry, Head of Conservative Dentistry Department, Faculty of Dentistry, Ain Shams University, for his kind, valuable guidance and encouragement.

I could not forget to appreciate the efforts of my colleague *Dr*. *Fareid Sabry El-Askary*, Lecturer of Operative Dentistry, Faculty of Dentistry, Ain Shams University, for his valuable assistance in clinical part of this study.

I am also greatfully appreciating the efforts of *Mr. Ahmed Abo El-Hares*, Microbiology and Clinical Pathology Technician, Blood Bank, New Kasr Al-Aini Specialized Hospital, Cairo University, for his great assistance in the bacterial study of this work.

Deep appreciation and gratitude are due to *the Staff Members* of Conservative Dentistry department, Faculty of Dentistry, Ain Shams University, for their great assistance, encouragement and continuous help.

I would like to dedicate this work to:

The soul of my father, *Sheikh / Ali Al-Mortada Al-Wasifi*, I missed him so much.

Also, my mother, my wife and my young kids; Zeina and Mahmoud. All of them provides me endless love and support and suffered too much during the course of this study.

List of Figures.]
List of Tables	XI
Introduction	1
Review of Literature	4
Aim of The Study	4
Materials & Methods	4
Results	8.
Discussion	22
Conclusions	23
Summary	23
References	23
Appendix	24
Arabic Summary	

Figure No.,	Figure Title	Page
Figure 1:	Targis material full kit used in construction of indirect ceromer restorations for the clinical study.	<u>No.,</u> 56
Figure 2:	Targis incisal used in construction of ceromer specimens for the laboratory study.	56
Figure 3:	Filtek TM Z-250 used in construction of both composite resin indirect restorations for the clinical study and composite resin specimens for the laboratory study.	57
Figure 4:	Variolink II dual cured composite resin cement used for cementation of indirect restorations.	57
Figure 5:	The shade guide buttons used in color determination and color assessment in the clinical study.	58
Figure 6:	Preparation for indirect laminate veneer restoration.	58
Figure 7:	Preparation for Class IV indirect restoration.	59
Figure 8:	Preparation for Class V indirect restoration.	59
Figure 9:	Preparation for Class II indirect restoration.	59
Figure 10:	Construction of indirect restoration.	60
Figure 11:	Equipments for curing of the indirect restoration materials.	61
Figure 12:	Finishing kit used for indirect restoration finishing and polishing.	61
Figure 13:	Finished indirect restoration.	62
Figure 14:	Finally cemented indirect restoration.	62
Figure 15:	A sheet for color matching clinical evaluation.	63
Figure 16:	Split Teflon die used for construction of specimens for laboratory study.	65
Figure 17:	Prepared specimens for laboratory study.	65
Figure 18:	The nylon fishnet.	65

Figure No.,	Figure Title	Page No.,
Figure 19:	Culturing of specimens.	74
Figure 20:	Filtered water contained in dark glass jar.	79
Figure 21:	Tea staining solution.	79
Figure 22:	Coffee staining solution.	80
Figure 23:	Tobacco staining.	80
Figure 24:	Photodiode Array spectrophotometer for color measurements.	82
Figure 25:	Bar chart for the mean discoloration scores of Targis laminate veneer restorations at different time intervals regardless the patient smoking habit.	98
Figure 26:	Discoloration of Targis laminate veneer restorations regardless the patient smoking habit.	98
Figure 27:	Bar chart for the mean discoloration scores of Targis Class IV restorations at different time intervals regardless the patient smoking habit.	100
Figure 28:	Discoloration of Targis Class IV restorations regardless the patient smoking habit.	100
Figure 29:	Bar chart for the mean discoloration scores of Targis Class V restorations at different time intervals regardless the patient smoking habit.	102
Figure 30:	Discoloration of Targis Class V restorations regardless the patient smoking habit.	102
Figure 31:	Bar chart for the mean discoloration scores of Targis Class II restorations at different time intervals regardless the patient smoking habit.	104
Figure 32:	Discoloration of Targis Class II restorations regardless the patient smoking habit.	104
Figure 33:	Bar chart for the mean discoloration scores of Targis restorations as affected by the type of restoration regardless the patient smoking habit.	106

Figure No.,	<u>Figure Title</u>	Page No.,
Figure 34:	Discoloration of Targis restorations as affected by the type of restoration regardless the patient smoking habit.	106
Figure 35:	Bar chart for the mean discoloration scores of Targis restorations in smoking patients at different time intervals regardless the type of restoration.	108
Figure 36:	Discoloration of Targis restorations in smoking patients regardless the type of restoration.	108
Figure 37:	Bar chart for the mean discoloration scores of Targis restorations in non-smoking patients at different time intervals regardless the type of restoration.	110
Figure 38:	Discoloration of Targis restorations in non-smoking patients regardless the type of restoration.	110
Figure 39:	Bar chart for the mean discoloration scores of Targis restorations as affected by the patient smoking habit regardless the type of restoration.	112
Figure 40:	Discoloration of Targis restorations as affected by the patient smoking habit regardless the type of restoration.	112
Figure 41:	Bar chart for the mean discoloration scores of Targis restorations as affected by the interaction between the type of restoration and the patient smoking habit.	114
Figure 42:	Discoloration of Targis restorations as affected by the interaction between the type of restoration and the patient smoking habit.	115
Figure 43:	Bar chart for the mean discoloration scores of Filtek TM Z-250 laminate veneer restorations at different time intervals regardless the patient smoking habit.	117
Figure 44:	Discoloration of Filtek TM Z-250 laminate veneer restorations regardless the patient smoking habit.	117
Figure 45:	Bar chart for the mean discoloration scores of Filtek TM Z-250 Class IV restorations at different time intervals regardless the patient smoking habit.	119
Figure 46:	Discoloration of Filtek TM Z-250 Class IV restorations regardless the patient smoking habit.	119

Figure No.,	Figure Title	Page No.,
Figure 47:	Bar chart for the mean discoloration scores of Filtek TM Z-250 Class V restorations at different time intervals regardless the patient smoking habit.	121
Figure 48:	Discoloration of Filtek TM Z-250 Class V restorations regardless the patient smoking habit.	121
Figure 49:	Bar chart for the mean discoloration scores of Filtek TM Z-250 Class II restorations at different time intervals regardless the patient smoking habit.	123
Figure 50:	Discoloration of Filtek TM Z-250 Class II restorations regardless the patient smoking habit.	123
Figure 51:	Bar chart for the mean discoloration scores of Filtek TM Z-250 restorations as affected by the type of restoration regardless the patient smoking habit.	125
Figure 52:	Discoloration of Filtek TM Z-250 restorations as affected by the type of restoration regardless the patient smoking habit.	125
Figure 53:	Bar chart for the mean discoloration scores of Filtek TM Z-250 restorations in smoking patients at different time intervals regardless the type of restoration.	127
Figure 54:	Discoloration of Filtek TM Z-250 restorations in smoking patients regardless the type of restoration.	127
Figure 55:	Bar chart for the mean discoloration scores of Filtek TM Z-250 restorations in non-smoking patients at different time intervals regardless the type of restoration.	129
Figure 56:	Discoloration of Filtek TM Z-250 restorations in non- smoking patients regardless the type of restoration.	129
Figure 57:	Bar chart for the mean discoloration scores of Filtek TM Z-250 restorations as affected by the patient smoking habit regardless the type of restoration.	131
Figure 58:	Discoloration of Filtek TM Z-250 restorations as affected by the patient smoking habit regardless the type of restoration.	131

Figure No.,	Figure Title	Page No.,
Figure 59:	Bar chart for the mean discoloration scores of Filtek TM Z-250 restorations as affected by the interaction between the type of restoration and the patient smoking habit.	133
Figure 60:	Discoloration of Filtek TM Z-250 restorations as affected by the interaction between the type of restoration and the patient smoking habit.	134
Figure 61:	Bar chart for the mean discoloration scores of Targis and Filtek TM Z-250 restorations as affected by the type of restoration regardless the type of restorative material and the patient smoking habit.	136
Figure 62:	Discoloration of Targis and Filtek TM Z-250 restorations as affected by the type of restoration regardless the type of restorative material and the patient smoking habit.	136
Figure 63:	Bar chart for the mean discoloration scores of Targis and Filtek TM Z-250 restorations as affected by the patient smoking habit regardless the type of restorative material and the type of restoration.	138
Figure 64:	Discoloration of Targis and Filtek TM Z-250 restorations as affected by the patient smoking habit regardless the type of restorative material and the type of restoration.	138
Figure 65:	Bar chart for the mean discoloration scores of Targis restorations and Filtek TM Z-250 restorations as affected by the type of restorative material regardless the type of restoration and the patient smoking habit.	140
Figure 66:	Discoloration of Targis restorations and Filtek TM Z-250 restorations as affected by the type of restorative material regardless the type of restoration and the patient smoking habit.	140
Figure 67:	Bar chart for the mean discoloration scores of Targis restorations and Filtek TM Z-250 restorations as affected by the interaction between the type of restorative material and the type of restoration regardless the patient smoking habit.	142

Figure No.,	<u>Figure Title</u>	Page No.,
Figure 68:	Discoloration of Targis restorations and Filtek TM Z-250 restorations as affected by the interaction between the type of restorative material and the type of restoration regardless the patient smoking habit.	143
Figure 69:	Bar chart for the mean discoloration scores of Targis and Filtek $^{\rm TM}$ Z-250 restorations as affected by the interaction between the type of restorative material and the patient smoking habit regardless the type of restoration.	145
Figure 70:	Discoloration of Targis and Filtek TM Z-250 restorations as affected by the interaction between the type of restorative material and the patient smoking habit regardless the type of restoration.	145
Figure 71:	Bar chart for the mean discoloration scores of Targis and Filtek TM Z-250 restorations as affected by the interaction between the type of restoration and the patient smoking habit regardless the type of restorative material.	147
Figure 72:	Discoloration of Targis and Filtek TM Z-250 restorations as affected by the interaction between the type of restoration and the patient smoking habit regardless the type of restorative material.	148
Figure 73:	Bar chart for the mean discoloration scores of Targis restorations and Filtek TM Z-250 restorations as affected by the interaction between the type of restorative material, the type of restoration and the patient smoking habit.	151
Figure 74:	Bar chart for the mean percentage change in color index of both Targis and Filtek TM Z-250 specimens as affected by the chromogenicity of Eubacterium saburreum.	159
Figure 75:	The change in color index of both Targis and Filtek TM Z-250 specimens as affected by the chromogenicity of Eubacterium saburreum.	159
Figure 76:	Bar chart for the mean percentage change in color index of both Targis and Filtek TM Z-250 specimens as affected by the chromogenicity of Pseudoaltermonas piscic.	161
Figure 77:	The change in color index of both Targis and Filtek TM Z-250 specimens as affected by the chromogenicity of Pseudoaltermonas piscic.	161