Analytical study of some drugs for treatment of neurodegenerative diseases

Thesis presented by Menna Allah Magdy Mahmoud Youssef

Demonstrator of Pharmaceutical Analytical Chemistry Faculty of pharmacy - Ain Shams University

B.Sc. in Pharmaceutical Sciences Faculty of pharmacy - Ain Shams University 2011

Submitted for the partial fulfillment of Master Degree in Pharmaceutical Sciences (Pharmaceutical Analytical Chemistry)

Under the Supervision of:

Prof. Dr. Maha Farouk Abd El-Ghany

Professor of Pharmaceutical Analytical Chemistry
Dean of
Faculty of Pharmacy - Ain Shams University

Prof. Dr. Lobna Abd El-Aziz Hussein

Professor and Head of Pharmaceutical Analytical Chemistry Department Faculty of Pharmacy - Ain Shams University

Associate Prof. Dr. Miriam Farid Ayad

Associate Professor of Pharmaceutical Analytical Chemistry Faculty of Pharmacy - Ain Shams University

Pharmaceutical Analytical Chemistry Department Faculty of Pharmacy - Ain Shams University 2018

Acknowledgment

All the thanks and gratitude is to my Lord ALLAH, who has given me the will and strength to finish this work. Words and thanks will never suffice to praise ALLAH for his blessings I have and granting me patience, guidance and wonderful people around helping and supporting me.

I was lucky to have outstanding supervisors. It's my great pleasure to express my sincere thanks and appreciation to **Prof. Dr. Maha Farouk Abd El-Ghany**, Professor of Pharmaceutical Analytical Chemistry, Dean of Faculty of Pharmacy Ain shams University. For being a caring mother and a dedicated professor, for her expert supervision, constructive comments, generous assistance and guidance during the supervision of this work. I will always be indebted to her kindness and continuous support.

Words are not enough to express my deep thanks and gratitude to **Prof. Dr. Lobna Abd El-Aziz Hussein**, Professor and Head of Pharmaceutical Analytical Chemistry Department, Faculty of Pharmacy, Ain Shams University, who taught me generously and whom I am proud to be one of her students, for her kind supervision, continuous encouragement, sincere guidance, endless support throughout my life and her belief in me which always gives me the courage to go forward.

I would like to express my gratefulness and appreciation for **Associate Prof. Dr. Miriam Farid Ayad,** Associate Professor of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy, Ain Shams University, for her kind supervision, continuous encouragement, indispensable advice, sincere guidance, constructive criticism, valuable comments, endless support throughout my work in this thesis and in my professional career. I wish her every success in her life and work.

No words can express how I feel and my gratitude to my parents and role model **Prof. Dr. Magdy Mahmoud Youssef** and **Prof. Dr. Mona Moussa**, after ALLAH, I owe them everything. Actually without their love, endless support, solid faith in me, continuous support and encouragement, this work would have never been accomplished. I would also like to thank my brothers, **Mohi** and **Mazen**, for supporting me all the way and for always being willing to help. I would like to thank my whole family and friends.

I am also thankful to my dear husband, **Dr. Ahmed Mohamed Mahmoud**, for standing by my side, believing in me, helping and encouraging me that had made my continuation in the hard times attainable. Also, my son **Khaled**, the fruit of my life, I love him so much, and I would like him to be always proud of me as I am of him.

Finally, my sincere appreciation and thanks goes to all my colleagues and staff members in Pharmaceutical Analytical Chemistry, for their friendly cooperation and constant support.

Menatallah Youssef 2018

List of Abbreviations

ATR-FTIR Attenuated total reflectance Fourier transform infrared

B.N. Batch number

CA Chronoamperometry
CMC Carboxy methyl cellulose
CNS Central nervous system

COMT Catechol-O-methyltranseferase

CV Cyclic voltammetry °C Degree Celsius

D₀ Zero order absorption spectra

D₂ Second derivative absorption spectraD₄ Fourth derivative absorption spectra

DA Dopamine
DD Double divisor

DD¹ First derivative of the ratio spectra
DDRD Double divisor ratio spectra derivative

DMF Dimethylformamide

DPV Differential pulse voltammetry

DRZC Derivative ratio spectra zero crossing

DZC Derivative zero crossing

HETP Height Equivalent to Theoretical Plate

HILIC Hydrophilic interaction liquid chromatography
HPLC High performance liquid chromatography
ICH International Conference on Harmonization

K' Capacity factor LBs Lewi bodies

LC-MS Liquid chromatography-Mass Spectroscopy

LOD Limit of Detection LOQ Limit of Quantitation MAO-B Monoamine oxidase B

MC Mean center

MCR Mean centering ratio spectra

min Minute

N Theoretical Plate

NMR Nucleur magnetic resonance PCR Principal Component Regression

PD Parkinson's disease PLS Partial Least Squares

RMSEC Root mean square error of calibration RMSECV Root mean square error of cross validation RMSEP Root mean square error of prediction

RP Reversed phase Rs Resolution

% R Percentage recovery

RSD Relative standard deviation

SD Standard deviation SDS Sodium dodecyl sulfate

SFS Synchronous fluorescence spectroscopy

SN Substantia nigra

SWV Square wave voltammetry

T Tailing Factor

TLC Thin layer chromatography

UPLC Ultra performance liquid chromatography

UV Ultra violet

 $\begin{array}{lll} UV/\,\,Vis & Ultra\,\,violet/\,\,Visible \\ A & Selectivity\,\,factor \\ \Delta\lambda & Spectral\,\,bandwidth \\ \lambda_{em} & Emission\,\,wavelength \\ \lambda_{ex} & Excitation\,\,wavelength \end{array}$

CONTENTS

List of figures
PART I: Introduction and Literature Review
Section A General Introduction Page
I.A.1. Neurodegenerative diseases1I.A.2. Parkinson's disease etiology1I.A.3. Parkinson's disease clinical features2I.A.4. Parkinson's disease management3
Section B Literature Review
I.B.1. Chemical structure and physicochemical properties 6
I.B.1.1. Levodopa
I.B.1.3. Entacapone
I.B.2. Methods of Analysis
I.B.2.1. Spectroscopic techniques
I.B.2.2. Separation techniques
I.B.2.2.1. Thin Layer Chromatography11
I.B.2.2.2. High Performance Liquid Chromatography11
I.B.2.2.3. Ultra performance Liquid Chromatography
I.B.2.2.4. Hydrophilic Interaction Liquid Chromatography20

I.B.2.2.5. Electrophoresis.21I.B.2.3. Electrochemical techniques.24
PART II: Spectrophotometric Methods for Determination of Antiparkinsonian Drugs Levodopa, Carbidopa and Entacapone
Section A Derivative Ratio Spectra Zero Crossing Method for
Determination of Entacapone in the presence of Levodopa and
Carbidopa
II.A.1. Introduction
II.A.2. Experimental31
II.A.2.1. Instrumentation
II.A.2.2. Samples31
II.A.2.3. Chemicals and reagents
II.A.2.4. Standard solutions
II.A.2.5. Procedure
II.A.2.5.1. Spectral characteristics of Levodopa, Carbidopa and
Entacapone32
II.A.2.5.2. Method validation
II.A.2.5.2.1. Linearity
II.A.2.5.2.2. Accuracy
II.A.2.5.2.3. Specificity
II.A.2.5.2.4. Precision
II.A.2.5.2.5. Limit of detection (LOD) and limit of quantitation
(LOQ)33
II.A.2.5.3. Application to the pharmaceutical preparation
II.A.3. Results and Discussion

Section B Double Divisor Ratio Spectra Derivative Method for Simultaneous Determination of Levodopa, Carbidopa and Entacapone

II.B.1. Introduction	44
II.B.2. Experimental	45
II.B.2.1. Instrumentation	
II.B.2.2. Samples	45
II.B.2.3. Chemicals and reagents	45
II.B.2.4. Standard solutions	45
II.B.2.5. Procedure	46
II.B.2.5.1. Spectral characteristics of Levodopa, Carbid	lopa and
Entacapone	46
II.B.2.5.2. Method validation	
II.B.2.5.2.1. Linearity	
II.B.2.5.2.2. Accuracy	
II.B.2.5.2.3. Specificity	
II.B.2.5.2.4. Precision.	
II.B.2.5.2.5. Limit of detection (LOD) and limit of	-
(LOQ)	
II.B.2.5.3. Application to the pharmaceutical	
	48
II.B.3. Results and Discussion	48
Soution C	
Section C Maan Cantaring Datis Spectra Mathed for Simu	140000000
Mean Centering Ratio Spectra Method for Simu	
Determination of Levodopa, Carbidopa and Ent	acapone
II.C.1. Introduction	62
II.C.2. Experimental	
II.C.2.1. Instrumentation	
II.C.2.2. Samples	
1	

II.C.2.3. Chemicals and reagents64
II.C.2.4. Standard solutions
II.C.2.5. Procedure
II.C.2.5.1. Spectral characteristics of Levodopa, Carbidopa and
Entacapone
II.C.2.5.2. Method validation
II.C.2.5.2.1. Linearity
II.C.2.5.2.2. Accuracy
II.C.2.5.2.3. Specificity
II.C.2.5.2.4. Precision
II.C.2.5.2.5. Limit of detection (LOD) and limit of quantitation
(LOQ)
II.C.3. Results and Discussion
PART III: Determination of the Studied Antiparkinsonian Drugs by Spectrofluorimetric Methods
•
Drugs by Spectrofluorimetric Methods Section A Derivative Zero Crossing (DZC) Synchronous Spectrofluorimetry for Simultaneous Determination of Levodopa and Carbidopa
Section A Derivative Zero Crossing (DZC) Synchronous Spectrofluorimetry for Simultaneous Determination of Levodopa and Carbidopa III.A.1. Experimental
Section A Derivative Zero Crossing (DZC) Synchronous Spectrofluorimetry for Simultaneous Determination of Levodopa and Carbidopa III.A.1. Experimental
Section A Derivative Zero Crossing (DZC) Synchronous Spectrofluorimetry for Simultaneous Determination of Levodopa and Carbidopa III.A.1. Experimental
Section A Derivative Zero Crossing (DZC) Synchronous Spectrofluorimetry for Simultaneous Determination of Levodopa and Carbidopa III.A.1. Experimental
Section A Derivative Zero Crossing (DZC) Synchronous Spectrofluorimetry for Simultaneous Determination of Levodopa and Carbidopa III.A.1. Experimental
Section A Derivative Zero Crossing (DZC) Synchronous Spectrofluorimetry for Simultaneous Determination of Levodopa and Carbidopa III.A.1. Experimental

III.A.1.5.2. Optimization of the assay method84
III.A.1.5.3. Method validation
III.A.1.5.3.1. Linearity
III.A.1.5.3.2. Accuracy
III.A.1.5.3.3. Specificity
III.A.1.5.3.4. Precision
III.A.1.5.3.5. Limit of detection (LOD) and limit of quantitation
(LOQ)
III.A.1.5.4. Application of the proposed method for the
determination of Levodopa and Carbidopa in combined dosage
form
III.A.2. Results and Discussion
Section B
Fluorescence Quenching Method for Determination of
Entacapone
Linucupone
III.B.1. Introduction
III.B.2. Experimental
III.B.2.1. Instrumentation
III.B.2.2. Samples
III.B.2.3. Chemicals and reagents
III.B.2.4. Standard solutions
III.B.2.5. Procedure
III.B.2.5.1. Spectral characteristics of anthracene alone and in the
presence of Entacapone107
III.B.2.5.2. Method validation
III.B.2.5.2.1. Linearity
III.B.2.5.2.2. Accuracy
III.B.2.5.2.3. Precision
III.B.2.5.2.4. Limit of detection (LOD) and limit of quantitation (LOO)

III.B.2.5.3. Application of the proposed method for the determination of ENT in pharmaceutical dosage form			
III.B.3. Results and Discussion			
PART IV: Chemometric Principal Component Regression (PCR) and Partial Least Square (PLS) Methods for Simultaneous Determination of Levodopa, Carbidopa and Entacapone			
IV.1. Introduction.119IV.2. Experimental.120IV.2.1. Instrumentation.120IV.2.2. Samples.120IV.2.3. Chemicals and reagents.120IV.2.4. Standard solutions.120IV.2.5. Procedures.120IV.2.5.1. Spectral characteristics of Levodopa, Carbidopa andEntacapone120IV.2.5.2. Calibration and Validation Sets.121IV.2.5.3. Application to the pharmaceutical formulation.121IV.3. Results and Discussion.122			
PART V: High Performance Liquid Chromatographic Method for Simultaneous Determination of Levodopa, Carbidopa and Entacapone in Ternary Mixture, Pharmaceutical Formulations and Biological Fluids			
V.1. Introduction.138V.2. Experimental.138V.2.1. Instrumentation.138V.2.2. Pure Samples.139			

V.2.3. Chemicals and reagents	139
V.2.4. Standard solutions	139
V.2.5. Procedures	139
V.2.5.1. Chromatographic conditions	140
V.2.5.2. Method validation	140
V.2.5.2.1. Linearity	140
V.2.5.2.2. Accuracy	140
V.2.5.2.3. Specificity	
V.2.5.2.4. Precision	141
V.2.5.2.5. Robustness	141
V.2.5.2.6. Limit of detection (LOD) and limit of q	uantitation
(LOQ)	142
V.2.5.3. Application	
V.2.5.3.1. Application to pharmaceutical preparations	
V.2.5.3.2. Application in biological fluids	143
V.3. Results and Discussion	
PART VI	
C ID'	
General Discussion	
VI. General discussion.	170
VI. General discussion	
References	
VII Deformed	1 <i>75</i>
VII. References	1/3

Arabic Summary

List of Figures

No.	Title	Page
1	Zero order absorption spectra of Entacapone, Levodopa and Carbidopa.	38
2	First derivative of the ratio spectra of Entacapone and Levodopa using Carbidopa as divisor.	38
3	Calibration curve correlating peak amplitude to the corresponding concentration of Entacapone by derivative ratio spectra zero crossing method.	39
4	First derivative of the ratio spectra for the lab prepared mixtures of Entacapone with different ratios to Levodopa and Carbidopa divided over Carbidopa as a best divisor.	39
5	First derivative of the ratio spectra of Levodopa using a binary mixture of Carbidopa and Entacapone as double divisor.	52
6	First derivative of the ratio spectra of Carbidopa using a binary mixture of Levodopa and Entacapone as double divisor.	52
7	First derivative of the ratio spectra of Entacapone using a binary mixture of Levodopa and Carbidopa as double divisor.	53
8	Calibration curve correlating peak amplitude to the corresponding concentration of Levodopa by double divisorratio spectra derivative method.	53
9	Calibration curve correlating peak amplitude to the corresponding concentration of Carbidopa by double divisorratio spectra derivative method.	54
10	Calibration curve correlating peak amplitude to the corresponding concentration of Entacapone by double divisorratio spectra derivative method.	54
11	First derivative of the ratio spectra for the lab prepared mixtures of Levodopa with different ratios to Carbidopa and Entacapone divided over Carbidopa and Entacapone.	55
12	First derivative of the ratio spectra for the lab prepared mixtures of Carbidopa with different ratios to Levodopa and Entacapone divided over Levodopa and Entacapone.	55
13	First derivative of the ratio spectra for the lab prepared mixtures of Entacapone with different ratios to Levodopa and Carbidopa divided over Levodopa and Carbidopa.	56

14	The mean centered second ratio absorption spectra of	70
	Levodopa.	
15	The mean centered second ratio absorption spectra of Carbidopa.	70
16	The mean centered second ratio absorption spectra of Entacapone.	71
	Calibration curve correlating peak amplitude to the	
17		71
17	corresponding concentration of Levodopa by mean centering	71
	of ratio spectra method.	
4.0	Calibration curve correlating peak amplitude to the	
18	corresponding concentration of Carbidopa by mean centering	72
	of ratio spectra method.	
10	Calibration curve correlating peak amplitude to the	70
19	corresponding concentration of Entacapone by mean centering	72
	of ratio spectra method.	
20	The mean centered of second ratio absorption spectra for the	72
20	lab prepared mixtures of Levodopa with different ratios to	73
	Carbidopa and Entacapone.	
	The mean centered of second ratio absorption spectra for the	
21	lab prepared mixtures of Carbidopa with different ratios to	73
	Levodopa and Entacapone.	
	The mean centered of second ratio absorption spectra for the	
22	lab prepared mixtures of Entacapone with different ratios to	74
	Levodopa and Carbidopa.	
23	3D fluorescence scan spectra of Levodopa	94
24	3D fluorescence scan spectra of Carbidopa	94
25	Excitation spectra of each of Levodopa and Carbidopa	95
26	Emission spectra of each of Levodopa and Carbidopa	95
27	Synchronous fluorescence spectrum of each of Levodopa and	96
21	Carbidopa	90
28	Effect of different Δλ on fluorescence of Levodopa	96
29	Effect of different Δλ on fluorescence of Carbidopa	97
20	Effect of addition of different diluents on relative fluorescence	07
30	intensity of Levodopa and Carbidopa	97
31	Effect of addition of different organized media on relative	98
31	fluorescence intensity of Levodopa and Carbidopa	70
32	Effect of addition of different buffers & different pH values on	98
34	relative fluorescence intensity of Levodopa and Carbidopa	90
33	Second derivative synchronous spectrum of Levodopa.	99

34	Fourth derivative synchronous spectrum of Carbidopa.	99
	Calibration curve correlating peak amplitude to the	
35	corresponding concentration of Levodopa by derivative zero	100
	crossing method.	
	Calibration curve correlating peak amplitude to the	
36	corresponding concentration of Carbidopa by derivative zero	100
	crossing method.	
	Second derivative synchronous spectrum for the lab prepared	101
37	mixtures of Levodopa with different ratios to Carbidopa.	101
20	Fourth derivative synchronous spectrum for the lab prepared	101
38	mixtures of Carbidopa with different ratios to Levodopa.	101
39	3D fluorescence scan spectrum of Entacapone	113
40	Synchronous fluorescence spectra of anthracene alone and in	113
40	the presence of various concentrations of Entcapone.	
41	3D fluorescence scan spectrum of anthracene	114
42	Excitation and emission spectra of anthracene.	114
43	Effect of different Δλ on fluorescence of anthracene	115
	Calibration curve correlating (F ^o /F) to the corresponding	
44	concentration of Entacapone by fluorescence quenching	115
	method.	
4.5	RMSEC plot of the cross validation results of the training set	105
45	used to construct the Principal Component Regression	125
	calibration of Levodopa, Carbidopa and Entacapone. RMSEC plot of the cross validation results of the training set	
46	used to construct the Partial Least Square -2 calibration of	125
	Levodopa, Carbidopa and Entacapone.	123
47	Residual versus actual concentrations plot for Levodopa, using	126
47	the Principal Component Regression method.	126
48	Residual versus actual concentrations plot for Carbidopa,	126
40	using the Principal Component Regression method.	120
49	Residual versus actual concentrations plot for Entacapone,	127
	using the Principal Component Regression method.	127
50	Residual versus actual concentrations plot for Levodopa, using	107
	the Partial Least Square-2 method.	127
51	Residual versus actual concentrations plot for Carbidopa,	128
	using the Partial Least Square-2 method.	120
52	Residual versus actual concentrations plot for Entacapone,	100
	using the Partial Least Square-2 method.	128
I		

53	Linearity of predicted concentration versus the actual one plot	
	for Levodopa, using the Principal Component Regression	129
	method.	
54	Linearity of predicted concentration versus the actual one plot	100
	for Carbidopa, using the Principal Component Regression	129
	method.	
55	Linearity of predicted concentration versus the actual one plot	120
	for Entacapone, using the Principal Component Regression method.	130
56	Linearity of predicted concentration versus the actual one plot	
	for Levodopa, using the Partial Least Square-2 method.	130
57		
37	Linearity of predicted concentration versus the actual one plot	131
7 0	for Carbidopa, using the Partial Least Square-2 method.	
58	Linearity of predicted concentration versus the actual one plot	131
50	for Entacapone, using the Partial Least Square-2 method.	
59	HPLC Chromatogram showing simultaneous separation of	151
	Levodopa, Carbidopa and Entacapone.	
60	Calibration curve correlating peak area to the corresponding	151
	concentration of Levodopa by HPLC method.	101
61	Calibration curve correlating peak area to the corresponding	152
	concentration of Carbidopa by HPLC method.	132
62	Calibration curve correlating peak area to the corresponding	150
	concentration of Entacapone by HPLC method.	152
63	HPLC Chromatogram showing separation of Levodopa,	170
	Carbidopa and Entacapone in <i>Stalevo®</i> tablets.	153
64	HPLC Chromatogram showing separation of Levodopa and	
	Carbidopa in <i>Sinemet</i> ® tablets.	153
65	HPLC Chromatogram showing Entacapone in Parkicapone®	
	tablets.	154
66	HPLC Chromatogram of blank urine sample.	154
67	HPLC Chromatogram of urine sample spiked with Levodopa,	134
07		155
CO	Carbidopa and Entacapone.	1 = =
68	HPLC Chromatogram of blank plasma sample.	155
69	HPLC Chromatogram of plasma sample spiked with Levodopa	156
	and Entacapone.	150