



**STUDIES ON THE VARIATION OF FLIES SUCCESSIONS ON
RABBIT'S CARRIONS AND ROLE OF THEIR MAGGOTS AS A
POISONING INDICATOR**

A Thesis

**Presented to Faculty of Science, Ain Shams University in partial
fulfillment for the award of the M.Sc. Degree**

By

Alaa Abd Elgawad Shaaban Abd Elgawad

B.Sc. (Entomology) 2013

Supervisors

Pro. Dr. Mohamed Amin Kenawy

**Professor of Medical Entomology, Faculty of Science, Ain Shams
University**

Pro. Dr. Rawda Mohamed Abdel-Hamid

Professor of Insect Taxonomy, Faculty of Science, Ain Shams University

Dr. Marah Mohammad Hassan Abd El-Bar

**Assistant Professor of Entomology, Faculty of Science, Ain Shams
University**

Entomology Department

Faculty of Science

Ain Shams University

2018



**IN THE NAME OF ALLAH, THE MOST BENEFICIENT,
THE MOST MERCIFUL**

Approval sheet

Studies on the variation of flies successions on rabbit's carrions and role of their maggots as a poisoning indicator

By

Alaa Abd Elgawad Shaaban Abd Elgawad
(B.Sc. Entomology, 2013)

Supervisions committee

Pro. Dr. Mohamed Amin Kenawy

Professor of Medical Entomology, Entomology Department,
Faculty of Science, Ain Shams University.

Pro. Dr. Rawda Mohamed Abdel-Hamid

Professor of Insect Taxonomy, Entomology Department,
Faculty of Science, Ain Shams University.

Dr. Marah Mohammad Hassan Abd El-Bar

Assistant Professor of Entomology, Entomology Department,
Faculty of Science, Ain Shams University.

Examination committee

Pro. Dr. Mohamed Amin Kenawy

Professor of Medical Entomology, Entomology Department,
Faculty of Science, Ain Shams University.

Pro. Salwa Elsayed Rashed

Professor of Medical Entomology, Faculty of Science, Zagazig
University.

Pro. Refaat Mohamed Gabre

Professor of Medical Entomology, Faculty of Science, Cairo
University.

Date of examination / /

Approval date / /

University Council approved / /

BIOGRAPHY

Name: Alaa Abd Elgawad Shaaban Abd Elgawad

Date and Place of Birth: 21 October, 1992, Cairo, Egypt.

Degree awarded: B.Sc. (Entomology), 2013

Faculty: Science

University: Ain Shams

Date of Graduation: June 2013

Date of Registration for M.Sc. Award:

Faculty Council Approval : 14/3/2016

University Council Approval: 5/6/2016

DEDICATION

This thesis is dedicated to my beloved parents, my sister **Samar** and my brother **Mohamed** who have always been a source of inspiration, encouragement, stamina, unflagging love and unconditional support throughout my life and my studies. They made me live the most unique, magic and carefree childhood to face the eventualities of life with zeal, enthusiasm that has made me who I am now.

Acknowledgment

ACKNOWLEDGMENT

This thesis owes to its existence to the utmost help, support and inspiration of **Allah**.

First of all, I would like to gratefully express my sincere appreciation and gratitude to my **Prof. Dr. Mohamed Amin Kenawy**, Professor of Medical Entomology, Entomology Department, Faculty of Science, Ain Shams University who assigned the work, offered his time, expertise, and continuous encouragement in guiding me and monitoring me step by step through the whole research process for the development of this thesis contents.

I am greatly indebted to **Pro. Dr. Rawda Mohamed Abdel-Hamid**, Professor of Insect Taxonomy, Entomology Department, Faculty of Science, Ain Shams University for her supervision, kind encouragement and valuable advice.

Also, I wish to thank **Dr. Marah Mohammad Abd El-Bar**, Assistant Professor of Entomology, Entomology Department, Faculty of Science, Ain Shams University; for her supervision and guidance.

Special thanks are due to **Prof. Dr. Ragaa Hammad**, Head of Entomology Department, and to **Prof. Dr. Adel Kamal**, Ex-

Acknowledgment

Head of Entomology Department, Faculty of Science, Ain Shams University for offering facilities during my work.

My appreciation to **Prof. Dr. Yousrya Mohamed Abd El-Hamid**, Consultant, Research Institute of Medical Entomology, Ministry of Health for offering "Warfarin" and helping in statistical analyses.

Thanks are due to **Dr. Dalia Ali Abdo** and **Dr. Noha Mohamed Abd El-Hamid**, Department of Microbiology, Faculty of Science, Ain Shams University for their help and valuable advice.

I would like to thank **Mrs. Hanan Sayed Amer** and all the members of Microbiology and Infection Control Units at Ain Shams Specialized Hospital who constantly welcomed me every time I asked for help.

Last but not least, I expand my thanks to the staff members, my friends and colleagues of the Entomology Department, Faculty of Science, Ain Shams University, for the help they offered me throughout this study.

LIST OF CONTENTS

PAGE

LIST OF TABLES	I
LIST OF FIGURES	IV
LIST OF APPENDICES	VII
LIST OF ABBREVIATIONS	IX
ABSTRACT	X
CHAPTER 1	1
GENERAL INTRODUCTION	
CHAPTER 2	7
GENERAL MATERIALS AND METHODS	
1. The Study Location	7
2. Environmental Data	9
3. Experimental Animals	10
4. Experimental Cages and Site Set-up	10
5. The Toxin "Warfarin"	12
6. Administration of the Toxin to the Rabbits	13
7. The Conducted Experiments	13
8. Collection and Processing of Insect Specimens	15
9. Statistical Analysis	18
CHAPTER 3	
CARRION DECOMPOSITION STAGES AND ASSOCIATED ENTOMOFAUNA	19
INTRODUCTION	19
LITERATURE REVIEW	21
MATERIALS AND METHODS	60
RESULTS	61
A. DECOMPOSITION STAGES	61
1. Different Decomposition Stages	61
2. Duration of the Decomposition Stages	73
3. The Overall Interval of the Decomposition Stages	74
B. INSECT ORDERS	75
1. Succession Patterns of Insect Orders: Adults	75
2. Succession Pattern of Insect Orders: Immature Stages	78
3. Numbers and Means of Collected Insect Orders: Adults	80
4. Effect of Carcass Colour on Number of Adults	85
5. Numbers and Means of Collected Insect Orders: Immature Stages	87
6. Effect of Carcass Colour on Number of Immatures	93
7. Collected Insect Adults During The different Decomposition Stages	94
8. Collected Insect Immatures During The Different Decomposition Stages	99
9. Comparative Insect Collections on Control and Intoxicated Carcasses	103

List of Contents

C. INSECT FAMILIES	106
1. Relative Abundance of Dipteran Families Collected off Control and Warfarin-Intoxicated Rabbit Carcasses	106
2. Relative Abundance of Dipteran Families Per Decompositional Stages of Control Rabbit Carcasses	107
3. Relative Abundance of Dipteran Families Per Decompositional Stages of Warfarin-intoxicated Rabbit Carcasses	112
4. Relative Abundance of Coleopteran Families Collected off Control and Warfarin-intoxicated Rabbit Carcasses	116
5. Relative Abundance of Coleopteran Families Per Decomposition Stages of Control and Warfarin-intoxicated rabbit carcasses	117
D. INSECT SPECIES	123
1. Reported Dipteran Fly Species Attracted to Control and Warfarin-intoxicated Carcasses	123
2. Relative Abundance of Collected Dipteran Fly Species (Adults and Immatures) Collected off Control and Warfarin-intoxicated Rabbit Carcasses	124
3. Reported Coleopteran Species Attracted to Control and Warfarin-intoxicated Rabbit Carcasses	127
4. Relative Abundance of Collected Coleopteran Species off Control and Warfarin-Intoxicated Rabbit Carcasses	128
5. Number of Species of Other Orders Collected off Control Rabbit Carcasses	130
DISCUSSION	131
CHAPTER 4	
RELATIONSHIPS OF LARVAL MASS, CARCASS NET BIOMASS, CARCASS TEMPERATURE AND WEATHER TEMPERATURE	141
INTRODUCTION	141
LITERATURE REVIEW	142
MATERIALS AND METHODS	153
RESULTS	156
1. Determined Net Biomass of Rabbit Carcasses and Invaded Larval Masses	156
2. Relation of Net Biomass of Rabbit Carcasses and Invaded Larval Masses	162
3. Relation of Larval Mass Weights and Carcasses Internal Temperature	163
4. Relation of Carcass Temperature, Weather Temperature and Relative humidity to the Abundance of Collected Larvae	166
DISCUSSION	172
CHAPTER 5	
MAGGOTS AS BIO-INDICATORS OF POISONING AND EFFECT OF WARFARIN ON THEIR DEVELOPMENTAL TIME	175
INTRODUCTION	175
LITERATURE REVIEW	178

List of Contents

1. Warfarin Chromatographic Analysis	178
2. Maggots as Detectors of Toxicants and Drugs	179
3. Effect of Toxins and Different Drugs on Developmental Stages of Associated Carcass Entomofauna	181
MATERIALS AND METHODS	188
1. Sampling of Larvae for Chromatographic Analysis	188
2. Blood Sampling of Rabbit Carcasses	188
3. The Chromatographic Methods	189
4. Collection of Larvae for Observation of Their Development and Survival	189
5. Statistical Analysis	191
RESULTS	192
1. Chromatographic Results	192
2. Developmental Periods of Maggots	196
DISCUSSION	200
CHAPTER 6 THE BACTERIAL AND FUNGAL COMMUNITY ASSOCIATED WITH FLY MAGGOTS	203
INTRODUCTION	203
LITERATURE REVIEW	206
MATERIALS AND METHODS	214
RESULTS	216
1. Fungi	216
2. Bacteria	216
DISCUSSION	218
CHAPTER 7: GENEERAL CONCLUSION	222
CHAPTER 8: SUMMARY	225
REFERENCES CITED	232
APPENDICES	279
ARABIC SUMMARY	

LIST OF TABLES

TABLE		PAGE
2-1:	Environmental conditions during the study period	9
2-2:	Physical and chemical properties of warfarin	13
3-1:	Mean duration of the different decomposition stages in days for control (C) and warfarin-intoxicated (WI) carcasses	74
3-2:	Overall interval for decomposition stages (days) determined for control and warfarin-intoxicated rabbit carcasses	75
3-3:	Day ranges and comparable decomposition stages reported for the appearance of adults of different orders on control (C) and warfarin-intoxicated (WI) rabbit carcasses	76
3-4:	Day ranges and comparable decomposition stages reported for the appearance of immatures of different orders on control (C) and warfarin-intoxicated (WI) rabbit carcasses	78
3-5:	Daily collection of adults of different orders on control carcasses	80
3-6:	Daily collection of adults of different orders on warfarin-intoxicated carcasses	81
3-7:	Means of collected adults of different orders on control (C) and warfarin-intoxicated (WI) carcasses.	84
3-8a:	Means of daily collections of adults of different orders on control and warfarin-intoxicated carcasses of different rabbits	86
3-8b:	Pairwise comparisons by the Turkey's HSD test for adults attracted to intoxicated carcasses of different rabbits	86
3-9:	Daily collection of immatures of different orders on control carcasses	88
3-10:	Daily collection of immatures of different orders on warfarin-intoxicated carcasses	89
3-11:	Means of collected immatures of different orders on control (C) and warfarin-intoxicated (WI) carcasses	92
3-12:	Means of daily collections of immatures of different orders on control and warfarin-intoxicated carcasses of different rabbits	93
3-13:	Numbers and percentages of collected adults of different orders (D: Diptera, C: Coleoptera, O: Others) during the different decomposition stages	95
3-14:	Numbers and percentages of collected immatures of different orders (D: Diptera, C: Coleoptera) during the different decomposition stages	100
3-15:	The total numbers and percentages of collected adults and immatures of different orders on control and warfarin-intoxicated carcasses	103
3-16:	The total numbers and percentages of collected dipteran families on control and warfarin-intoxicated carcasses	106
3-17:	The total numbers and percentages of collected dipteran families per decompositional stages of control rabbit carcasses	109

List of Tables

3-18:	The total numbers and percentages of collected dipteran families per decompositional stages of warfarin-intoxicated rabbit carcasses	113
3-19:	The total numbers and percentages of collected coleopteran families on control and warfarin-intoxicated carcasses	116
3-20:	The total numbers and percentages of collected coleopteran families per decompositional stages of control rabbit carcasses.	119
3-21:	The total numbers and percentages of collected coleopteran families per decompositional stages of warfarin-intoxicated rabbit carcasses	119
3-22:	List of dipteran species of control and warfarin-intoxicated rabbit carcasses	123
3-23:	The total numbers and percentages of collected dipteran adults and immatures off control and warfarin-intoxicated rabbit carcasses	127
3-24:	List of coleopteran species of control and warfarin-intoxicated rabbit carcasses	128
3-25:	The total numbers and percentages of collected coleopteran species off control and warfarin-intoxicated rabbit carcasses	129
3-26:	Total number of collected individuals of other orders off control (C) and warfarin-intoxicated (WI) rabbit carcasses	130
4-1:	Net biomass (NB, Kg) and larval mass (LM, gm) per day for the control rabbit carcasses	157
4-2:	Ranges and means of net biomasses and larval masses determined for carcasses of control rabbits (W: White, B+W: Black+White, B: Black)	159
4-3:	Net biomass (NB, Kg) and larval mass (LM, gm) per day for the warfarin-intoxicated carcasses	160
4-4:	Ranges and means of net biomasses and larval masses determined for carcasses of warfarin-intoxicated rabbits (W: White, B+W: Black + White, B: Black)	161
4-5:	Ranges and means of net biomasses and larval masses determined for carcasses of all control and warfarin-intoxicated rabbits	162
4-6:	Simple regression analysis for the relation of larval mass to the net biomass of rabbit carcass	163
4-7:	Weight of larval masses on control (C) and warfarin-intoxicated (WI) carcasses and its internal temperature	164
4-8:	Regression analysis for the relation of larval mass weight on control (C) and warfarin-intoxicated (WI) carcasses and its temperature	166
4-9:	Weather temperature, carcass temperature, collected dipteran larvae per rabbit and collected coleopteran larvae per rabbit	168
4-10:	Regression analysis for the relation of carcass temperature and collected dipteran and coleopteran larvae to the weather temperature and RH.	171
5-1:	Chromatographic method for the maggot samples.	189
5-2:	Chromatographic method for blood samples of rabbit carcasses	189

List of Tables

5-3:	Developmental periods of the different immature stages (fed rabbit tissues) of dipteran flies kept at 20-27°C room temperatures	197
5-4:	Means of developmental periods (L ₁ to Adult, day) of dipteran flies as result of larvae collected off control and warfarin-intoxicated rabbit carcasses that fed control rabbit tissues and kept at 20-27°C room temperature (**P<0.01)	197
5-5:	Conditions of emerged dipteran adults from larvae treated with different concentrations (ppm) of warfarin	199
6-1:	Identified fungi for control and warfarin-intoxicated maggots	216
6-2:	Identified bacteria for control and warfarin-intoxicated maggots	217

List of Figures

LIST OF FIGURES

FIGURE	PAGE
2-1 A: Map showing the study locality	7
2-1 B: Geography of the study site	8
2-2: The study site set-up	11
2- 3: Cage for keeping rabbit carcasses	12
2-4: Counting of adult flies	17
2-5: The rearing container	17
3-1A: Fresh stage	65
3-1B: Egg masses found in natural orifices of a rabbit carcass	66
3-2: Bloated stage	67
3-3A: Active wet decay stage	68
3-3B: Maggots activity on the ventral side of the abdomen at the active decay stage (c) and burrowing of maggots in the sand under one of the cages (d)	69
3-4: Cadaver Decomposition Island (CDI) appeared at the active decay stage	70
3-5: Advanced decay stage (a) and mouldy ventral surface of the rabbit carcass (b)	71
3-6: Skeletonization stage; early (a) and late (b)	72
3-7: Mean duration of the different decomposition stages in days for control (C) and warfarin-intoxicated (WI) carcasses	74
3-8: Day ranges for the appearance of insect adults on control (C) and warfarin-intoxicated (WI) rabbit carcasses	77
3-9: Day ranges for the appearance of insect immatures on control (C) and warfarin-intoxicated (WI) rabbit carcasses	79
3-10: Daily collection of adults of different orders on asphyxiated (control, C) rabbits	82
3-11: Daily collection of adults of different orders on warfarin-intoxicated (WI) rabbits	83
3-12: Mean number of collected adults/ rabbit on control (C) and warfarin- intoxicated (WI) carcasses	84
3-13: Mean numbers of daily collections of adults of different orders on control and warfarin-intoxicated carcasses of the different rabbits	87
3-14: Daily collection of immatures of different orders on asphyxiated (control, C) rabbits	90
3-15: Daily collection of immatures of different orders on warfarin-intoxicated (WI) rabbits	91
3-16: Mean number of collected immatures/ rabbit on control (C) and warfarin-intoxicated (WI) carcasses	92
3-17: Mean numbers of daily collections of immatures of different orders on control and warfarin-intoxicated carcasses of the different	94

List of Figures

	rabbits	
3-18:	Percentages of collected dipteran adults during the different decomposition stages of control (C) and warfarin-intoxicated (WI) carcasses	96
3-19:	Percentages of collected coleopteran adults during the different decomposition stages of control (C) and warfarin-intoxicated (WI) carcasses	97
3-20:	Percentages of collected adults of other orders during the different decomposition stages of control (C) and warfarin-intoxicated (WI) carcasses	98
3-21:	Percentages of collected dipteran immatures during the different decomposition stages of control (C) and warfarin-intoxicated (WI) carcasses	101
3-22:	Percentages of collected coleopteran immatures during the different decomposition stages of control (C) and warfarin-intoxicated (WI) carcasses	102
3-23:	Percentages of collected adults of different orders on control and warfarin-intoxicated carcasses	104
3-24:	Percentages of collected immatures of different orders on control and warfarin-intoxicated carcasses	105
3-25:	Relative abundance (%) of collected dipteran families on control and warfarin-intoxicated rabbit carcasses	107
3-26:	Relative abundance (%) of dipteran families at the fresh stage of control rabbit carcasses	109
3-27:	Relative abundance (%) of dipteran families at the bloated stage of control rabbit carcasses	110
3-28:	Relative abundance (%) of dipteran families at the active decay stage of control rabbit carcasses	110
3-29:	Relative abundance (%) of dipteran families at the advanced decay stage of control rabbit carcasses	111
3-30:	Relative abundance (%) of dipteran families at the skeletonization stage of control rabbit carcasses	111
3-31:	Relative abundance (%) of dipteran families at the bloated stage of warfarin-intoxicated rabbit carcasses	114
3-32:	Relative abundance (%) of dipteran families at the active decay stage of warfarin-intoxicated rabbit carcasses	114
3-33:	Relative abundance (%) of dipteran families at the advanced decay stage of warfarin-intoxicated rabbit carcasses	115
3-34:	Relative abundance (%) of dipteran families at the skeletonization stage of warfarin-intoxicated rabbit carcasses	115
3-35:	Relative abundance (%) of collected coleopteran families from control and warfarin-intoxicated rabbit carcasses	116
3-36:	Percentages of collected coleopteran families of control and warfarin-intoxicated rabbit carcasses at the fresh stage	120