# TWO STAGES RECONSTRUCTION FOR FLEXOR TENDON INJURIES OF THE HAND

#### Thesis

Submitted for Partial Fulfillment of Master Degree in Orthopedic Surgery

By

#### **Ahmed Ebrahim Mohamed El Hamaky**

M.B., B.ch.

Under Supervision of

#### Dr. Moustafa Mahmoud Hasanien

Assistant Professor of Orthopedic surgery

Faculty of Medicine

Cairo University

#### Dr. Ayman Abdel Samie Shaheen

Lecturer of Orthopedic Surgery
Faculty of Medicine
Cairo University

Faculty of Medicine Cairo University 2014

### Acknowledgment

First of all, I would like to express my deep gratitude to ATLAH for his care and generosity throughout my life.

I would like to express my sincere appreciation to **Dr. Moustafa Mahmoud Hasanien,** Assistant Professor of Orthopedic Surgery, Cairo University for his keen supervision and guidance and his overwhelming support that has been of great help throughout this work.

I am very thankful to Dr. Ayman Abdel Samie Shaheen, Lecturer of Orthopedic Surgery, Cairo University for his great support & effort throughout the whole work.

Finally, I want to dedicate this work to all the members of my family because of their patience and support.

Ahmed El Hamaky

#### **Abstract**

*Background:* Primary or delayed primary repair of flexor tendon injuries, with changes in technique, rehabilitation, and technology, has moved to the forefront of treatment options. Secondary reconstruction, however, long the mainstay of treatment for these injuries, remains an important technique in the care of certain injuries. Secondary reconstruction of tendon injuries in zone II (also known as "no man's land) using a silicone implant was first described by Bassett and Carroll in 1963 and refined by Hunter in 1971.

**Aim of the Work:** is to assess the results and efficacy of two stages flexor tendon reconstruction technique for cases of flexor tendon injuries in zone two & three with extensive tendon bed scarring.

**Patients and methods:** The present study included 15 patients with 16 affected fingers admitted in Cairo University hospital during the period between December 2012 and October 2013. The cases were collected from Kasr Al Ainy Orthopedics outpatient clinic.

**Results:** We evaluate in this thesis 15 patients with 16 finger with injured either both FDP&FDS tendons or FDP tendon only treated with two stage reconstruction using a tendon spacer. We found that, the success of tendon reconstruction depend on: type of patients as regard age, demand and co-operation, mechanism of injury: The more widespread the zone of initial injury, the greater the scarring is likely to be. The amount of scarring is inversely proportional to the range of motion (ROM) subsequently achieved, and quality of initial care.

**Conclusion:** Two-stage tendon grafting for late flexor tendon injures has usually been recommended and useful for patients not amenable to primary or secondary tendon repair or single- stage flexor tendon grafting such as those with extensive injuries or scarring of flexor tendons, pulley systems or sheaths.

**Keywords:** Two stage reconstruction, neglected tendon injuries, flexor tendon injuries.

## List of Contents

Title	Page No.
List of Abbreviations	i
List of Tables	ii
List of Figures	iii
Introduction & Aim of the Work	v
Review of Literature	
Hand Anatomy	1
Biomechanics	11
Tendon Repair	22
Tendon Healing	55
Patients and Methods	60
Results	79
Case Presentation	89
Discussion	103
Conculosion	109
Summary	108
References	110
Arabic Summary	

#### List of Abbreviations

Abb.	Full term
A1	Annular Pulley 1
A2	Annular Pulley 2
A3	Annular Pulley 3
A4	Annular Pulley 4
A5	Annular Pulley 5
ASSH	The American Society for Surgery of the Hand
C1	Cruciform Pulley 1
C2	Cruciform Pulley 2
C3	Cruciform Pulley 3
DIP	Distal Interphalangeal
FDP	The flexor digitorum profundus
FDS	The flexor digitorum superficialis
FPL	The flexor pollicis longus
LTE	Long toe extensor
MCP	Mtacarpphalangeal
MOT	Mode of trauma
PA	The palmar aponeurosis
PIP	Proximal Interphalangeal
PL	Palmaris longus
TAM	Total Active Motion
y(s)	Year(s)

## List of Tables

Table No.	Title Page No.	
<b>Table (1):</b>	Boys' classification	vi
<b>Table (2):</b>	Flexor Tendon Excursions	19
<b>Table (3):</b>	Moment Arm and Motion at the Metacarpophalangeal, Proximal Interphalangeal and Distal Interphalangeal Joints	ıl
<b>Table (4):</b>	Sources of donor tendon	33
<b>Table (5):</b>	Postoperative care.	78
<b>Table (6):</b>	Strickland's evaluation systems*	79
<b>Table (7):</b>	TAM* evaluation system of the ASSH	80
<b>Table (8):</b>	Postoperative ROM measures after 2 <sup>nd</sup> stage	80
<b>Table (9):</b>	Descriptive for the studied patients	81
<b>Table (10):</b>	Final results (Strickland score)	82
<b>Table (11):</b>	Final result (ASSH)	83
<b>Table (12):</b>	Data sheet of the studied patients.	84
<b>Table (13):</b>	Relation between age and results.	85
<b>Table (14):</b>	Relation between sex and results.	86
<b>Table (15):</b>	Relation between affected hand and results	88
<b>Table (16):</b>	Relation between affected finger and result	91
<b>Table (17):</b>	Relation between affected finger and result	91
<b>Table (18):</b>	Relation between preoperative grade and fina results according to boys classification)	

## List of Figures

Fig. No.	Title F	Page No.
Figure (1):	Anatomy of flexor tendon at the wrist	1
Figure (2):	Relation between FDS&FDP in zone 2	2
Figure (3):	Origin, insertion of FDP .	3
Figure (4):	Anatomy of lumbricals muscle	4
Figure (5):	Synovial sheath of the long flexor tendons of digits.	
Figure (6):	Zones of flexor tendon system.	6
<b>Figure (7):</b>	Digital flexor sheath (A1-A5) and cruciate (C1-pulleys	
Figure (8):	Thumb flexor sheath	7
Figure (9):	Blood supply to flexor tendons within the digsheath.	
<b>Figure (10):</b>	Five heavier annular bands and three fil cruciform ligaments	•
Figure (11):	Finger in extension lateral view.	11
<b>Figure (12):</b>	Loss of pulleys resulting in bowstringing	13
<b>Figure (13):</b>	(A) the c2 cruciate pulley in extension, (B) collapse to an annular form in flexion	
<b>Figure</b> (14):	A stress–strain curve representative of a tendoresponse to mechanical testing. Note the ramp toe region at the beginning of the curve	ing
Figure (15):	Kelvin's model of viscoelastic properties	17
<b>Figure (16):</b>	Tendon response to cyclic loading showing charbased on recent cycles and hysteresis	_
Figure (17):	Moment seen by a joint from a tendon, which based on the force in that tendon and its mom arm	ent
Figure (18):	The concept of radians as they relate to jo motion and excursion.	$_{ m oint}$
Figure (19):	A, Examination of FDS. B, Examination of FDI	P25

## List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (20):	Techniques for end-to-end flexor tendon repair	r 29
<b>Figure (21):</b>	Eight methods of tendon anastomoses can placed into three basic groups	
<b>Figure (22):</b>	Method of showing presence of Palmaris longu	ıs 33
<b>Figure (23):</b>	A, tendon striper. B, Palmaris longus graft	34
<b>Figure (24):</b>	Plantaris graft	34
<b>Figure (25):</b>	Long toe extensors	35
<b>Figure (26):</b>	Modified Bunnell distal juncture technique	36
<b>Figure (27):</b>	One method of attaching tendon to bone	37
Figure (28):	Determining tension in a reconstructed flasystem at the time of suturing the proxi- juncture	imal
Figure (29):	Pulvertaft technique of suturing tendon of sidiameter to one of larger diameter	
<b>Figure (30):</b>	Technique of Pulley reconstruction	40
<b>Figure (31):</b>	Stage 2 tendon reconstruction	43
<b>Figure (32):</b>	Modified Kleinert protocol	45
<b>Figure (33):</b>	Passive flexion of interphalangeal joints	46
<b>Figure (34):</b>	The Indiana protocol as described by Stricklan	nd47
Figure (35):	Flexor tendon gliding exercises as described Wehbé and Hunter	-
<b>Figure (36):</b>	"Lumbrical plus" finger	52
<b>Figure (37):</b>	Conditions That cause "lumbrical plus" figer	52
<b>Figure (38):</b>	Distribution of sex in the studied patients	61
<b>Figure (39):</b>	Injury in dominant and non-dominant hand	62
Figure (40):	Percentage of finger affected in studied patien	ts62
Figure (41):	Zone of injury	
Figure (42):	Primary management.	64

#### List of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (43):	The distal end juncture.	69
<b>Figure (44):</b>	Full flexion of all finger joint after traction silicon spacer without bowstring	
<b>Figure (45):</b>	a2 pulley reconstruction using FDS tendon	71
<b>Figure (46):</b>	Follow up x-ray to reassure attachment of terspacer to distal phalanx.	
<b>Figure (47):</b>	How to examine presence of palmaris longus	74
<b>Figure (48):</b>	Techniques of harvesting Palmaris longus tend	don74
<b>Figure (49):</b>	Technique for harvesting toe extensor	76
<b>Figure (50):</b>	Passage of the graft through the well-for sheath.	
<b>Figure (51):</b>	Distal juncture (pullout suture) & proxi juncture Pulvertaft suture	
<b>Figure (52):</b>	The ideal tension of the graft	77
<b>Figure (53):</b>	Final results (Strickland score).	82
<b>Figure (54):</b>	Final result (ASSH)	83
<b>Figure</b> (55):	Relation between age and Stricklnad	85
<b>Figure (56):</b>	Relation between age and ASSH	86
<b>Figure (57):</b>	Relation between sex and Stricklnad	87
<b>Figure (58):</b>	Relation between sex and ASSH	87
<b>Figure (59):</b>	Relation between affected hand and Stricklnad	d89
<b>Figure</b> (60):	Relation between affected hand and ASSH	89
<b>Figure (61):</b>	Relation between preoperative grade and fresults according to boys classification)	
<b>Figure (62):</b>	Relation between preoperative grade and fresults according to boys classification)	

# 

# Review of Literature

# **Hand Anatomy**

**Biomechanics** 

Tendon repair

## **Tendon Healing**