



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل

STUDIES ON POWDERY MILDEW DISEASE ON TOMATOES IN EGYPT

By
SABER HABIB HAROUN

*B.Sc. in Plant Pathology, 1971,
Fac. Agric., Ain Shams Univ.*

*M.Sc. in Plant Pathology
Fac. Agric., Ain Shams University, 1978*

Thesis Submitted in Partial Fulfillment

**of
The Requirements for the Degree of**

DOCTOR OF PHILOSOPHY

In

(PLANT PATHOLOGY)


**Department of Agricultural Botany
(Plant Pathology)**

**Faculty of Agriculture, Moshtohor
Zagazig University, Benha Branch**



2002

B \ - - - X



STUDIES ON POWDERY MILDEW DISEASE ON TOMATOES IN EGYPT

By

SABER HABIB HAROUN

B.Sc. in Plant Pathology, 1971,

Fac. Agric., Ain Shams Univ.

M.Sc. in Plant Pathology

Fac. Agric., Ain Shams University, 1978

Under the Supervision of :

Prof. Dr. Abdel-Moneim I.I. El-Fiki

Prof. of Plant Pathology, Fac. Agric.,
Moshtohor, Zagazig Univ., Benha Branch

Prof. Dr. Nagi G. H. Awad

Prof. of Plant Pathology, Vegetable Plant
Disease Research Department, Plant
Pathology Institute, Agricultural Research
Center, Ministry of Agriculture

Approval Sheet

STUDIES ON POWDERY MILDEW ON TOMATOES IN EGYPT

By
SABER HABIB HAROUN

*B.Sc. in Plant Pathology, 1971,
Fac. Agric., Ain Shams Univ.
M.Sc. in Plant Pathology
Fac. Agric., Ain Shams University, 1978*

This Thesis for Ph.D. degree has been approved by:

Prof. Dr. Farouk Mohamed Barakat
Prof. of Plant Pathology
Fac. Agric., Cairo Univ.

F. M. Barakat

Prof. Dr. Raouf Nageub Fawzy
Prof. of Plant Pathology,
Agric. Botany Dept., Fac. Agric.,
Moshtohor, Zagazig Univ.,
Benha Branch

R. N. Fawzy

Prof. Dr. Abdel-Moneim I. I. El-Fiki
Prof. of Plant Pathology, Agric. Botany Dept.,
Fac. Agric., Moshtohor, Zagazig Univ.,
Benha Branch

El-Fiki, A. I. I.
(Supervisor)

Date: 19/ 6/ 2002

Contents

ACKNOWLEDGMENT	Page
INTRODUCTION	1
REVIEW OF LITERATURE	3
MATERIALS AND METHODS	41
RESULTS	64
1. Disease survey:	64
Effect of atmospheric elements on disease incidence and development of tomato powdery mildew:	64
Morphological characters of the disease-causal organism:	71
2- Greenhouse studies:	73
1- Pathogenicity:	73
2- Varietal reaction :	73
3- Host range :	75
4. Cross inoculation between different plant genera and different isolates of <i>L. taurica</i> :	76
3- <i>In Vitro</i> studies:	80
Germination of <i>Leveillula taurica</i> -conidia:	80
Effect of some plant extracts, plant oils and mineral oils on conidial germination:	80
Effect of some fungicides on conidial germination:	82
Number of stomata and epidermal hairs :	84
Biochemical studies associated with disease development:	86
1- Chlorophyll and carotene contents	86
2- Sugar contents :	89
3- Phenol contents :	90
4- Free amino acid contents :	93
5- Ascorbic acid contents (vitamin c) :	97
6- Growth regulator contents :	98
7- Oxidative enzyme activities :	103
4- Disease control :	103
1-Effect of spraying with some plant products and extracts on powdery mildew severity in greenhouse:	103
2-Effect of some fungicides on powdery mildew severity in greenhouse :	106
3-Effect of some fungicides on powdery mildew severity in open fields	107
DISCUSSION	110
ENGLISH SUMMARY	129
REFERENCES	135
ARABIC SUMMARY	135

1957

ACKNOWLEDGMENT

*Praise and thanks to God, the most merciful for assisting
and directing me to the right way*

The author wishes to express his deepest gratitude and indebtedness to the senior supervisor of the present work *Prof. Dr. Abdel-Moneim Ibrahim Ismaiel El-Fiki*, Professor of Plant Pathology, Agric. Botany Dept., Fac. Agric., Moshtohor, Zagazig Univ. Benha Branch for his constructive supervision, valuable advice, kind guidance and for his help in putting thesis in its final form.

The author also wishes to express his deepest gratitude to *Prof. Dr. Nagi George Hanna Awad*, Professor of Plant Pathology, Vegetable Plant Disease Research Department, Plant Pathology Institute, Agricultural Research Center, Ministry of Agriculture, for his help and supplying all required facilities during this investigation.

Thanks are also due to *all staff members* of the Fungi and Plant Pathology Branch, Agric. Botany Dept., Fac. Agric., Moshtohor, Zagazig Univ., Benha Branch for their kindness and technical assistance.

