

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

Clinical and Radiographic Evaluation of Different Bleaching Agents for Non-Vital Anterior Permanent Teeth in Children

My Condition 1.3

Thesis

submitted for partial fulfillment of Master Degree in Pedodontics

By
Nagla Nabil Abd El-Kader
(M.B., B.Ch.)

Faculty of Dentistry
Tanta University

Supervisors

Prof. Dr. Fatma Abdel-Menem El-Hendawy

Professor and Head of Pedodontics Department

Faculty of Dentistry

Tanta University


Dr. Amina Mohamed El-Nabawy El-Hosary

Assistant Professor of Pedodontics

Faculty of Dentistry

Tanta University

د. أسيم لجعي





AND

MY CHILDREN MY HUSBAND

MY PARENTS



Acknowledgments

First, thanks are all to *God* for blessing me this work until it has reached its end, as a little part of his generous help throughout my life.

I wish to express my deep feeling to my *Professor Dr. Fatma Abdel-Moniem El-Hendawy*. Professor of Pedodontics and Vice Dean for Social and Community Matters. Faculty of Dentistry. Tanta University, to whom lam indebted for her kind help and careful guidance in every step of this work. This study would have not come into light without her remarkable thoughts and notable orientation and no wards can adequately express the thanks she justly deserves.

It is a great honor for me to take this opportunity to express my deepest gratitude to *Dr. Amina Mohamed El-Nahawy El-Hosary*, Ass. Prof. of Pedodontics, Faculty of Dentistry. Tanta University, for her kind moral support and generous encouragement.

£

I would like to express my deepest gratitude and appreciation to *Dr. Maher Mohamed El-Tonsy*, Ass. Prof. of Oral Medicine. Periodontology, Oral Diagnosis and Radiology, Faculty of Dentistry, Tanta University, for his kind supervision and helpful guidance during all steps of this work.

I am kindly thankful also to *Dr. Fuisal Furahat*, Assistant Lecturer of Community Medicine, Faculty of Medicine, Menoufiya University for his help in the statistical part of this work.

Contents

	Page
Introduction	. 1
Review of Literature	3
Aim of the work	. 36
Material and Methods	. 37
Results	. 54
Discussion	. 71
Conclusion	. 76
Summary	78
Recommendation	. 80
References	. 4 81
A pobla Cummany	

List of Figures

			Page
1.	Fig. (1):	35% hydrogen peroxide gel (Opalescence Xtra)	38
2.	Fig. (2):	35% hydrogen peroxide (Superoxol)	40
3.	Fig. (3):	Sodium perborate	41
4.	Fig. (4):	Pedodontic examination chart	44
5.	Fig. (5):	Biological and Mechanical Seal	48
6.	Fig. (6):	Plastic bite block for film position with heavy rubber basebite registration	52
7.	Fig. 7(a):	Shade guide before bleaching for group I	59
	Fig. 7(b):	Shade guide after bleaching for group 1	59
8.	Fig. 8(a):	Shade guide before bleaching for group II	60
	Fig. 8(b):	Shade guide after bleaching for group II	60
9.	Fig. (9):	Correlation between age by years and the bleaching time by minutes	61
10.	Fig. (10):	Correlation between age by years and number of trials (number of application of bleaching agent)	62
11.	Fig. (11):	Correlation between history of complain by month and bleaching time by minutes	64
12.	Fig. (12):	Correlation between the history of complain by month and number of trails (number of application of bleaching agent)	65
13.	Fig. (13):	A photograph showsdiscoloured upper right central before bleaching	67
14.	Fig. (14):	A photograph shows upper right central tooth after bleaching using Opalescence Xtra (group 1)	67
15.	Fig. (15):	A photograph shows upper right central tooth after complete treatment	68

List of Tables

			Page
1.	Table (1):	Patient's age and teeth for group I and group II	58
2.	Table (2):	Shade guide for group I, before and immediately after bleaching	59
3.	Table (3):	Shade guide for group II before and immediately after bleaching	60
4.	Table (4):	Correlation between age by years and the bleaching time by minutes	61
5.	Table (5):	Correlation between age by years and number of trials (number of application of bleaching agent)	62
6.	Table (6):	Comparison between age by years and the recurrence of dark colour	63
7.	Table (7):	Comparison between recurrence of dark colour and age by years	63
8.	Table (8):	Correlation between history of complain by month and bleaching time by minutes	‡ 64
9.	Table (9):	Correlation between the history of complain by month and number of trails (number of application of bleaching agent)	65
10.	Table (10):	Comparison between the history of complain by month and recurrence of dark colour	66
1.	Table (11):	Comparison between history of complain by years and recurrence of dark colour	66

			Page
16.	Fig. (16):	A computer photograph shows periapical x-ray films include:-	
		 Periapical x-ray film before treatment. Periapical x-ray film show obturation and bleaching. Periapical x-ray film after 1 month. 	
		4- Periapical x-ray film after 3 months. 5- Periapical x-ray film after 6 months. 6- Periapical x-ray film after 9 months.	68
17.	Fig. (17):	A photograph showsdiscoloured upper right central tooth before bleaching	69
18.	Fig. (18):	A photograph shows upper right central tooth after bleaching by walking bleaching technique (group ll)	69
19.	Fig. (19):	A computer photograph shows periapical x-ray films include:-	
		1- Periapical x-ray film before treatment.2- Periapical x-ray film show obturation and bleaching.	
		3- Periapical x-ray film after 1 month.	
		4- Periapical x-ray film after 3 months. 5- Periapical x-ray film after 6 months. 6- Periapical x-ray film after 9 months.	70

