



Antifungal activity of nanosilver particles against phytopathogenic fungi

A Thesis

Submitted for the degree of Master of Science as a partial
fulfillment for requirements for M.Sc. Degree in Microbiology

By

Rania Ahmed Abdel Hameed Hafez

B.Sc. in Microbiology- Chemistry (2003)

Faculty of Science

Ain Shams University

Supervised By

Prof. Dr. AL-Zahraa Ahmed Karm-Eldin

Professor of Mycology and Medical Mycology- Microbiology

Department-Faculty of Science- Ain Shams University

Prof. Dr. Mossad Attia Abdel-Wahhab

Professor of Toxicology-Department of Food Toxicology and

Contaminants- National Research Center

Prof. Dr. Ahmed Farahat Sahab

Professor of Mycology- Plant Pathology Department - National

Research center

Microbiology Department

Faculty of Science

Ain Shams University

2017



APPROVAL SHEET

Title of the thesis

Antifungal activity of nanosilver particles against phytopathogenic fungi

Name of the Candidate

Rania Ahmed Abdel Hameed Hafez

Supervision Committee:

1- Prof. Dr. AL-Zahraa Ahmed Karm-Eldin

Professor of Mycology and Medical Mycology- Microbiology Department-
Faculty of Science- Ain Shams University

2- Prof. Dr. Mossad Attia Abdel-Wahhab

Professor of Toxicology-Department of Food Toxicology and
Contaminants-National Research Center

3- Prof. Dr. Ahmed Farahat Sahab

Professor of Mycology-Plant Pathology Department-
National Research center

The thesis has been approved by the following committee:

1-Prof. Dr\ Aly Badawy Mahrous

Professor of Nutrition and Food Contaminants
Dean of Faculty of Specific Education, University of El-Menofia

2-Prof. Dr\ Zeinab Mohamed Hassan

Professor of Microbiology
Faculty of Girls, University of Ain Shams

3-Prof. Dr\ AL-Zahraa Ahmed Karm-Eldin

Professor of Microbiology,
Faculty of Science, University of Ain Shams

4-Prof. Dr\ Mossad Attia Abdel-Wahhab

Professor of Toxicology, Department of Food Toxicology and Contaminants
National Research Center

Date of Examination

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

↓ مَا يَفْتَحُ اللَّهُ لِلنَّاسِ مِنْ رَحْمَةٍ
فَلَا مُمْسِكَ لَهَا وَمَا يُمْسِكُ فَلَا
مُرْسِلَ لَهُ مِنْ بَعْدِهِ وَهُوَ الْعَزِيزُ
الْحَكِيمُ (2) ↑

[سورة فاطر، آية: 2]

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

Acknowledgment

First of all, the greatest thanks are to Allah for the uncountable blessings. Great gratitude is to Allah for guiding me through this path, assisting me every step of the way. Words are often inadequate to express my joy.

I like to express my deepest gratitude for **Prof. Dr. AL-Zahraa Ahmed Karm-Eldin**, Professor of Mycology and Medical Mycology, Microbiology Department, Faculty of Science, University of Ain Shams, for her kind encouragement, valuable guidance and patience during her supervision of this study. It was a great honor to work under her supervision. **Thank You.**

I like to express my deepest gratitude for **Prof. Dr. Mossad Attia Abdel-Whhab**, Professor of Toxicology, Department of Food Toxicology and Contaminants, National Research Center, for the long time cooperation, endless support, and continuous assistance during his supervision of this study. **Thank You.**

I like to express my deepest gratitude for **Prof. Dr. Ahmed Farahat Sahab**, Professor of Mycology, Plant Pathology Department, National Research center, for his greatest efforts and for patience with me during his supervision of this study. **Thank You.**

(My Husband, My Mother, My Sister and My Son)

Thank you all for staying by my side; sharing my hopes and dreams, I'm what I'm because you stood by me when the world turned their back to me. I say **Million Thank You.**

List of contents

| Subject | Page |
|---|------|
| Acknowledgment | |
| Abstract | |
| List of Contents | |
| List of Tables | |
| List of Figures | |
| List of Abbreviations | |
| 1. Introduction | 1 |
| Aim of the work | 3 |
| 2. Literature Review | 4 |
| 2.1 History of phytopathogenic fungi | 4 |
| 2.2 Occurrence of phytopathogenic fungi | 4 |
| 2.3 Economic significance of phytopathogenic fungi | 5 |
| 2.4. Seed infection by phytopathogenic fungi | 6 |
| 2.5. Seed contamination by phytopathogenic fungi | 8 |
| 2.6. Mycotoxins | 9 |
| 2.6.1. Aflatoxins | 10 |
| 2.6.1.1. Factors that influence fungal colonization and aflatoxin production | 13 |
| 2.6.1.2. Toxicity of aflatoxins | 14 |
| 2.6.1.3. Aflatoxins and immune system | 15 |
| 2.6.1.4. Aflatoxins and cancer | 16 |
| 2.6.1.5. Aflatoxins and DNA | 17 |
| 2.6.1.6. Aflatoxins and liver toxicity | 18 |
| 2.7. Management of fungal diseases and phytopathogenic fungi | 20 |
| 2.7.1 Treatment of seed | 21 |
| 2.7.2 Effects of different strategies on the control of phytopathogenic fungi | 21 |
| 2.7.2.1. Mechanical control strategy | 21 |
| 2.7.2.2 Physical control strategy | 22 |
| 2.7.2.3 Biological control strategy | 22 |
| 2.7.2.3.1. <i>Trichoderma</i> spp. | 23 |
| 2.7.2.3.2. Biological control of plant fungal diseases by aerobic | 24 |

| Subject | Page |
|---|-------------|
| endospore-forming bacteria | |
| 2.7.2.3.3. Biological control of soil-borne fungal diseases | 25 |
| 2.7.2.4 Chemical strategies | 26 |
| 2.7.2.5. Treatment with Ozone | 27 |
| 2.7.2.6. Plant extracts strategy | 29 |
| 2.7.2.7. Chitosan (hanem Paper) | 32 |
| 2.7.2.8. Nanotechnology strategy | 34 |
| 2.7.2.8.1. Chitosan nanoparticles | 36 |
| 2.7.2.8.2. Silver nanoparticles (Ag NPs) | 36 |
| 2.7.2.8.3. Synthesis of silver nanoparticles (AgNPs) | 37 |
| 2.7.2.8.3.1. Chemical synthesis | 38 |
| 2.7.2.8.3.2. Physical synthesis | 39 |
| 2.7.2.8.3.3. Biological synthesis | 39 |
| 2.7.2.8.3.4. Green synthesis of silver nanoparticles | 40 |
| 2.8. Mulberry | 43 |
| 3. Materials and Methods | 45 |
| 3.1. Collection of different cereal samples | 45 |
| 3.2. Isolation and identification of seed borne mycoflora | 45 |
| 3.3. Preparation of plant extract | 46 |
| 3.4. Synthesis of Silver nanoparticles (AgNPs) using mulberry leaves extract | 47 |
| 3.4.1. Characterization of AgNPs | 47 |
| 3.4.1.1. Ultra Violet-vis adsorbance spectroscopy analysis | 47 |
| 3.4.1.2. Transmission Electron Microscopy analysis of silver nanoparticles | 47 |
| 3.5. Plant materials | 48 |
| 3.6. <i>In vitro</i> evaluation of the antifungal potency of mulberry leaves extract and AgNPs against the cereal borne mycoflora | 49 |
| 3.6.1. Mulberry leaves extract | 49 |
| 3.6.1.1. Poisoned food technique | 49 |
| 3.6.1.2. Agar well Diffusion Method | 49 |
| 3.6.2. Silver nanoparticles (AgNPs) | 50 |
| 3.6.2.1. Poisoned food technique | 50 |

| Subject | Page |
|---|-------------|
| 3.6.2.2. Agar Well Diffusion Method | 51 |
| 3.7. Determination of the minimum inhibitory concentrations (MIC) | 51 |
| 3.7.1. Plant extract | 51 |
| 3.7.2. Silver nanoparticles | 52 |
| 3.8. Effect on mycelial dry weight of cereal borne mycoflora | 53 |
| 3.8.1. Effect of plant extract | 53 |
| 3.8.2. Effect of silver nanoparticles | 53 |
| 3.9. <i>In vivo</i> estimation of the antimycotoxins production activity | 54 |
| 3.9.1. Effect of plant extract or AgNPs | 54 |
| 3.9.2. Detection and determination of aflatoxins | 55 |
| 3.9.2.1. Preparation of working solution of aflatoxins | 55 |
| 3.9.2.2. Extraction of aflatoxins | 55 |
| 3.9.2.3. Purification | 56 |
| 3.9.2.4. Determination of aflatoxins by HPLC | 56 |
| 3.9.2.4.1. Derivatization | 56 |
| 3.9.2.4.2. HPLC conditions | 57 |
| 3.10. Statistical analysis | 58 |
| List and composition of media used in this study | 59 |
| 4. Results | 60 |
| 4.1. Isolation of mycoflora from stored maize grains groundnut seeds | 60 |
| 4.1.1. Frequency of isolation of seed borne mycoflora from grains and seeds collected from Gesr El-Suez district | 64 |
| 4.1.2. Frequency of isolation of seed borne mycoflora from grains and seeds collected from Hadeik El-Kobba district | 68 |
| 4.1.3. Frequency of isolation of seed borne mycoflora from grains and seeds collected from El-Zeiton district | 69 |
| 4.1.4. Frequency of isolation of seed borne mycoflora from grains and seeds collected from El-Haram district | 71 |
| 4.2. Characterization of AgNPs | 72 |
| 4.3. <i>In vitro</i> antifungal potential of plant extract, AgNPs on seed borne fungi | 74 |
| 4.3.1. Poisoned food technique | 75 |

| Subject | Page |
|--|-------------|
| 4.3.1.1. <i>P. carryophylum</i> | 75 |
| 4.3.1.2. <i>F. verticillioides</i> | 78 |
| 4.3.1.3. <i>A. flavus</i> | 81 |
| 4.3.1.4. <i>A. terreus</i> | 84 |
| 4.3.1.5. <i>F. oxysporum</i> | 87 |
| 4.3.2. Agar well diffusion method | 90 |
| 4.3.2.1. <i>F. verticillioides</i> | 90 |
| 4.3.2.2. <i>A. flavus</i> | 94 |
| 4.3.2.3. <i>A. terreus</i> | 97 |
| 4.3.2.4. <i>F. oxysporum</i> | 101 |
| 4.3.2.5. <i>P. carryophylum</i> | 104 |
| 4.4 Determination of the minimum inhibitory concentrations (MIC) of plant extract and AgNPs against seed borne fungi | 108 |
| 4.5. Effect of the plant extract and AgNPs on fungal mycelial dry weight | 110 |
| 4.5.1. <i>P. carryophylum</i> | 111 |
| 4.5.2. <i>F. verticillioides</i> | 112 |
| 4.5.3. <i>A. flavus</i> | 113 |
| 4.5.4. <i>A. terreus</i> | 114 |
| 4.5.5. <i>F. oxysporum</i> | 116 |
| 4.6. Determination of aflatoxins | 117 |
| 5. Discussion | 120 |
| English Summary | 133 |
| 6. References | 136 |
| Conclusion | 187 |
| الملخص العربي | |
| المستخلص العربي | |
| شكر و تقدير | |

List of Tables

| Table no. | Title of tables | Page no. |
|-----------|--|----------|
| 1 | Percentage of fungal infection and number of total fungal counts (CFU/100 seeds) associated with white, yellow corn grains and groundnut seeds collected from 4 locations in Cairo on three different media. | 63 |
| 2 | Mean frequency percentages occurrence of seed borne fungi isolated from white, yellow corn grains and groundnut seeds collected from Gesr El-Suez district on different isolation media | 65 |
| 3 | Mean frequency percentages occurrence of seed borne fungi isolated from white, yellow corn grains and groundnut seeds collected from Hadeik El-Koba district on different isolation media | 69 |
| 4 | Mean frequency percentages occurrence of seed borne fungi isolated from white, yellow corn grains and groundnut seeds collected from El-Zeiton district on different isolation media | 70 |
| 5 | Mean frequency percentages occurrence of seed borne fungi isolated from white, yellow corn grains and groundnut seeds collected from El-Haram district on different isolation media | 72 |
| 6 | Mean diameter of radial growth of <i>P. carryophylum</i> treated with the plant extract and AgNPs using food poisoned technique | 76 |
| 7 | ANOVA for the differences between the antifungal activities of plant extract and AgNPs against <i>P. carryophylum</i> using poisoned food technique | 76 |
| 8 | Mean diameter of radial growth of <i>F. verticillioides</i> treated with the plant extract and AgNPs using food poisoned technique | 79 |
| 9 | ANOVA table for the differences between the antifungal activities of plant extract and AgNPs against <i>F. verticillioides</i> using poisoned food technique | 79 |

| Table no. | Title of tables | Page no. |
|------------------|---|-----------------|
| 10 | Mean diameter of radial growth of <i>A. flavus</i> treated with the plant extract and AgNPS using food poisoned technique | 82 |
| 11 | ANOVA for the differences between the antifungal activities of plant extract and AgNPs against <i>A. flavus</i> using poisoned food technique | 82 |
| 12 | Mean diameter of radial growth of <i>A. terreus</i> treated with the plant extract and AgNPs using food poisoned technique | 85 |
| 13 | ANOVA for the differences between the antifungal activities of plant extract and AgNPs against <i>A. terreus</i> using poisoned food technique | 85 |
| 14 | Mean diameter of radial growth of <i>F. oxysporum</i> treated with the plant extract and AgNPs using poisoned food technique | 88 |
| 15 | ANOVA for the differences between the antifungal activities of plant extract and AgNPs against <i>F. oxysporum</i> using poisoned food technique | 88 |
| 16 | Mean diameter of inhibition of radial growth of <i>F. verticillioides</i> treated with the plant extract and AgNPs using Agar well diffusion method | 91 |
| 17 | ANOVA results for the differences between the antifungal activities of plant extract and AgNPs against <i>F. verticillioides</i> using Agar well diffusion method | 92 |
| 18 | Mean diameter of inhibition of radial growth of <i>A. flavus</i> treated with the plant extract and AgNPs using Agar well diffusion method | 95 |
| 19 | ANOVA for the differences between the antifungal activities of plant extract and AgNPs against <i>A. flavus</i> using Agar well diffusion method | 95 |

| Table no. | Title of tables | Page no. |
|------------------|--|-----------------|
| 20 | Mean diameter of inhibition of radial growth of <i>A. terreus</i> treated with the plant extract and AgNPs using Agar well diffusion method | 98 |
| 21 | ANOVA for the differences between the antifungal activities of plant extract and AgNPs against <i>A. terreus</i> using Agar well diffusion method | 99 |
| 22 | Mean diameter of inhibition of radial growth of <i>F. oxysporum</i> treated with the plant extract and AgNPs using Agar well diffusion method | 102 |
| 23 | ANOVA table for the differences between the antifungal activities of plant extract and AgNPs against <i>F. oxysporum</i> using Agar well diffusion method | 102 |
| 24 | Mean diameter of inhibition of radial growth of <i>P. carryophylum</i> treated with the plant extract and AgNPs using Agar well diffusion method | 105 |
| 25 | ANOVA table for the differences between the antifungal activities of plant extract and AgNPs against <i>P. carryophylum</i> using Agar well diffusion method | 106 |
| 26 | Minimum inhibitory concentrations (MIC) of plant extract and AgNPs against seed borne fungi using poisoned food and agar well diffusion techniques | 109 |

List of Figures

| Fig. no. | Title of figures | Page no. |
|-----------------|---|-----------------|
| 1 | Chemical structure of the natural occurrence aflatoxins | 12 |
| 2 | Addition of AFB ₁ to DNA | 18 |
| 3 | Time course of adverse events preceding hepatocellular carcinoma | 19 |
| 4 | Mulberry tree in its habitat | 48 |
| 5 | Seed borne fungi associated with yellow corn grains isolated on PDA media. | 66 |
| 6 | Seed borne fungi associated with yellow corn grains isolated on Nash media. | 66 |
| 7 | Seed borne fungi associated with yellow corn grains isolated on Conn's media. | 67 |
| 8 | Seed borne fungi associated with white corn isolated on Nash media. | 67 |
| 9 | Seed borne fungi associated with groundnut seeds isolated on PDA media. | 68 |
| 10 | Color development of silver nitrate to silver nanoparticles (brown) by the addition of <i>Morus nigra</i> leaf extract. | 73 |
| 11 | The spectrum of the silver nanoparticles synthesized by leaf extract from <i>Morus nigra</i> leaf extract | 73 |

| Fig. no. | Title of figures | Page no. |
|-----------------|--|-----------------|
| 12 | TEM photograph of silver nanoparticles (AgNPs) biosynthesized by Mulberry leaf extract | 74 |
| 13 | Mean diameter and standard error of radial growth of <i>P. carryophylum</i> treated with the plant extract using poisoned food technique | 77 |
| 14 | Mean diameter and standard error of radial growth of <i>P. carryophylum</i> treated with AgNPs using poisoned food technique | 77 |
| 15 | The difference in inhibitory activities and standard error of plant extract and AgNPs on the radial growth of <i>P. carryophylum</i> using poisoned food technique | 78 |
| 16 | Mean diameter and standard error of radial growth of <i>F. verticillioide</i> treated with plant extract using poisoned food technique | 80 |
| 17 | Mean diameter and standard error of radial growth of <i>F. verticillioide</i> treated with AgNPs using poisoned food technique | 80 |
| 18 | The difference in inhibitory activities and standard error of plant extract and AgNPs on the radial growth of <i>F. verticillioide</i> using poisoned food technique | 81 |
| 19 | Mean diameter and standard error of radial growth of <i>A. flavus</i> treated with plant extract using poisoned food technique | 83 |
| 20 | Mean diameter and standard error of radial growth of <i>A. flavus</i> treated with AgNPs using poisoned food technique | 83 |
| 21 | The difference in inhibitory activities and standard error of plant extract and AgNPs on the radial growth of <i>A. flavus</i> using poisoned food technique | 84 |

| Fig. no. | Title of figures | Page no. |
|-----------------|--|-----------------|
| 22 | Mean diameter and standard error of radial growth of <i>A. terreus</i> treated with plant extract using poisoned food technique | 86 |
| 23 | Mean diameter and standard error of radial growth of <i>A. terreus</i> treated with AgNPs using poisoned food technique | 86 |
| 24 | The difference in inhibitory activities and standard error of plant extract and AgNPs on the radial growth of <i>A. terreus</i> using poisoned food technique | 87 |
| 25 | Mean diameter and standard error of radial growth of <i>F. oxysporum</i> treated with plant extract using poisoned food technique | 89 |
| 26 | Mean diameter and standard error of radial growth of <i>F. oxysporum</i> treated with AgNPs using poisoned food technique | 89 |
| 27 | The difference in inhibitory activities and standard error of plant extract and AgNPs on the radial growth of <i>F. oxysporum</i> using poisoned food technique | 90 |
| 28 | Mean diameter of inhibition and standard error of radial growth of <i>F. verticillioides</i> treated with plant extract using Agar well diffusion method | 92 |
| 29 | Mean diameter of inhibition and standard error of radial growth of <i>F. verticillioides</i> treated with AgNPs using Agar well diffusion method | 93 |
| 30 | The difference in inhibitory activities and standard error of plant extract and AgNPs on the radial growth of <i>F. verticillioides</i> using Agar well diffusion method | 93 |

| Fig. no. | Title of figures | Page no. |
|-----------------|---|-----------------|
| 31 | Mean diameter of inhibition and standard error of radial growth of <i>A. flavus</i> treated with plant extract using Agar well diffusion method | 96 |
| 32 | Mean diameter of inhibition and standard error of radial growth of <i>A. flavus</i> treated with AgNPs using Agar well diffusion method | 96 |
| 33 | The difference in inhibitory activities and standard error of plant extract and AgNPs on the radial growth of <i>A. flavus</i> using Agar well diffusion method | 97 |
| 34 | Mean diameter of inhibition and standard error of radial growth of <i>A. terreus</i> treated with plant extract using Agar well diffusion method | 99 |
| 35 | Mean diameter of inhibition and standard error of radial growth of <i>A. terreus</i> treated with AgNPs using Agar well diffusion method | 100 |
| 36 | The difference in inhibitory activities and standard deviations of plant extract and AgNPs on the radial growth of <i>A. terreus</i> using Agar well diffusion method | 100 |
| 37 | Mean diameter of inhibition and standard error of radial growth of <i>F. oxysporum</i> treated with plant extract using Agar well diffusion method | 103 |
| 38 | Mean diameter of inhibition and standard error of radial growth of <i>F. oxysporum</i> treated with AgNPs using Agar well diffusion method | 103 |
| 39 | The difference in inhibitory activities and standard error of plant extract and AgNPs on the radial growth of <i>F. oxysporum</i> using Agar well diffusion method | 104 |