Improving Health Care Service Provided to Type 1 Diabetic Patients by Revisiting Health Education

Thesis

Submitted for Partial Fulfillment of Master Degree in Pediatrics

By Lekaa Mohamed Essam M.B B.CH Ain Shams University

Supervisors

Prof. Safinaz Adel Elhabashy

Professor of Pediatrics Faculty of Medicine, Ain Shams University

Dr. Dalia Nabil Toaima

Assistant professor of Pediatrics Faculty of Medicine, Ain Shams University

Dr. Hanan Hassan Aly

Lecturer of Pediatrics Faculty of Medicine, Ain Shams University

> Faculty of Medicine Ain Shams University 2017

List of Contents

Title	Page No.
List of Tables	i
List of Figures	v
List of Abbreviations	X
Protocol	
Introduction	1
Aim of the Work	2
Review of Literature	
Diabetes Mellitus	3
Diabetes Education	20
Subjects and Methods	73
Results	74
Discussion	122
Summary	135
Conclusion	138
Recommendations	139
References	140
Appendix	164
Master sheet	169
Arabic summary	

List of Tables

TableNo.	Title	PageNo.
Table (1):	Etiologic classification mellitus	
Table (2):	Criteria for diagnosis of di	
Table (3):	Screening, risk factors an	
Table (4):	for vascular complications Target levels for different reduce the risk of mic CVD in children and ac	t parameters to rovascular and
	type 1 diabetes	
Table (5):	Major contents of the dia	
	process	
Table (6):	Types of insulin pre- suggested action profiles	s according to
Table (7):	manufacturers Nutrition goal, pri	
Table (7).	recommendations	<u> </u>
Table (8):	Factors that affect cha glucose during exercise	nges in blood
Table (9):	Summary recommendation	
	hypoglycemia in physical	ly active young
	people with diabetes	
Table (10):	Five General Sick	=
Table (11):	Management	
Table (11).	Comparison between integrand control group regarding	
	data	0 0 1
Table (12):	Comparison between inte	ervention group pregarding (Weight, height

List of Tables (Cont...)

Table No.	Title	Page No.
Table (13):	anthropometric measure	oup regarding
Table (14):	Comparison between control groups regard	
Table (15):	Comparison between control groups regar	
Table (16):	Comparison between control groups regard diastolic blood pressure	intervention and ing systolic and
Table (17):	Comparison between control groups regard diastolic blood pressur	intervention and ing systolic and
Table (18):	Comparison between control groups regarding diabetes, age of one duration of diabetes and	intervention and g family history of set of diabetes,
Table (19):	Comparison between hypoglycemia, frequency of hospital admission in	frequency of y of DKA and No.
Table (20):	Comparison between hypoglycemia, frequency of hospital admission in	frequency of y of DKA and No.

List of Tables (Cont...)

Table No.	Title	Page No.
Table (21):	Comparison between groups regarding hypoglycemia, frequence	frequency of
Table (22):	of hospital admission be Comparison between groups regarding hypoglycemia, frequence	efore the study
Table (23):	Comparison between before and after the	e study in the
Table (24):	Comparison between qu	
Table (25):	Comparison between groups regarding que	the two studied
Table (26):	Comparison between groups regarding quest	the two studied
Table (27):	Comparison between control groups re satisfactionabout diab	intervention and garding patient
Table (28):	Comparison between control groups regarkidney function tests, Tochronic microvasce	intervention and rding Live rand Thyroid profile and
Table (29):	Comparison between control groups regarding profile (s.TG, s.Cholest HDL-chol) before	intervention and ng HbA1c and lipid

List of Tables (Cont...)

Table No.	Title	Page No.
Table (30):	Comparison between control groups regarding profile (s-TG, s.Cholest HDL-chol) after the interpretation	ng HbA1c and lipid
Table (31):	Comparison between post education in the regarding HbA1c and s.Cholesterol, LDL-cho	intervention group
Table (32):	Comparison between profile (s.TG, s.Cholest HDL-chol) levels before	HbA1c and lipid terol, LDL-chol and
Table (33):	Correlation between study and lipid profil	HbA1c after the
Table (34):	Correlation between after the study in	HbA1c before and
Table (35):	Correlation between after the study in	HbA1c before and
Table (36):	Correlation between and after the study	lipid profile before
Table (37):	Correlation between and after the study in	lipid profile before
Table (38):	Correlation between lip HbA1c after the study	id profile before and
Table (39):	Correlation between lipi HbA1c after the study	d profile before and

List of Figures

Fig.No.	Title PageNo.	
Fig. (1):	Aetiology oftype 1diabetes mellitus in children	4
Fig. (2):	Pathophysiology of insulin deficiency in diabetes mellitus	
Fig. (3):	Possible mechanism for development of type 1 diabetes	
Fig. (4): Fig. (5):	Causes of diabetes	
Fig. (6):	their compromise in people with T1DM Technique of self monitoring of blood glucose (SMBG)	
Fig. (7):	Types of insulin preparations and diagrammatic representation of insulin activity profiles	
Fig. (8):	Insulin injection sites	
Fig. (9):	Food pyramid	
Fig. (10):	Healthy nutrition in diabetes	
Fig. (11):	Effects of different types of exercise on blood glucose level in type 1 diabetes	
Fig. (12):	patients	47
,	symptoms and management	54
Fig. (13):	Hyperglycemia (high blood glucose level)	50
Fig. (14):	symptoms and management Percentage of males and females in the intervention group.	
Fig. (15):	Percentage of males and females in the control group.	

Fig. No.	Title	Page No.
Fig. (16):	Mean weight, height an in both intervention ar	nd control groups
Fig. (17):	Mean weight, height and in both intervention ar after the study	nd control groups
Fig. (18):	Mean systolic and pressure percentiles in	diastolic blood
Fig. (19):	Mean systolic and pressure percentiles in	diastolic blood
Fig. (20):	Frequency of hypoglyce DKA and no of hospital intervention group before	mia, frequency of admission in the ore and after the
Fig. (21):	study Frequency of hypoglyce DKA and No. of hospital control group before and	
Fig. (22):	Frequency of hypoglyce DKA and No. of hospita the study in both intervention	mia, frequency of al admission after ention and control
Fig. (23):	groups Comparison between before and after the intervention group	questionnaire e study in the
Fig. (24):	Comparison between before and after the stugroup.	questionnaire
Fig. (25):	Questionnaire before the	
Fig. (26):	Questionnaire after th	

Fig. No.	Title	Page No.
Fig. (27): Pa	atient satisfaction in both	intervention and
116. (21)		d after the study95
Fig. (28):	Mean Liver Enzymes (-
_	in both intervention and	d control groups97
Fig. (29):	Mean Thyroid profile (T	3, T4, TSH) levels
		l control groups97
Fig. (30):		level in both
T. (04):		l groups98
Fig. (31):	Mean Urea level in both	
E. (99).		98
Fig. (32):	Microvascular complica	
Fig. (33):	Mean HbA1c in both	l control groups99
11g. (55).	control groups before	
		101
Fig. (34):	Lipid profile (s-TG, s.	Cholesterol. LDL-
8: (5 -)	chol and HDL-chol) in	
		s before the
		101
Fig. (35):	Mean HbA1c in both	intervention and
		study103
Fig. (36):	Lipid profile (s.TG, s.	
	chol and HDL-chol) in	
	and control groups afte	
T' (07):		103
Fig. (37):	Mean HbA1c in the in	
E: ~ (20)·		cation program105
Fig. (38):	Mean Lipid profile (s.' LDL-chol and HDl	
	intervention group before	
		105
Fig. (39):	Mean HbA1c in the co	
8. (00)		107

Fig. No.	Title	Page No.
Fig. (40):	Mean Lipid profile (s.7 LDL-chol and HDL-cho	ol) in the control
Fig. (41):	Correlation between safter the study in	the prepubertal
Fig. (42):	Correlation between s s.cholesterol after the prepubertal patients in	e study in the the intervention
Fig. (43):	Correlation between s LDL-chol after the prepubertal patients in	study in the the intervention
Fig. (44):	Correlation between s.c and after the study in	
Fig. (45):	Correlation between before and after the prepubertal patients in	LDL-chol levels e study in the the intervention
Fig. (46):	group	HDL-chol levels after the study in tients in the
Fig. (47):	Correlation between before and after the prepubertal patients in	e study in the the intervention
Fig. (48):	Correlation between s s.cholesterol levels after postpubertal patients in	the study in the

Fig. No.	Title	Page No.
Fig. (49):	Correlation between s.TG LDL.chol levels after the postpubertal patients in the	study in the
Fig. (50):	group	
Fig. (51):	groupCorrelation between LDI before and after the state postpubertal patients in the	L.chol levels tudy in the e intervention
Fig. (52):	group	L.chol levels study in the e intervention
Fig. (53):	group	L.chol levels tudy in the e intervention

List of

Abbreviations

Abb.	Full term
ACE	Angiotensin-converting-enzyme
	Angiotensin-converting-enzyme inhibitor
ACh	
	American Diabetes Association
	Angiotensin II receptor antagonist
	Alanine aminotransferase
	Aspartate aminotransferase
	Body Mass index
	Blood Pressure
	Continuous glucose monitoring
Creat	
	Continuous Subcutaneous Insulin Infusion
	Chronic Vascular Disease
	Dose Adjustment for Normal Eating
	Diabetes Control and Complications Trial
	Diabetic ketoacidosis
	Diabetes mellitus
	Disease-management programs
DNA	Deoxyribonucleic acid
DSME	Diabetes self-management education program
FPG	Fasting plasma glucose
HbA1c	Glycated hemoglobin
HDL	High-density lipoprotein
HDL-chol	High density lipoprotein cholesterol
HNF-1	Hepatocyte Nuclear Factor 1

List of Abbreviations (Cont...)

Full term Abb. IFG.....Impaired Fasting Glycaemia IGT.....Impaired Glucose Tolerance IPF-1.....Insulin promoter factor-1 IQR.....Interquartile range ISPAD.....International Society for Pediatric and Adolescent Diabetes IZSInsulin zinc suspension. LDL.....Low-density lipoprotein LDL-cholLow density lipoprotein cholesterol MDIMultiple Daily Injections of insulin MODY......Maturity onset diabetes of the young NE.....Norepinephrine NICE.....National Institute for Health and Care Excellence NPHNeutral Protamine Hagedorn insulin; NSP.....Non-starch polysaccharides OGTT.....Oral glucose tolerance test P1NPProcollagen type 1 N-terminal propeptide PEDPediatric Education for Type 1 Diabetes PNS.....Parasympathetic nervous system RRRelative risk s.Cholesterol......Serum cholesterol s.TG.....Serum Triglyceride SESSocioeconomic status SMBGSelf monitoring blood glucose

List of Abbreviations (Cont...)

Abb.	Full term	
SMS	Sympathetic nervous system	
	Sympathetic her vous systemStatistical Package for Social Science	
	Type 1 diabetes mellitus	
TC	Total cholesterol	
TDEI	Total daily energy intake	
TSH	Thyroid-stimulating hormone	
VLDL	Very low density lipoprotein	

Abstract

Our study showed that after the intervention program, the intervention group had a highly significant lower HbA1c and serum lipids (s.TG, s.Cholesterol and LDL-chol) as compared to the control group. While there was significant increase in HDL-chol level after the intervention program in the intervention group as compared to the control group.

Our study showed that after the intervention program, the intervention group had a highly significant decrease in the NO. of hospital admission, DKA attacks and frequency of hypoglycemia.

Our diabetes education programme was very effective as the results of our study indicate that diabetes education is positively associated with improvement in patient dietary plan, physical exercise, SMBG, lipid profile and HbA1c.

Our findings confirm the value of diabetes education in Diabetes clinic of Children' hospital Ain shams university, Egypt and warrants more attention in this area.

Keywords: Impaired Fasting Glycaemia- Interquartile range- Creatinine-Insulin zinc suspension- Chronic Vascular Disease- Diabetic ketoacidosis - Deoxyribonucleic acid- Glycated hemoglobin - High-density lipoprotein