

# **Thermal Characterization and Analytical Studies to Evaluate the Purity of Some Cosmetics and Cosmeceutical Components**

## **Thesis**

Presented for the degree of Doctor of philosophy

In pharmaceutical Sciences

(Analytical Chemistry)

**By**

***Amany Morsi Mohamed***

B.Sc. Pharmacy, Cairo University, 1997

M. Anal. Sci. (2005)

## **Under the Supervision of**

**Associate Prof. Dr.**

**Maha Farouk Abdel-Ghany**

Associate Professor of pharmaceutical  
Analytical Chemistry-Faculty of Pharmacy  
Ain Shams University

**Prof. Dr.**

**Zeinab Abdel –Aziz EL-Sherif**

Professor of Analytical Chemistry  
National Organization for Drug Control  
and Research

**Associate Prof. Dr. Lobna Abdel-Aziz Hussein**

Associate Professor of pharmaceutical  
Analytical Chemistry-Faculty of Pharmacy  
Ain Shams University

Faculty of Pharmacy  
Ain Shams University

**2013**



# *Acknowledgement*

I am deeply thankful to **ALLAH** by the grace of whom this work was achieved.

I would like to express deepest gratitude to my deceased **Prof. Dr .Mohamed Abdel Naby El Ries**, Professor of Analytical chemistry, National Organization for Drug Control and Research for his keen supervision and for providing me kindly with all facilities that helped me to accomplish this work.

I am deeply endowed with feeling of duty and obligation towards **Ass. Prof. Dr. Maha Farouk Abdel Ghany**, Associate Professor of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy, Ain Shams University for her extensive effort, time and energy invested constant advising and supervision .

I wish to express my deep respect and appreciation to **Prof .Dr. Zeinab Abdel Aziz El Sherif** Professor of Analytical Chemistry, National Organization for Drug Control and Research for her helpful guidance, continuous encouragement during the development of the work and fruitful supervision and continuous support throughout this work.

I am greatly indebted to **Ass. Prof. Dr. Lobna Abdel-Aziz Hussein** Associate Professor of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy, Ain Shams University for her valuable suggestion and remarks and helpful comments through revising the thesis.

I want to express my gratefulness to **Dr. Daa A. Ibrahim** Researcher (organic chemistry division) in National Organization for Drug Control and Research for his valuable motivation and through the thermal characterization part of the thesis, especially the molecular orbital characterization.

I would like to thank my mother for standing by me in all over my life and especially for completing this thesis.

Words could never express my deep gratitude to my dear husband for standing by me. Certainly, I wish also to express to my great love to my daughters Rawan, Rana and Zeina.

Finally, great thanks to all my colleagues, technicians, employees and member in Cosmetic Department National Organization for Drug Control and Research, for their help and support.



# CONTENTS

## Part I: General Introduction

	Page
I.1.Cosmetic Product	1
I.2. Cosmeceutical Product	1
I.3. FDA Classification of Cosmetics	3
I.3.1. Skin cleansing liquids	3
I.3.2. Hair cleansing	4

## Part II: Literature Review

II.1. Investigated Compounds	5
II.1.1. Ketoconazole	5
II.1.2. Chloroxylonol	7
II.1.3. Triclosan	8
II.2. Methods of Analysis of the Investigated Drugs	9
II.2.1. Methods of analysis of Ketoconazole	9
II.2.1.1. Titrimetric method	9
II.2.1.2. Spectrophotometric methods	9
II.2.1.3. Spectrofluorometric methods	10
II. 2.1.4. Capillary zone electrophoresis	10
II. 2.1.5. Electrochemical methods	10
II.2.1.6. Chromatographic methods	11
II.2.1.6.1. Thin layer chromatographic methods	11
II.2.1.6.2. High performance liquid chromatographic methods	12
II.2.1.7. Thermoanalytical method	15

II.2.2. Method of analysis of Chloroxylenol	<b>16</b>
II.2.2.1. Titrimetric method	<b>16</b>
II.2.2.2. Chromatographic methods	<b>16</b>
II.2.2.2.1. High performance liquid chromatographic methods	<b>16</b>
II.2.2.2.2. Gas chromatographic methods	<b>17</b>
II.2.3. Method of analysis of Triclosan	<b>17</b>
II.2.3.1. Spectroscopic methods	<b>17</b>
II.2.3.2. Electrochemical methods	<b>17</b>
II.2.3.3. Chromatographic methods	<b>18</b>
II.2.3.3.1. Thin layer chromatographic methods	<b>18</b>
II.2.3.3.2. High performance liquid chromatographic methods	<b>18</b>
II.2.3.3.3. Liquid chromatography mass-mass spectrometry	<b>19</b>
II.2.3.3.4. Gas chromatographic methods	<b>19</b>
II.2.3.4. Capillary electrophoresis	<b>20</b>

### **PART III:**

#### **Characterization of**

#### **Ketoconazole, Chloroxylenol and Triclosan**

III.1. Introduction	<b>21</b>
III.1.1. Characterization of compounds	<b>21</b>
III.1.1.1. Thermal analysis	<b>21</b>
III.1.1.1.1. Differential scanning calorimetry	<b>22</b>
III.1.1.1.2. Thermogravimetry	<b>23</b>
III.1.1.1.3. Differential thermal analysis	<b>23</b>

III.1.1.2. Kinetic analysis	24
III.1.1.3. Molecular orbital calculation	24
III.1.1.4. Mass spectrometry	25
III.2. Experimental	25
III.2.1. Samples	25
III.2.1.1. Authentic samples	25
III.2.1.2. Market samples	25
III.2.2. Apparatus	26
III.2.3. Procedure	26
III.2.3.1. Differential scanning calorimetric analysis	26
III.2.3.2. Thermogravimetric analysis and Differential thermal analysis (TGA, DTA)	27
III.2.3.3. Kinetic of thermal decomposition of Ketoconazole, Chloroxylenol and Triclosan	27
III.2.3.4. Molecular orbital calculation	27
III.2.3.5. Mass spectrometry	28
III.3. Result and Discussion	29
III.3.1. Thermal evaluation of purity of Ketoconazole ,Chloroxylenol and Triclosan by differential scanning calorimetry	29
III.3.2. Thermal characterization of the investigated drugs by TG,DTG and DTA	34
III.3.2.1. Thermal characterization of Ketoconazole	34
III.3.2.2. Thermal characterization of Chloroxylenol	34
III.3.2.3. Thermal characterization of Triclosan	35
III.3.3. Kinetic studies of thermal decomposition of the investigated drugs	40

III.3.4. Molecular orbital calculation of Ketoconazol, Chloroxylenol and Triclosan	45
III.3.5. Mass spectrometry of Ketoconazole, chloroxylenol and Triclosan	54
III.3.6. Correlation between the mass spectral (MS) fragmentation and molecular orbital calculation (MOC) for Ketoconazole, Chloroxylenol and Triclosan	56
III.3.7. Correlation between the thermal analysis degradation and molecular orbital calculation for Ketoconazole.	59
III.4. Conclusion	60

## **PART IV**

### **Electrochemical Determination of Ketoconazole, Chloroxylenol and Triclosan at Glassy Carbon Electrode**

IV.1. Introduction	64
IV.1.1. Voltammetric analysis	64
IV.1.1.1. Cyclic voltammetry	66
IV.1.1.2. Differential pulse voltammetry	67
IV.1.2. Application of electrochemical methods in pharmaceutical analysis	68

## **Section A**

### **Determination of Ketoconazole by Cyclodextrin Modified Glassy Carbon Electrode (CDMGCE)**

IV.A.1. Experimental	69
IV.A.1.1. Samples	69
IV.A.1.1.1. Authentec sample	69



IV.A.1.1.2. Market Sample	69
IV.A.1.2. Chemicals and Reagents	69
IV.A.1.3. Buffer solutions	70
IV.A.1.4. Apparatus	70
IV.A.1.5. Standard solution	71
IV.A.1.5.1. Stock solution of Ketoconazole	71
IV.A.1.6. Preparation of glassy carbon working electrodes	71
IV.A.1.6.1. Preparation of modified glassy carbon electrodes (CDMGCE)	71
IV.A.1.7. Study of optimum conditions	72
IV.A.1.7.1. Effect of pH	72
IV.A.1.7.2. Effect of scan rate	72
IV.A.1.7.3. Effect of the concentration of $\beta$ - CD	73
IV.A.1.8. Procedure	73
IV.A.1.8.1. Voltammetric measurements	73
IV.A.1.8.2. Method validation	73
IV.A.1.8.2.1. Linearity	73
IV.A.1.8.2.2. Accuracy	74
IV.A.1.8.2.3. Precision	74
IV.A.1.8.2.3.1. Repeatability	74
IV.A.1.8.2.3.2. Intermediate precision	74
IV.A.1.8.2.4. Limit of detection (LOD) and quantification (LOQ)	74
IV.A.1.8.3. Application of the proposed methods to the analysis of cosmeceutical preparation	75
IV.A.2. Results and Discussion	76
IV.A.3. Conclusion	80

## **Section B**

### **Electrochemical Determination of Chloroxylenol and Triclosan at Glassy Carbon Electrode**

IV.B.1. Experimental	<b>95</b>
IV.B.1.1. Samples	<b>95</b>
IV.B.1.1.1. Authententic samples	<b>95</b>
IV.B.1.1.2. Market samples	<b>95</b>
IV.B.1.2. Chemicals and Reagents	<b>95</b>
IV.B.1.3. Buffer solutions	<b>96</b>
IV.B.1.4. Apparatus	<b>96</b>
IV.B.1.5. Standard solutions	<b>96</b>
IV.B.1.5.1. Stock solution of Chloroxylenol	<b>96</b>
IV.B.1.5.2. Stock solution of Triclosan	<b>96</b>
IV.B.1.6. Preparation of glassy carbon working electrodes	<b>96</b>
IV.B.1.7. Study of optimum conditions	<b>97</b>
IV.B.1.7.1. Effect of pH	<b>97</b>
IV.B.1.7.2. Effect of scan rate	<b>97</b>
IV.B.1.8. Procedure	<b>97</b>
IV.B.1.8.1. Voltammetric measurement	<b>97</b>
IV.B.1.8.2. Method validation	<b>98</b>
IV.B.1.8.2.1. Linearity	<b>98</b>
IV.B.1.8.2.2. Accuracy	<b>99</b>
IV.B.1.8.2.3. Precision	<b>99</b>
IV.B.1.8.2.3.1. Repeatability	<b>99</b>

IV.B.1.8.2.3.2. Intermediate precision	<b>99</b>
IV.B.1.8.2.4. Limit of detection (LOD) and quantification (LOQ)	<b>99</b>
IV.B.1.8.3. Application of the proposed methods to the analysis of cosmeceutical preparation	<b>100</b>
IV.B.2. Results and Discussion	<b>101</b>
IV.B.3. Conclusion	<b>104</b>

## **PART V**

### **Chromatographic Determination of Ketoconazole, Chloroxylonol and Triclosan**

#### **Section A**

#### **Stability Indicating High Performance Thin Layer Chromatographic Densitometric Method for the Determination of Ketoconazole in the Presence of its Acid Degradate**

V.A.1. Introduction	<b>124</b>
V.A.2. Experimental	<b>124</b>
V.A.2.1. Samples	<b>124</b>
V.A.2.1.1. Authentic sample	<b>124</b>
V.A.2.1.2. Market sample	<b>124</b>
V.A.2.2. Chemical and Reagents	<b>124</b>
V.A.2.3. Apparatus	<b>125</b>
V.A.2.4. Standard solution	<b>125</b>
V.A.2.4.1. Stock solution of Ketoconazole	<b>125</b>
V.A.2.5. Procedure	<b>125</b>

V.A.2.5.1. Preparation of degradation product	125
V.A.2.5.2. Chromatographic conditions	126
V.A.2.5.3. Method validation	127
V.A.2.5.3.1. Linearity	127
V.A.2.5.3.2. Accuracy	127
V.A.2.5.3.3. Precision	127
V.A.2.5.3.3.1. Repeatability	127
V.A.2.5.3.3.2. Intermediate Precision	127
V.A.2.5.3.4. Robustness	128
V.A.2.5.4. Determination of Ketoconazole in laboratory prepared mixture in presence of its degradate	128
V.A.2.5.5. Application of the proposed methods for the determination of ketoconazole in pharmaceutical preparation	128
V.A.3. Results and Discussion	129
V.A.4. Conclusion	132

## **Section B**

### **Simultaneous Determination of Chloroxylonol and Triclosan by High Performance Liquid Chromatography**

V.B.1. Introduction	141
V.B.2. Experimental	142
V.B.2.1. Samples	142
V.B.2.1.1. Authentic samples	142
V.B.2.1.2. Market sample	142

V.B.2.2. Chemicals and Reagents	<b>142</b>
V.B.2.3. Apparatus	<b>142</b>
V.B.2.4. Standard solutions	<b>143</b>
V.B.2.4.1. Stock solution of Chloroxylenol	<b>143</b>
V.B.2.4.2. Stock solution of Triclosan	<b>143</b>
V.B.2.4.3. Stock solution of mixture of Chloroxylenol and Triclosan	<b>143</b>
V.B.2.5. Procedure	<b>143</b>
V.B.2.5.1. Chromatographic conditions	<b>143</b>
V.B.2.5.2. Method validation	<b>144</b>
V.B.2.5.2.1. Linearity	<b>144</b>
V.B.2.5.2.2. Accuracy	<b>144</b>
V.B.2.5.2.3. Precision	<b>144</b>
V.B.2.5.2.3.1. Repeatability	<b>144</b>
V.B.2.5.2.3.2. Intermediate precision	<b>144</b>
V.B.2.5.2.4. Robustness	<b>145</b>
V.B.2.5.3. Analysis of laboratory prepared mixture of Chloroxylenol and Triclosan	<b>145</b>
V.B.2.5.4. Application to cosmeceutical preparation	<b>145</b>
V.B.3. Results and Discussion	<b>146</b>
V.B.4. Conclusion	<b>149</b>

## **PART VI**

### **References**

VI. References	<b>159</b>
Arabic summary	



## LIST OF FIGURES

Figure		Page
1.	DSC profile of Ketoconazole	31
2.	DSC profile of Ketoconazole tablet (Nizoral tablets)	31
3.	DSC profile of Chloroxylenol	32
4.	DSC profile of Triclosan	32
5.	TGA, DTG curves of Ketoconazole	36
6.	DTA curve of Ketoconazole	36
7.	TGA, DTG curves of Chloroxylenol	37
8.	DTA curve of Chloroxylenol	37
9.	TGA, DTG curves of Triclosan	38
10.	DTA curve of Triclosan	38
11.	Kinetic plot of Ketoconazole using mathematical method of Horowitz & Metzger	42
12.	Kinetic plot of Ketoconazole using mathematical method of Coats& Redfern	43
13.	Numbring system of Ketoconazole	46
14.	Numbring system of Chloroxylenol	47
15.	Numbring system of Triclosan	47
16.	The mass spetrum of Ketoconazole	54
17.	The mass spectrum of Chloroxylenol	55
18.	The mass spectrum of Triclosan	55
19.	Differntial pulse voltammogram of blank run(---) and Ketoconazole using CDMGCE (—) with $4 \times 10^{-5}$ $\text{mol}^{-1}$ concentration in B-R buffer (9.0), pulse amplitude 50mV, scan rate 100mV/S	81