



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

Effect of Nutritional Status on Neuromuscular Blockade: Vecuronium vs. Atracurium

Thesis Submitted for the Partial Fulfillment
Of the M.D.Degree in Anaesthesiology

B6921

By

Ibrahim Abd-Elsalam Nasr

*M.B.B.Ch., M.Sc., Anaesthesiology
Faculty of medicine, Ain Shams University*

Supervised By

Prof. Dr. Medhat M. M. Younis

*Professor of Anaesthesia and Intensive Care
Faculty of Medicine, Ain Shams University*

Prof. DR. Ali M. A. Moussa

*Professor of Anaesthesia and Intensive Care
Faculty of Medicine, Ain Shams University*

Dr. Azza Youssef Ibrahim

*Assistant Professor of Anaesthesia and Intensive Care
Faculty of Medicine, Ain Shams University*

**Faculty of Medicine
Ain Shams University**

*** 2001 ***

Acknowledgment

First, thanks are all due to Holy God for blessing this work until it has reached its end, as a part of his generous help throughout my life.

I would like to direct special thanks to **Prof. Dr. Medhat M. M. Younis**, Prof. of anaesthesia and intensive care, Faculty of Medicine, Ain Shams University, for his great support and encouragement he gave me throughout the whole work. It is a great honor to work under his guidance and supervision.

I would like to express my sincere gratitude to **Prof. Dr. Ali M. A. Moussa**, Prof. of anaesthesia and intensive care, Faculty of Medicine, Ain Shams University, for his close supervision, continuous help, and the tremendous effort he has done in the meticulous revision of the whole work.

Also, I am greatly honored to express my utmost thanks to **Dr. Azza Youssef Ibrahim**, Assistant Prof. of anaesthesia and intensive care, Faculty of Medicine, Ain Shams University for her meticulous supervision, valuable suggestions, and continuous guidance throughout this work.

Ibrahim Abd El-Salam Nasr

List of Contents

| <u>Item</u> | <u>Page</u> |
|--|--------------------|
| Introduction | 1 - 2 |
| Aim of the work | 3 - 4 |
| Review of literature | 5 – 59 |
| Overview of neuromuscular anatomy and physiology | 5 - 14 |
| Acetylcholine receptors | 14 –15 |
| Pharmacology of non-depolarizing muscle relaxants | 16 -23 |
| Neuromuscular monitoring | 24 –42 |
| Protein energy malnutrition | 43 –52 |
| nutritional assessment | 53 –59 |
| Patients and methods | 61 –69 |
| Results | 71 –94 |
| Discussion | 95 –104 |
| Conclusion | 105 |
| Summary | 107 –108 |
| References | 109 -118 |
| Arabic summary | |

List of Tables

| NO | Table | Page |
|-----------|--|------|
| Table (1) | Anthropometric and biochemical parameters for nutritional assessment | 62 |
| Table (2) | Types of surgeries performed in study groups. | 64 |
| Table (3) | The mean values of BMI, HB%, serum proteins, and serum albumin of patients given vecuronium. | 72 |
| Table (4) | The mean values of BMI, HB%, serum proteins, and serum albumin of patients given atracurium. | 73 |
| Table (5) | Comparison of responses to Vecuronium in normal (group Ia) and mild malnourished patients (group IIa) | 74 |
| Table (6) | Comparison of responses to Vecuronium in normal (group Ia) and moderate malnourished patients (group IIIa) | 78 |
| Table (7) | Comparison of responses to Vecuronium in normal (group Ia) and severe malnourished patients (group IVa) | 81 |

| NO. | Table | Page |
|------------|--|-------------|
| Table (8) | Comparison of responses to Atracurium in normal (group Ib) and mild malnourished patients (group IIb) | 84 |
| Table (9) | Comparison of responses to Atracurium in normal (group Ib) and moderate malnourished patients (group IIIb) | 86 |
| Table(10) | Comparison of responses to Atracurium in normal (group Ib) and severe malnourished patients (group IVb) | 88 |

List of Figures

| No. | Figure | Page |
|-------------|---|-------------|
| Figure (1) | Anatomy of the motor unit. | 6 |
| Figure (2) | The neuromuscular junction | 7 |
| Figure (3) | Acetylcholine release | 9 |
| Figure (4) | Role of Vesicular membrane proteins in acetylcholine release | 12 |
| Figure (5) | Nicotinic acetylcholine receptor. | 15 |
| Figure (6) | Electromyographic recording of normal nourished patient who received Vecuronium. | 75 |
| Figure (7) | Electromyographic recording of mild malnourished patient who received Vecuronium. | 76 |
| Figure (8) | Electromyographic recording of moderate malnourished patient who received Vecuronium. | 79 |
| Figure (9) | Electromyographic recording of severe malnourished patient who received Vecuronium. | 82 |
| Figure (10) | Electromyographic recording of severe malnourished patient who received Atracurium. | 89 |

| NO. | Figure | Page |
|-------------|---|-------------|
| Figure (11) | Comparing time of onset, time to no response to TOF stimulation and time of reverse of Vecuronium in mild moderate and severe malnourished patients. | 91 |
| Figure (12) | Comparing time of onset, time to no response to TOF stimulation and time of reverse of Atracurium in mild moderate and severe malnourished patients. | 92 |
| Figure (13) | Comparing duration of action of initial dose, supplementary dose I and supplementary dose II of Vecuronium in mild moderate and severe malnourished patients. | 93 |
| Figure (14) | Comparing duration of action of initial dose, supplementary dose I and supplementary dose II of Atracurium in mild moderate and severe malnourished patients. | 94 |