

Molecular Gene Expression of MAGE-A and ICAM-1 Genes in Breast Carcinoma

Thesis

Submitted to the Medical Research Institute

Alexandria University

In partial fulfillment of the degree of

Master

In

Immunology

By

El-Sayed Shaban Abd El-Razik

Department of Immunology

Medical Research Institute

Alexandria University

2009

Molecular Gene Expression of MAGE-A and ICAM-1 Genes in Breast Carcinoma Thesis

Submitted to the Medical Research Institute
Alexandria University
In partial fulfillment of the degree of

Master

In
Immunology
By

El-Sayed Shaban Abd El-Razik
Department of Immunology
Medical Research Institute
Alexandria University

Examiner's committee

Approved

Prof. Dr. Ezat Mohamed Hassan

Dean of Medical Research Institute
Medical Research Institute
Alexandria University

Prof. Dr. Laila Hamdy El-Sayed

Professor of Immunology
Medical Research Institute
Alexandria University

Prof. Dr. Mohamed Abd El-Rahman

Assistant Professor at Immunology
and Clinical Hematology Unit
Mustafa Kamel hospital
Military Academy

SUPERVISORS

Prof. Dr. Laila Hamdy El-Sayed

Professor of Immunology

Medical Research Institute

Alexandria University

Prof. Dr. Hossam El-Deen Mohammed Ghoneim

Assistant Professor of Immunology

Medical Research Institute

Alexandria University

Prof.Dr. Ahmed Saad Ahmed

Assistant Professor of Clinical Surgery

Medical Research Institute

Alexandria University

Dr. El-Sayed El-Sayed Hafez

Assistant Professor of Molecular Pathology

Genetic Research Institute

Mubarak City for Scientific research

And Biotechnology applications

التعبير الجينى الجزئى لكل من جينات أنتيجينات الميلاнома و جزيء اللصق البين خلوى-١ فى سرطان الثدي

رسالة مقدمة الى معهد البحوث الطبية
جامعة الإسكندرية

إيفاء جزئيا للحصول على درجة

الماجستير

فى

المناعة

من

السيد شعبان عبد الرازق على

قسم المناعة

معهد البحوث الطبية

جامعة الإسكندرية

٢٠٠٩

المشرفون

أ.د. / ليلى حمدى السيد

أستاذ متفرغ بقسم المناعة
معهد البحوث الطبية
جامعة الإسكندرية

أ.د. / حسام الدين محمد غنيم

أستاذ مساعد المناعة
معهد البحوث الطبية
جامعة الإسكندرية

د. / أحمد سعد أحمد

أستاذ مساعد الجراحة الأكلينيكية
معهد البحوث الطبية
جامعة الإسكندرية

أ.د. / السيد السيد حافظ

أستاذ مساعد الباثولوجيا الجزيئية
معهد بحوث الهندسة الوراثية
مدينة مبارك للأبحاث العلمية و التطبيقات التكنولوجية

ACKNOWLEDGEMENTS

I owe my deepest thanks to Allah; the research presented in this thesis could not have been completed without the significant contributions of Allah the most beneficent and merciful.

I extend my appreciation and profound gratitude to my major supervisor Prof. Dr. Laila Hamdy El-Sayed Professor of Immunology, Medical Research Institute, Alexandria University, for introducing me to the research. Her enthusiasm, guidance, encouragement and support, as well as expertise in thesis field, have been invaluable for the completion of this work.

I express my sincere thanks to my supervisor, Prof. Dr. Hossam El-Deen Ghoneim, Assistant Professor of Immunology, Medical Research Institute, Alexandria University, for his guidance, support and providing me the opportunity as well as the facilities to complete my work. His perpetual energy and enthusiasm in research had motivated all his advisees, including me. In addition, he was always accessible and willing to help his students with their research. As a result, research life became smooth and rewarding for me.

I would like to record my gratitude to the personnel of Professor Dr. El-Sayed El-Sayed Hafez, Assistant Professor of Molecular Pathology, Genetic Engineering Institute, Mubarak City for scientific Research, for his supervision, advice, and guidance from the very early stage of this research as well as giving me extraordinary experiences through out the work. Above all and the most needed, he provided me unflinching encouragement and support in various ways. His truly scientist intuition has made him as a constant oasis of ideas and passions in science, which exceptionally inspire and enrich my growth as a student, a researcher and a scientist want to be. I am indebted to him more than he knows.

I would like to express my gratitude to Prof. Dr. Geylan Fadali, who gave me the possibility to complete this thesis and to do the necessary research work and to use departmental data.

I wish to express my deepest thanks to Assistant Prof. Dr. Ahmed Saad Ahmedm, Lecture of Clinical Surgery, Medical Research Institute, Alexandria University, for his support and sharing his experience.

My special thanks to Prof. Dr. Mohamed Abd El-Rahman Assistant Professor of Hematology at Military Medical Academy and Head of hematology Department, Mustafa Kamel Military hospital For continuous guidance,

valuable advice and generous effort in the supervision of this work.

Also, I could not forget my deep gratitude to all members of the Immunology Department for their encouragement and help during the course of this study.

DEDICATION

I owe my deepest gratitude to my family, parents, for endless caring, love and support, My most loving, cardial thanks belong to My kids and fair wife, Dr. Sawsan Abd El-Ghany Lecture of Microbiology, Mubarak City for scientific Research for their unconditional love, care, support, relaxing companionship and all the joyful moments that we have shared. Our close bond will be forever cherished.

El-Sayed Shaban

التعبير الجينى الجزئى لكل من جينات أنتيجينات الميلاнома و جزىء اللصق البين خلوى-١ فى سرطان الثدى

رسالة مقدمة الى

معهد البحوث الطبية جامعة الاسكندرية

ايفاء جزئيا للحصول على درجة

الماجستير فى المناعة

من

السيد شعبان عبد الرازق على

قسم المناعة

معهد البحوث الطبية-جامعة الإسكندرية

للحصول على درجة الماجستير فى المناعة

موافقون

لجنة المناقشة والحكم على الرسالة

ا.د/ عزت محمد حسن

عميد معهد البحوث الطبية

جامعة الإسكندرية

ا.د/ ليلي حمدى السيد

أستاذ متفرغ بقسم المناعة

معهد البحوث الطبية

ا.د/ محمد عبد الرحمن

أستاذ م / بوحدة المناعة و أمراض الدم

مستشفى مصطفى كامل العسكرى - الأكاديمية العسكرية

List Of Contents

page

Acknowledgement.....	i
-----------------------------	----------

INTRODUCTION	1
---------------------------	----------

Breast carcinoma	1
------------------------	---

Male Breast Cancer	2
--------------------------	---

Pathogenesis of breast cancer	3
-------------------------------------	---

Etiology and risk factors of BC	3
---------------------------------------	---

Clinicopathologic features of breast cancer	7
---	---

Staging of Breast Cancer	9
--------------------------------	---

Prognosis of breast cancer	11
----------------------------------	----

Immunology of Breast cancer	14
-----------------------------------	----

1- Innate responses to Breast Cancer	14
--	----

A- Immunosurveillance in Breast Cancer	14
--	----

B- Inflammatory response to Breast Cancer.....	14
--	----

C- Immunologic role in invasion and metastasis.....	15
---	----

2- Interplay of breast cancer with adaptive immunity... ..	15
--	----

A- Cell-Mediated Cytotoxicity.....	16
------------------------------------	----

B- Role of cytokines in breast cancer.....	16
--	----

C- Lymphoid infiltration in breast cancer.....	17
--	----

3- Breast cancer antigenicity	17
-------------------------------------	----

Adhesion molecules	18
--------------------------	----

	<i>page</i>
Intercellular adhesion molecule (ICAM)-1.....	21
Melanoma antigen genes in breast cancer	24
AIM OF THE WORK	26
SUBJECT AND METHODS	27
RESULTS.....	46
DISCUSSION.....	72
SUMMARY	82
CONCLUSION.....	88
RECOMMENDATION.....	89
REFEREANCES.....	90
APPENDIX.....	106
ARABIC SUMMARY.....	125

List Of Tables

<i>Tables</i>	<i>page</i>
Table 1: Factors that increase the relative risk for B C in women.....	4
Table 2: Breast cancer stages	10
Table3: Schematic diagrams of cell-adhesion molecules structure.....	19
Table 4: Schematic diagrams of intercellular adhesion molecules	22
Table 5: Primers' sequences employed in the specific-PCR.....	33
Table 6: sICAM-1 primers' sequences employed in the real time-PCR....	44
Table 7: Histological types of benign lesions	46
Table 8: Age distribution among breast cancer patients and control.....	48
Table 9: Distribution of BC stages according to their menopausal status....	48
Table 10: Histological types among different stages of BC patients	50
Table 11: Tumor size in BC patients as a function of disease stage	51
Table 12: Number of patients involved in each pathological stages.....	52
Table 13: Distribution of metastatic grade according to BC stages	53
Table 14: Percentage of estrogen level among breast cancer stages	54
Table 15: Percentage of progesterone level among breast cancer	55
Table 16: MAGE-A1, 3 and 4 genes expression in benign and BC tissues	57
Table 17: sICAM-1 gene expression in BC pathological types	59
Table 18: SSCP for MAGE-A1, 3 and 4 genes mutation screening.....	60
Table 19: sICAM-1 levels in benign and BC patients and control.....	62
Table 20: Gene expression of sICAM-1 among BC histological types.....	64
Table 21: Correlation analysis were between all studied parameters.....	67

List Of Figures

<i>Figures</i>	<i>page</i>
Figure1. Age-standardized incidence and mortality	2
Figure (2): Normal breast lobules surrounded by intact myoepithelial cell..28 layer. (H&E stain, X400).	
Figure (3): Invasive ductal carcinoma grade II. (H&E stain, X400).....	28
Figure (4): ER positive immunostaining in grade II IDC. (X400)....	29
Figure (5): ER or PR negative immunostaining in a case of IDC grade III.	25
Figure 6: Schematic diagram of RT-PCR reverse transcription	32
Figure 7: Schematic diagram of conventional PCR	34
Figure 8: Detection of the amplified PCR products by agarose gel	35
electrophoresis.	
Figure 9: Visulization of PCR amplified product with ethidium bromide ..	36
Figure 10: Normal RFLP digestion pattern for PCR products	38
Figure 11: Single–strand conformational polymorphism analysis (SSCP)..	39
Figure12: Real-time PCR machine	14
Figure 13: Real-time PCR according to the Taqman® probe method.....	42
Fig.14: A threshold value, Ct and Rn of real-time PCR amplification.....	43
Figure 15: Positive results from a Taqman real –time PCR.	13
Figure16: The percentage of different benign types among different	47
positive control group .	
Figure 17: Menopausal status among different BC patients stages.....	49
Figure 18: Disease stage-specific distribution of BC histologic type.....	50
Figure 19: Breast tumor size distributed according to disease stage s.....	51
Figure 20: Subjects included in the study: normal controls, benign.....	52
tumor and breast carcinoma patients.	

<i>Figures</i>	<i>page</i>
Figure 21: Percentage of regional lymph node involvement.....	53
According to breast cancer stages.	
Figure 22: Percentage of estrogen receptor among BC stage s	55
Figure 23: Percentage of progesterone receptor among BC stage s...	56
Figure 24: Agarose gel showing PCR amplification.....	57
Figure 25: MAGE-A gene expression in benign and BC patients....	58
Figure 26: Expression of melanoma antigen genes different BCpatients.	55
Figure 27: SSCP polymorphism results in benign and BC patients .	61
Figure 28: Positive real time amplification plot.	62
Figure29: Amplification curves of RNA extracted from peripheral .	63
blood showing ICAM-1gene expression.	
Figure 30: sICAM-1 levels in BC patients compared with other groups	64
Figure 31: Expression levels of sICAM-1 among different BC types....	65
Figure 32: A significant positive correlation between the estrogen	
hormonal receptors and other parameters under study.. ...	68
Figure 33: A significant positive correlation between the progesterone	
receptor and other parameters under study.	69
Figure34: A significant positive correlation between age and other	
parameters under study	69
Figure35, 36: A significant positive correlation between tumor grade	
and other parameters under study	70

List Of Abbreviations

aa	Amino acid
Ab	Antibody
ADCC	Antibody dependent cell-mediated cytotoxicity
Ag	Antigen
AJCC	American Joint Committee on Cancer
AM	Adhesion molecules
ANOVA	Analysis of variance
APC	Antigen presenting cell
APS	Ammonium persulfate
ATP	Adenosine triphosphate
β -ME	β -mercaptoethanol
BAGE	B melanoma antigen
BRCA1	breast cancer gene 1
bp	Base pairs
BM	Bone marrow
BSA	Bovine serum albumin
C	Cytosine
CAM	conventional chorioallantoic membrane
CD40L	Co-stimulatory molecule 40 ligand
CD44	cell-surface glycoprotein involved in cell-cell interactions
cDNA	complementary deoxyribonucleic acid
CDC	Complement dependent cytotoxicity
CEA	Carcinoembryonic antigen