

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

Parameters of Safe and Effective Hydrostatic and Pneumatic Reduction of Idiopathic Infantile Intussusception

Thesis Submitted for partial fulfillment of MSc Degree in General Surgery

Check-

By 617,554

Medhat Samy Aly Hassan

M.B., B.ch

Supervisors

Prof. Dr. Abdel Aziz Abbas Taalab

Professor of General Surgery
Faculty of Medicine, Menoufiya University

Dr. Mohammed Leithy Ahmed Badr

Assistant Professor of General Surgery Faculty of Medicine, Menoufiya University


Dr. Ashraf Mohamed Nour El-Din


Assistant Professor of General Surgery Faculty of Medicine - Menoufiya University

Dr. Magdi Ahmed Lolah

Lecturer of General Surgery
Faculty of Medicine - Menoufiya University

Faculty of Medicine - Menoufiya University 2005





Acknowledgement

First of all, my heartiest thanks to our Lord God, the most kind, most merciful and the most beneficent.

I heartily and cordially utter all the expressive and impressive words of indebtedness and thankfulness to our honorable Prof. Dr. Abdel Azizi Abbas Taalab, Professor of General Surgery, Faculty of Medicine, Menoufiya University for his patience, valuable guidance cooperative supervision, continuous encouragement, sincere help and tremendous efforts throughout this work that were the cornerstone in building up of this thesis and without him, this work could never have been completed.

I am also deeply so much obliged and can hardly express my hardless and limitless thanks to **Dr. Mohamed Leithy Alam El-Din**, Assistant Professor of General Surgery, Faculty of Medicine, Menoufiya University for his precious remarks, assistance comments, kind encouragement, moral support, continuous advice and sincere assistance for completion of this thesis.

It gives me a great pleasure to express my sincere gratitude and deep appreciation to **Dr. Ashraf Mohamed Nour El-Din,** Assistant Professor of General Surgery, Faculty of Medicine, Menoufiya University for his continuous encouragement and supervision throughout the completion of this work.

I would like to express my deepest gratitude to **Dr. Magdi Ahmed Lolah**, Lecturer of General Surgery, Faculty of Medicine, Menoufiya University for his great help, close supervision, continuous advice, enthusiastic encouragement and sincere follow up.

& Medhat Samy

Contents

	Subject	Page
I.	INTRODUCTION	1
II.	AIM OF THE WORK	4
III.	REVIEW OF LITERATURE	5
•	Anatomy of small and large intestine	5
•	Definition and aetiology	14
•	Pathology	17
•	Clinical features	22
•	Diagnosis	25
•	Treatment	42
•	Types of enema therapies	47
•	Management algorithm	55
IV.	PATIENTS AND METHODS	57
V.	RESULTS	69
VI.	DISCUSSION	89
VII.	SUMMARY	95
VIII.	CONCLUSION	98
IX.	REFERENCES	100
X.	ARABIC SUMMARY	110

List of Figures

	Figure	Page
Fig. 1	(a) Jejunum, partially opened, (b) Ileum, showing Peyer's patches	7
Fig. 2	Posteroinferior aspect of the caecum	12
Fig. 3	Sigmoid colon and mesocolon	13
Fig. 4	A slide showing transsection pathological view of the intussusception	21
Fig. 5	Target sign. Plain radiograph	30
Fig. 6	Meniscus sign. Plain radiograph shows the meniscus sign	30
Fig. 7	Meniscus and coiled spring signs.	32
Fig. 8	Meniscus and coiled spring signs.	30
Fig. 9	US scan obtained at the apex of an intussusception	39
Fig. 10	US scan obtained near the apex	39
Fig. 11	Use of Doppler US to evaluate intussusception.	41
Fig. 12	A male patient; 6 months old with intussusception of ileo-caecal type, transectional US showed this image (the target sign) which is diagnostic. This was before doing hydrostatic reduction.	89
Fig. 13	The same patient mentioned above; a longitudinal axis US done during hydrostatic reduction.	89
Fig. 14	A male patient; 4 months old with intussusception of ileo-caecal type, this image was taken during hydrostatic reduction and target sign began to disappear	90
Fig. 15	A female patient; 3 months old with intussusception of ileo-caecal type, perforation was done during doing hydrostatic reduction and this image was taken after perforation.	90
Fig. 16	A female patient, 5 months with intussusception of ileo-caecal type. This image was taken before reduction showing target sign.	91
Fig. 17	A male patient; 6 months with intussusception of ileo-caecal type, target sign is obvious in this image with beginning of reduction pneumatically.	91
Fig. 18	The same patient mentioned above, this image was taken showing successive reduction of intussusception pneumatically as the target sign is beginning to disappear.	92