Anti-Mullerian Hormone as a Prognostic Marker in Intracytoplasmic Sperm Injection for Patients with Unexplained Infertility

Thesis

Submitted for Partial Fulfillment of the Master Degree in Obstetrics and Gynecology

By:

Adel Elsayed Mohamed Abdelwahab El Neklawy

Resident of Obstetrics and Gynecology at El Galaa maternity teaching hospital M.B., B.Ch. Ain Shams University, 2008

Under supervision of


Prof. Dr. Hesham Mahmoud Mohammed Harb

Professor of Obstetrics and Gynecology Faculty of Medicine, Ain Shams University

Dr. Mohamed Abd Elhafeez Mohamed

Assistant Professor of Obstetrics and Gynecology Faculty of Medicine, Ain Shams University

> Faculty of Medicine Ain Shams University 2016



Acknowledgement

First of all, all gratitude is due to ${\it God}$.

Really I can hardly find the words to express my gratitude to Prof. Dr. Hesham Mahmoud Mohammed Harb, Professor of Obstetrics and Gynecology, for his supervision, continuous help, encouragement throughout this work and effort. It is a great honor to work under his guidance and supervision.

I would like also to express my appreciation to Dr. Mohamed Abd El Hameed Abd Elhafeez Mohamed Assistant professor of Obstetrics and Gynecology, Ain Shams University, for his support throughout the whole work.

Special Thank you for Prof.DR, Azza Awad Professor of Obstetrics and Gynecology for her huge support and continuous encouragement

Last but not least, I dedicate this work to my family, specially my wife, whom without her sincere support I wouldn't have been standing here now.

Adel El Neklawy

Contents

List of Abbreviations	i
List of Tables	iv
List of Figures	vi
Abstract	ix
Protocol	
Introduction and Aim of the Work	1
Review of Literature	4
Chapter I	
* Infertility	4
Chapter II	
* Assisted Reproductive Technology	25
Chapter III	
* Anti Mullerian Hormone (AMH)	55
Patients and Methods	69
Results	74
Discussion	115
Summary	123
Conclusion	126
References	127
Arabic Summary	

List of Abbreviations

ARSM	American Reproductive Society of Medecine
AMH	Anti-Müllerian hormone
AFC	Antral follicle count
AUC	Area under curve
ARTs	Assisted reproductive technologies
BMI	Body mass index
BMP-6	Bone morphogenic protein-6
СОН	Controlled ovarian hyperstimulation
COS	Controlled ovarian stimulation
ELISA	Enzyme linked immunosorbent assay
FSH	Follicle stimulating hormone
FF AMH	Follicular fluid anti-Mullerian Hormone
GIFT	Gamete intrafallopian transfer
GV	Germinal-vesicle
GnRH	Gonadotrophin-releasing hormone
GC	Granulosa cells
HCG	Human chorionic gonadotropin
HP	Hyperprolactinemia
IVF	In vitro fertilization
IVM	In vitro maturation
ICSI	Intracytoplasmic sperm injection
IUI	Intrauterine insemination
LBRs	Live birth rates
LR	Low ovarian responce

List of Abbreviations (Cont.).

LR-	Likelihood ratio negative
LR+	Likelihood ratio positive
LUFS	Luteinized unruptured follicle syndrome
LH	Luteinizing hormone
MI	Metaphase-I
MII	Metaphase-II
MESA	microsurgical epididymal sperm aspiration
MR	Miscarriage rate
MRs	miscarriage rates
MIS/AMH	Mullerian Inhibiting Substance/Anti-Mullerian
	Hormone
NOA	Non obstructive azoospermia
NPV	Negative predictive value
OR	Odds ratio
OHSS	Ovarian hyperstimulation syndrome
PID	Pelvic inflammatory disease
PESA	Percutaneous epididymal sperm aspiration
PCOD	Poly Cystic Ovarian Disease
PCOS	Polycystic ovaries syndrome
PPV	Positive predictive value
PR/ET	Pregnancy rates per embryo transfer
PRs	Pregnancy rates
PGT	Preimplantation genetic testing
PCC	Premature chromosomal condensation
PROST	Pronuclear stage tubal transfer
ROC	Receiver operating characteristic
ROSI	round spermatid injection
ROSNI	Round spermatid nucleus injection
STD	Sexually transmitted disease
SET	Single-embryo transfer
S.D	Standard deviation

List of Abbreviations (Cont.).

TESE	Testicular sperm extraction
TSH	Thyroid stimulating hormone
TRH	Thyrotropin releasing hormone
T4	Thyroxine
TFF	Total failed fertilization
TGF-β	Transforming growthfactor-β
TEM	Transmission electron microscopy
T3	Triiodothyronine
U.S.	United States
VIP	Vasoactive intestinal peptide
WHO	World health organization
ZIFT	Zygote intrafallopian transfer

List of tables

Table	Title	Page
1	Characteristics of the whole study population	74
2	Biochemical and clinical pregnancy rates in the whole study population	75
3	Characteristics of patients with or without biochemical pregnancy	76
4	Characteristics of patients with or without clinical pregnancy	84
5	Receiver-operating characteristic (ROC) curve analysis for prediction of biochemical pregnancy using serum AMH level	92
6	Receiver-operating characteristic (ROC) curve analysis for prediction of biochemical pregnancy using follicular AMH level	95
7	Multivariable binary logistic regression model for the relation between serum AMH level and biochemical pregnancy as adjusted for possible confounding factors	98
8	Multivariable binary logistic regression model for the relation between follicular AMH level and biochemical pregnancy as adjusted for possible confounding factors	100
9	Receiver-operating characteristic (ROC) curve analysis for prediction of clinical pregnancy using serum AMH level	102
10	Receiver-operating characteristic (ROC) curve analysis for prediction of clinical pregnancy using follicular AMH level	105

List of tables (Cont.)

Table	Title	Page
11	Comparison of the receiver-operating	108
	characteristic (ROC) curves for	
	prediction of clinical pregnancy using	
	serum or follicular AMH level	
12	Multivariable binary logistic regression	111
	model for the relation between serum	
	AMH level and clinical pregnancy as	
	adjusted for possible confounding	
	factors	
13	Multivariable binary logistic regression	112
	model for the relation between follicular	
	AMH level and clinical pregnancy as	
	adjusted for possible confounding	
	factors	
14	Comparison of the ROC curves for	114
	prediction of biochemical pregnancy	
	using serum or follicular AMH level	

List of Figures

E: ~	Tide	Dana
Fig.	Title	Page
1	shows different stages of egg maturation	43
	and damaged oocytes after ICSI	
2	shows normal and abnormal fertilization	44
	after ICSI	
3	Oocytes in first row represent different	53
	degrees of vacuoles in cytoplasm	
4	Depiction of anti-Müllerian hormone	56
	(AMH). production by ovarian follicles	
5	Age in patients with or without	77
	biochemical pregnancy. Circular	
	markers represent individual	
	observations	
6	Body mass index (BMI) in patients with	78
	or without biochemical pregnancy	
7	FSH level in patients with or without	79
	biochemical pregnancy. Circular	
	markers represent individual	
	observations	
8	LH level in patients with or without	80
	biochemical pregnancy	
9	E2 level in patients with or without	81
	biochemical pregnancy	
10	Box plot showing serum AMH level in	82
	patients with or without biochemical	
	pregnancy	
11	Box plot showing follicular AMH level	83
	in patients with or without biochemical	
	pregnancy	
12	Age in patients with or without clinical	85
	pregnancy	