

تبيكة المعلومات الجامعية

CLETIN TENNY CONTROLLED







شبكة المعلومات الجامعية

التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم



نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار % 40-20 منوية ورطوبة نسبية من 20-40 % To be kept away from dust in dry cool place of

15 – 25c and relative humidity 20-40 %



ثبيكة المعلومات الجامعية



بعض الوثائق

الأصلية تالفة



ثبكة المعلومات الجامعية



IMMUNOLOGICAL RESPONSE IN BENIGN AND MALIGNANT OVARIAN TUMORS

Thesis
Submitted for Partial Fulfillment of
M.Sc. Degree in
Obstetrics & Gynecology

Presented by

Remon Michael Fahmy M.B., B.Ch.,

Under Supervision of

Prof. Ali Elyan Khalf Alla

Professor of Obstetrics & Gynecology Faculty of Medicine Ain Shams University

Prof. Thanaa El Sayed Helal

Professor of Pathology Faculty of medicine Ain Shams University

Dr. Mohamed Ahmed Laban

Assistant Professor of Obstetrics & Gynecology
Faculty of Medicine
Ain Shams University

Ain Shams University Faculty of Medicine -2001 133. V/1

Buryon

ACKNOWLEDGMENT


First of all, thanks to God, the most beneficial and merciful. Second, I wish to express my sincere gratitude to Prof. *Aly Alyan Khalf Alla* Professor of Obstetric and Gynecology, Faculty of medicine, Ain Shams University, who I had the privilege of doing this thesis under his supervision. My sincere thanks for his continuos guidance, and support, beneficial advice and valuable criticism during the whole research period.

I would like to offer sincere thanks to Prof. *Thanaa El -Sayed Helal* Professor of pathology, Faculty of medicine Ain Shams university, for her enthusiastic help, Supervision, continuous guidance and support during the whole of research period.

My sincere thanks and appreciation for Prof. *Mohamed Ahmed Laban*. Assistant Professor of Obstetric and Gynecology, Faculty of Medicine, Ain Shams University, for his generous help, continuous encouragement and endless support. Until the end of this thesis.



70 My Mother



List of Contents

No.	Title	Page No.
1	Introduction	1
2	Aim of Work	2
3	Review of Literature - Chapter 1: Ovarian Cancer - Chapter 2: Immune System - Chapter 3: Immune Response to Tumors - Chapter 4: Immune Response to Malignant Ovarian Tumors	3 31 42 50
	- Chapter 5: Immune Response to Other Malignant Tumors	58
4	Materials and Methods	62
5	Results	65
6	Discussion	84
7	Conclusion	87
8	Summary	88
9	References	91
10	Arabic Summary	

'age 40.

8.

8

List of Tables

Table	Title	Page
No.		No.
1	The FIGO Stage Grouping for Primary Carcinoma of	00
	the Ovary (1985)	
2	The immunohistochemical results)	68

- 1

10

ì

List of Figures

₹ig. Vo.	Title	Page No.
1	A case of Papillary Serous Cystadenocarcinoma	69
2	A case of papillary mucinous cystadenocarcinoma with mononuclear cellular infiltration (H&E) X 100	70
3	A case of mucinous cystacenoma (H&E) X 100	71
4	A case of adenocarcinoma showing positive immunostaining for CD8+ (suppressor cells) Immunoperoxidase X 100	72
5	Higher magnification of the pervious case Immunoperoxidase X 250	73
6	A case of ovarian carcinoma showing mild infiltration by CD68+ (macrophages) which show granular brownish cytoplasmic staining. (Immunoperoxidase X 400)	74
7	A case of ovarian adenocarcinoma showing moderate infiltration by CD68+ (macrophages) Immunoperoxidase X 400)	75
8	The relationship between the percentage of CD68 cells and CD8 in the malignant group $r = 0.59 P = 0.000002$.	76
9	The relationship between the percentage of CD68 cells and CD8 cells in the benign group $r = 0.443 P = 0.044$	77
10	Mean CD8 cells in benign and malignant cases	78
11	Mean CD68 cells in benign and malignant cases	79
12	The relationship between the histological grade of ovarian carcinomas and the mean of CD8 cells F test = 0.583 P = 0.562	80
13	The relationship between the histologic grade of ovarian carcinomas and the mean of CD68 F test = 2.425 P = 0.097	81
14	Mean CD8+ cells ion serous and mucinous types in malignant group	82
15	Mean CD68+ cells in serous and mucinous types in malignant group	83