

ANALYTICAL STUDY ON SOME CEPHALOSPORINS

THESIS

Presented for the partial fulfillment of the degree of Doctor of Philosophy in
Pharmaceutical Sciences (Pharmaceutical Analytical Chemistry)

By

Reham Nagi Emam Saleh

M. Pharm. Sciences

Department of Pharmaceutical Analytical Chemistry

Faculty of Pharmacy

Ain Shams University

Under supervision of

Prof. Dr. Laila El-Sayed Abd El-Fattah

Professor of Analytical Chemistry and Vice Dean for the

Postgraduate Studies Affairs and Scientific Research

Faculty of Pharmacy

Misr University for Science and Technology

Prof. Dr. Maha Farouk Abd El-Ghany

Professor of Pharmaceutical Analytical Chemistry and Vice Dean for the

Postgraduate Studies Affairs and Scientific Research

Faculty of Pharmacy

Ain Shams University

Ass. Prof. Dr. Omar Abd El-Aziz Ali Ghonim

Associate Professor of Pharmaceutical Analytical Chemistry

Faculty of Pharmacy

Ain Shams University

Faculty of Pharmacy

Ain Shams University

2015

فَالْحَمْدُ لِلَّهِ
الَّذِي هَدَانَا
لِهَذَا صِرَاطٍ
مُسْتَقِيمٍ
الْحَمْدُ لِلَّهِ
الَّذِي هَدَانَا
لِهَذَا صِرَاطٍ
مُسْتَقِيمٍ

ACKNOWLEDGEMENT

Praise be to **ALLAH** who gave me guidance, patience and everything to finish this work.

It is a pleasure to express my sincere and deepest gratitude to **Prof. Dr. Laila El-Sayed Abd El-Fattah**, Professor of Analytical Chemistry and Vice Dean for the Postgraduate Studies Affairs and Scientific Research, Faculty of Pharmacy, Misr University for Science and Technology, for the proper planning of the research project, kind supervision, continuous encouragement and help during the course of this work.

I am deeply indebted to **Prof. Dr. Maha Farouk Abd El-Ghany**, Professor of Pharmaceutical Analytical Chemistry and Vice Dean for the Postgraduate Studies Affairs and Scientific Research, Faculty of Pharmacy, Ain Shams University, for kind support, valuable supervision, beneficial discussion, great effort and continuous encouragement.

I would like to express my sincere thanks to **Ass. Prof. Dr. Omar Abd El-Aziz Ali Ghonim**, Associate Professor of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy, Ain Shams University, for his keen interest, kind guidance, constant advice and sincere help in all stages of the work.

I wish to express my cordial thanks and gratefulness to my parents and my husband for their continuous encouragement and praying and their effective support.

Finally, my hearty thanks to all my colleagues and staff members in the Pharmaceutical Analytical Chemistry Department, Faculty of Pharmacy, Ain Shams University.

Reham Nagi

CONTENTS

Part I: Introduction

Section A

General Introduction

		Page
I.A.1.	Cephalosporins	1
I.A.2.	Mechanisms of action and resistance	1
I.A.3.	Classification and indications of cephalosporins.....	2
I.A.4.	Veterinary uses of cephalosporins.....	3

Section B

Literature Review

I.B.1.	Chemical Structures and Physicochemical Properties.....	8
I.B.1.1.	Cefepime hydrochloride.....	8
I.B.1.2.	Cefdinir.....	8
I.B.1.3.	Cefazolin sodium.....	9
I.B.2.	Stability.....	9
I.B.3.	Pharmacology.....	10
I.B.4.	Structure-Activity Relationship.....	11
I.B.5.	Methods of Analysis.....	12
I.B.5.1.	Cefepime hydrochloride.....	12
I.B.5.1.1.	Spectrophotometric methods.....	12
I.B.5.1.1.1.	Colorimetric methods.....	12
I.B.5.1.1.2.	UV-spectrophotometric methods	14
I.B.5.1.2.	Electrochemical methods	14
I.B.5.1.3.	Chromatographic methods	15
I.B.5.1.3.1.	Capillary Electrophoresis.....	15
I.B.5.1.3.2.	Thin Layer Chromatography.....	16
I.B.5.1.3.3.	High Performance Liquid Chromatography.....	16
I.B.5.2.	Cefdinir.....	20

I.B.5.2.1.	Spectrophotometric methods.....	20
I.B.5.2.1.1.	Colorimetric methods.....	20
I.B.5.2.1.2.	UV-Spectrophotometric methods.....	21
I.B.5.2.2.	Spectrofluorimetric methods.....	21
I.B.5.2.3.	Electrochemical methods.....	21
I.B.5.2.4.	Chromatographic methods.....	22
I.B.5.2.4.1.	High Performance Liquid Chromatography.....	22
I.B.5.3.	Cefazolin sodium.....	25
I.B.5.3.1.	Spectrophotometric methods.....	25
I.B.5.3.1.1.	Colorimetric methods.....	25
I.B.5.3.1.2.	UV-Spectrophotometric methods.....	26
I.B.5.3.2.	Spectrofluorimetric methods.....	26
I.B.5.3.3.	Electrochemical methods.....	26
I.B.5.3.4.	Chromatographic methods.....	27
I.B.5.3.4.1.	Capillary Electrophoresis.....	27
I.B.5.3.4.2.	Thin Layer Chromatography.....	27
I.B.5.3.4.3.	High Performance Liquid Chromatography.....	28

Part II: Spectrophotometric Methods

Section A

Stability-Indicating Spectrophotometric Methods for Determination of Cefdinir in Presence of Its Acid- and Alkaline-Degradation Products

II.A.1.	Introduction.....	32
II.A.2.	Experimental.....	34
II.A.2.1.	Instrumentation.....	34
II.A.2.2.	Software.....	34
II.A.2.3.	Samples.....	34
II.A.2.4.	Reagents.....	35
II.A.2.5.	Standard Solutions.....	35
II.A.2.5.1.	Stock Standard Solutions.....	35

II.A.2.5.2.	Working Standard Solutions.....	36
II.A.2.6.	Procedures.....	36
II.A.2.6.1.	Spectral characteristics of cefdinir and its acid- and alkaline- degradation products	36
II.A.2.6.1.a.	Derivative spectrophotometry.....	36
II.A.2.6.1.b.	First derivative ratio spectrophotometry	37
II.A.2.6.1.c.	Mean centering ratio spectrophotometry.....	37
II.A.2.6.2.	Method Validation.....	37
II.A.2.6.2.1.	Linearity.....	37
II.A.2.6.2.2.	Accuracy.....	38
II.A.2.6.2.3.	Precision.....	39
II.A.2.6.2.3.a.	Repeatability.....	39
II.A.2.6.2.3.b.	Intermediate precision.....	39
II.A.2.6.2.4.	Specificity.....	39
II.A.2.6.3.	Application to the pharmaceutical formulations.....	39
II.A.2.6.4.	Validation by standard addition technique.....	40
II.A.3.	Results and Discussion.....	40

Section B

Application of Savitzky-Golay Differentiation Filters and Fourier Functions to Simultaneous Determination of Cefepime hydrochloride and Levofloxacin in Spiked Human Plasma

II.B.1.	Introduction.....	70
II.B.2.	Theoretical background	71
II.B.2.1.	Savitzky-Golay Differentiation Filters-Ratio Spectrum Method..	71
II.B.2.2.	Fourier Function-Ratio Spectrum Method.....	71
II.B.3.	Experimental.....	74
II.B.3.1.	Instrumentation.....	74
II.B.3.2.	Pure samples.....	74
II.B.3.3.	Reagents.....	74
II.B.3.4.	Standard Solutions.....	75
II.B.3.4.1.	Stock Standard Solutions.....	75
II.B.3.4.2.	Working Standard Solutions.....	75

II.B.3.5.	Procedures.....	76
II.B.3.5.1.	Spectral characteristics of cefepime hydrochloride and levofloxacin.....	76
II.B.3.5.2.	Method Validation.....	77
II.B.3.5.2.1.	Linearity.....	77
II.B.3.5.2.2.	Accuracy.....	78
II.B.3.5.2.3.	Precision.....	78
II.B.3.5.2.3.a.	Repeatability.....	78
II.B.3.5.2.3.b.	Intermediate precision.....	78
II.B.3.5.2.4.	Selectivity.....	78
II.B.3.5.2.5.	Application to spiked human plasma	79
II.B.4.	Results and Discussion.....	80
II.B.4.1.	Method optimization.....	82
II.B.4.2.	Method validation	88
II.B.4.3.	Application to spiked human plasma.....	93

Part III: Chromatographic Methods

Section A

Stability-Indicating TLC-Densitometric Methods for Determination of Cefdinir and Cefepime hydrochloride in Presence of Their Acid- and Alkaline-Degradation Products

III.A.1.	Introduction.....	102
III.A.2.	Experimental.....	102
III.A.2.1.	Instrumentation.....	102
III.A.2.2.	Samples.....	103
III.A.2.3.	Reagents.....	103
III.A.2.4.	Standard Solutions.....	103
III.A.2.4.1.	Stock Standard Solutions.....	103
III.A.2.5.	Procedure.....	104
III.A.2.5.1.	Chromatographic conditions.....	104
III.A.2.5.2.	Method Validation.....	105

III.A.2.5.2.1. Linearity.....	105
III.A.2.5.2.2. Accuracy.....	105
III.A.2.5.2.3. Precision.....	106
III.A.2.5.2.3.a.Repeatability.....	106
III.A.2.5.2.3.b.Intermediate precision.....	106
III.A.2.5.2.4. Specificity.....	106
III.A.2.5.3. Application to the pharmaceutical formulations.....	106
III.A.2.5.4. Validation by standard addition technique.....	107
III.A.3. Results and Discussion.....	107

Section B

Stability-Indicating HPLC Method for Determination of Cefepime hydrochloride in Presence of Its Acid- and Alkaline-Degradation Products

III.B.1. Introduction.....	126
III.B.2. Experimental.....	126
III.B.2.1. Instrumentation.....	126
III.B.2.2. Samples.....	127
III.B.2.3. Reagents.....	127
III.B.2.4. Standard Solutions.....	127
III.B.2.4.1. Stock Standard Solutions.....	127
III.B.2.4.2. Working Standard Solutions.....	128
III.B.2.5. Procedure.....	128
III.B.2.5.1. Chromatographic conditions.....	128
III.B.2.5.2. Method Validation.....	128
III.B.2.5.2.1. Linearity.....	128
III.B.2.5.2.2. Accuracy.....	129
III.B.2.5.2.3. Precision.....	129
III.B.2.5.2.3.a.Repeatability.....	129
III.B.2.5.2.3.b.Intermediate precision.....	129
III.B.2.5.2.4. Specificity.....	129
III.B.2.5.2.5. Robustness.....	130
III.B.2.5.3. Application to the pharmaceutical formulations.....	130

III.B.2.5.4.	Validation by standard addition technique.....	130
III.B.3.	Results and Discussion.....	130

Section C

Bioanalytical HPLC Method for Simultaneous Determination of Cefepime hydrochloride and Metronidazole in Spiked Human Plasma

III.C.1.	Introduction.....	143
III.C.2.	Experimental.....	144
III.C.2.1.	Instrumentation.....	144
III.C.2.2.	Pure samples.....	144
III.C.2.3.	Reagents.....	144
III.C.2.4.	Standard Solutions and quality control samples.....	144
III.C.2.4.1.	Stock Standard Solutions.....	144
III.C.2.4.2.	Working Standard Solutions.....	145
III.C.2.4.3.	Quality control samples	145
III.C.2.5.	Preparation of plasma samples.....	145
III.C.2.6.	Procedure.....	145
III.C.2.6.1.	Chromatographic conditions.....	145
III.C.2.6.2.	Method Validation.....	146
III.C.2.6.2.1.	Selectivity.....	146
III.C.2.6.2.2.	Linearity.....	146
III.C.2.6.2.3.	Accuracy.....	146
III.C.2.6.2.4.	Precision.....	147
III.C.2.6.2.4.a.	Repeatability.....	147
III.C.2.6.2.4.b.	Intermediate precision.....	147
III.C.2.6.2.5.	Lower Limit Of Quantitation.....	147
III.C.2.6.2.6.	Recovery.....	147
III.C.2.6.2.7.	Robustness.....	147
III.C.2.6.2.8.	Stability.....	148
III.C.3.	Results and Discussion.....	148

Part IV

Electrochemical Determination of

Cefazolin Sodium in Pharmaceutical Formulation, Spiked Human

Plasma and Spiked Cow Milk

IV.1.	Introduction.....	162
IV.2.	Experimental.....	164
IV.2.1.	Instrumentation.....	164
IV.2.2.	Samples.....	164
IV.2.3.	Reagents.....	165
IV.2.4.	Standard Solutions.....	165
IV.2.5.	Procedures.....	166
IV.2.5.1.	Preparation of the sensors	166
IV.2.5.1.a.	Precipitation-based technique for preparation of PVC -based micro-sized graphite sensor.....	166
IV.2.5.1.b.	HP- β -CD-based technique for preparation of PVC-based micro-sized graphite sensor.....	166
IV.2.5.2.	Sensors calibration	167
IV.2.5.3.	Application to pharmaceutical formulation.....	167
IV.2.5.4.	Application to spiked human plasma.....	168
IV.2.5.5.	Application to spiked cow milk.....	168
IV.2.5.6.	Study of experimental conditions.....	168
IV.2.5.6.1.	Identification of slope, response time and operative life of the studied sensors.....	168
IV.2.5.6.2.	Effect of pH.....	169
IV.2.5.6.3.	Effect of temperature.....	169
IV.2.5.6.3.	Effect of foreign compounds.....	169
IV.2.6.	Results and discussion.....	170
IV.2.6.1.	Sensor fabrication.....	170
IV.2.6.2.	Performance characteristics of the proposed sensors.....	172
IV.2.6.3	Effect of pH and temperature	174
IV.2.6.4.	Selectivity of the proposed sensors.....	178

IV.2.6.5.	Application to pharmaceutical formulation, spiked human plasma and spiked cow milk.....	178
-----------	---	-----

Part V

General Discussion

V	General Discussion.....	187
---	-------------------------	-----

Part VI

References

VI	References.....	191
----	-----------------	-----

LIST OF TABLES

Table		Page
1	The generations of cephalosporins and their spectrum of activity	6
2	MRL of cephalosporins in foodstuffs of animal origin	7
3	HPLC methods for determination of cefepime hydrochloride	17
4	HPLC Methods for determination of cefdinir	23
5	HPLC Methods for determination of cefazolin sodium	29
6	Accuracy results for determination cefdinir by the proposed D ¹ , DR ¹ & MCR methods (in presence of alkaline-degradation products)	60
7	Accuracy results for determination of pure samples of cefdinir by the proposed D ² , DR ¹ & MCR methods (in presence of acid-degradation products)	61
8	Determination of cefdinir in presence of its alkaline-degradation products in laboratory prepared mixtures by the proposed spectrophotometric methods.	62
9	Determination of cefdinir and its acid-degradation products in laboratory prepared mixtures by the proposed spectrophotometric methods.	63
10	Determination of cefdinir in cefdin capsules by the proposed D ¹ , DR ¹ & MCR methods and application of standard addition technique (using alkaline-degradation product as a divisor).	64
11	Determination of cefdinir in cefdin suspension by the proposed D ¹ , DR ¹ & MCR methods and application of standard addition technique (using alkaline-degradation product as a divisor).	65
12	Determination of cefdinir in cefdin capsules by the proposed D ² , DR ¹ & MCR methods and application of standard addition technique (using acid-degradation product as a divisor).	66
13	Determination of cefdinir in cefdin suspension by the proposed D ² , DR ¹ & MCR methods and application of standard addition technique (using acid-degradation product as a divisor).	67

14	Statistical comparison between the proposed D^1 , D^2 , DR^1 & MCR methods and the reported method for determination of cefdinir	68
15	Results of assay validation of the proposed spectrophotometric methods for determination of cefdinir	69
16	Savitsky–Golay coefficients (C_j) for first derivative calculation	72
17	Calculation of Fourier function coefficients (t'_{ij}) for cefepime hydrochloride determination	86
18	Accuracy results for determination of cefepime hydrochloride and levofloxacin by the proposed SGDF-R and FF-R methods	95
19	Determination of cefepime hydrochloride and levofloxacin in laboratory prepared mixtures by the proposed spectrophotometric methods	96
20	Application of the proposed methods for determination of peak plasma concentrations of cefepime hydrochloride and levofloxacin in spiked human plasma	97
21	Accuracy and precision results for determination of cefepime hydrochloride and levofloxacin in spiked human plasma by the proposed methods	98
22	Results of extraction recovery of cefepime hydrochloride and levofloxacin in spiked human plasma by the proposed methods	99
23	Statistical comparison between the proposed methods and the reported methods for determination of cefepime hydrochloride and levofloxacin.	100
24	Assay validation parameters of the proposed SGDF-R and FF-R methods for determination of cefepime hydrochloride and levofloxacin	101
25	Accuracy results for determination of cefdinir by the proposed TLC method.	117
26	Accuracy results for determination of cefepime hydrochloride by the proposed TLC method.	118
27	Determination of cefdinir in laboratory prepared mixtures with its acid- and alkaline-degradation products by the proposed	119

	TLC method	
28	Determination of cefepime hydrochloride in laboratory prepared mixtures with its acid- and alkaline-degradation products by the proposed TLC method	120
29	Determination of cefdinir in pharmaceutical formulations by the proposed TLC method and application of standard addition technique.	121
30	Determination of cefepime hydrochloride in pharmaceutical formulations by the proposed TLC method and application of standard addition technique.	122
31	Statistical comparison between the proposed TLC method and the reported method for determination of cefdinir	123
32	Statistical comparison between the proposed TLC method and the official USP method for determination of cefepime hydrochloride	124
33	Results of assay validation of the proposed TLC methods for determination of cefdinir and cefepime hydrochloride	125
34	Accuracy results for determination of cefepime hydrochloride by the proposed HPLC method	136
35	Determination of cefepime hydrochloride in laboratory prepared mixtures with its acid- and alkaline-degradation products by the proposed HPLC method	137
36	System suitability parameters of the proposed HPLC method	138
37	Results from robustness testing of the proposed HPLC method	139
38	Determination of cefepime hydrochloride in pharmaceutical formulations by the proposed HPLC method and application of standard addition technique.	140
39	Statistical comparison between the proposed HPLC method and the official USP method for determination of cefepime hydrochloride	141
40	Results of assay validation of the proposed HPLC method for determination of cefepime hydrochloride	142

41	Intra- and inter-day precision and accuracy for determination of cefepime hydrochloride and metronidazole in spiked human plasma	156
42	System suitability parameters of the proposed HPLC method	157
43	Results from robustness testing of the proposed HPLC method for determination of cefepime hydrochloride	158
44	Results from robustness testing of the proposed HPLC method for determination of metronidazole	158
45	Stability study of cefepime hydrochloride and metronidazole in spiked human plasma under various conditions	159
46	Statistical comparison between the proposed HPLC method and the reported methods for determination of cefepime hydrochloride and metronidazole	160
47	Assay validation parameters of the proposed HPLC method for determination of cefepime hydrochloride and metronidazole in spiked human plasma	161
48	General working characteristics of the investigated cefazolin sodium-selective sensors	180
49	Accuracy results for determination of cefazolin sodium by the proposed sensors.	181
50	Potentiometric selectivity coefficients ($K^{\text{Pot.}}_{\text{cefazolin, interferent}}$) of the proposed sensors.	182
51	Determination of cefazolin sodium in pharmaceutical formulation by the proposed sensors and application of standard addition technique	183
52	Determination of cefazolin sodium in human plasma by the proposed sensors	184
53	Determination of cefazolin sodium in cow milk by the proposed sensors	185
54	Statistical comparison between the proposed electrochemical methods and the official USP method for determination of cefazolin sodium	186
55	Comparison between the proposed methods for determination	189