

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

Tanta University
Faculty of agriculture
Department of Animal Production

C184

EFFECT OF DIFFERENT SOURCES AND LEVELS OF LIPIDS ON GROWTH PERFORMANCE AND EFFICIENCY OF FEED UTILIZATION OF NILE TILAPIA (OREOCHROMIS NILOTICUS)

BY
NIROZE MOHAMED ABD EL-MONIEM SEADA
B.Sc. Agric. (Animal Production) Tanta University, 1995

THESIS
Submitted in partial fulfillment
Of the requirements

FOR
THE DEGREE OF
MASTER OF SCIENCE

IN
ANIMAL PRODUCTION
(Fish Nutrition)
Department of Animal production
Faculty of agriculture, Kafr El-Sheikh
Tanta University



APPROVAL SHEET

Title:.

EFFECT OF DIFFERENT SOURCES AND LEVELS OF LIPIDS ON GROWTH PERFORMANCE AND EFFICIENCY OF FEED UTILIZATION OF NILE TILAPIA (OREOCHROMIS NILOTICUS)

Name:

NIROZE MOHAMED ABD EL-MONEIM SEADA

This thesis has been approved by:

Prof. Dr. Said A. Mahmoud ...

Professor of Animal Nutrition Kafr-El-Sheikh, Faculty of Agriculture,

Tanta University, Egypt.

Prof. Dr. Mohamed K.Mohesen

Professor of Animal Nutrition Kafr-El-Sheikh, Faculty of Agriculture, Tanta University, Egypt.

Prof. Dr. Abd El-Hamid M S.Eid.....

Professor of Fish Nutrition
Faculty of Agriculture, Suez Canal University,
Ismailia Egypt.

Dr. Fawzy I.Magouz....

Date: 5 /5 / 2002

Associate Professor of Fish Nutrition Kafr-El-Sheikh, Faculty of Agriculture, Tanta University, Egypt.

(Committee in Charge)

ACKNOWLEDGMENT

All prayerful thanks are due to our generous **ALLAH** for gracious kindness in all the endeavors the auther has taken up his life.

My deepest gratitude and appreciation are due to Prof Dr. Mohamed K.Mohsen, Professor of Animal Nutrition, Animal Production Department, Faculty of Agriculture, Kafr El-Sheikh, Tanta University for his close supervision and continuous encouragement through this study.

Hearty thanks and gratitude to Dr. Fawzy I. Magouz, associat professor of Fish Nutrition, Animal Production Department, Faculty of Agriculture, Kafr El-Sheikh, Tanta University for suggesting the point, keen supervision, providing the facilities needed for the work, continuous encouragement and valuable guidance and his helpness in the writing this study.

Thanks are also, to Prof Dr. El-Sayed M. Abd-Raaoof, Professor of Animal Nutrition, Animal Production Department, Faculty of Agriculture, Kafr El-Sheikh, Tanta University for his appreciable help in statistical analysis and continuous encouragement through this study.

Sincere thanks are also extended to all staff members of Animal Production Department for their great help.

Finally, my heartly wishes to express my indebtedness to my family, for their encouragement during this study.

CONTENTS

Titel	Page
1- INTRODUCTION	
2- REVIEW OF LITRATURE	3
2.1.Lipid requirements	3
2.2.Lipid sources for fish feeding	7
2.3. Faty acids requirements	12
2.4.Effect of dietary lipids on body composition of fish	20
2.5.Carbohydrate-lipid ratio	21
3-MATERIAL AND METHODS	24
3.1.Experimental unit	24
3.2.Experimental fish	24
3.3.Diet composition and feed formulation	25
3.4.Experimental procedure	29
3.5 Growth and feed utilization parameters	29
3.6.Chemical analysis of feed and fish	31
3.7.Economical evaluation	32
3.8.Statistical analysis	32
4-RESULTS AND DESCUSSION	33
4.1. Water quality parameters	33
4.2 Growth performance	34
4.3.Effect of lipid source and level on the efficiency of	_
feedand protein, utilization	38
4.4.Effect of lipid source and levels on the whole body and	
viscera chemical composition	44
4.5.Condition factor	53
4.6. Economical evaluation	55
5- SUMMERY AND CONCLUSION	57
6- REFFRENSES	60
7- APPENDIX	73
8- ARABIC SUMMARY	

LIST OF TABLE

No	Table	Page
1	Essential fatty acids requirement of fish	19
2	Composition of the experimental diets (% on DM basis)	26
3	Composition of vitamins and minerals premix which used in experimental diet.	27
4	The proximate analysis and energy content of the	
	experimental diets	28
5	Data concerning of the experimental diet	29
6	Average water quality parameters recorded through out the	22
7	rxperiment	33
7	Average body weight gain and parameters of O. niloticus at the end of the experiment	35
8	Efficiency of feed and protein utilization by O. niloticus at the	
	end of the experiment	39
9	Chemical composition of whole body (carcass and viscera)	
	content of O. niloticus at the end of the experiment	46
10	Chemical composition of viscera content of O. niloticus at the	
	end of the experiment	50
11	Condition factor, liver index and viscera of O. niloticus at the	
	end of the experiment	54
12	Effect of dietary sources and levels of lipids on economic	
	efficiency of nile tilapia	56
1		

LIST OF FIGURE

No	Fig.	Page
1	Average body weight gain of o. niloticus at the end of the	26
	experiment	36
2	Average daily gain of o. niloticus at the end of the experiment	36
3	Specific growth rate of o. niloticus at the end of the experiment	37
4	Feed conversion ratioof o. niloticus at the end of the experiment	40
5	Protein productive valueof o. niloticus at the end of the experiment	40
6	Protein efficiency ratioof o. niloticus at the end of the	41
7	experiment Fat productive valueof o niloticus at the end of the	
,	experiment	41
8	Dry mutter content in fish body as affected by different sources and levels of lipids	47
9	Crude protein content in fish body as affected by different	47
	sources and levels of lipids	''
10	Ether extract content in fish body as affected by different sources and levels of lipids	48
11	Ash content in fish body as affected by different sources and	48
	levels of lipids	40
12	Dry mutter content in viscera as affected by different sources and levels of lipids	51
13	Crude protein content in viscera as affected by different sources and levels of lipids	51
14	Ether extract content in viscera as affected by different	52
	sources and levels of lipids	
15	Ash content in viscera as affected by different sources and levels of lipids	52
1	i e e e e e e e e e e e e e e e e e e e	1

List of symbols of scientific Terms and Abbreviation

ADG Average daily gain ANOVA Analysis of variance C° Centigrade	
C° Centigrade	
Cal Calorie	
CF Crude fiber	
CP Crude protein	
DE Digestible energy	
DM Dry matter	
EE Ether Extract	
FCR Feed conversion ratio	
Fig. Figure	
FPV Fat productive value	
G Gram	ı
CHO:L Carbohydrate: Lipid ratio	ļ
HSI Hepatosomatic indix	
IU International unit	Ì
K cal Kilo calori	
Kg Kilogram	
L Liter	
M ³ Cubic meter	
ME Metabolizable energy	l
Mg Milligram	
Mix Mixture	1
NFE N-free extract	l
N.R.C. National Research Council	Ì
O Oreochromis	
P.E Protein :energy	ļ
PER Protein Efficiency Ratio	ı
PPV Protein productive value	l
Ppm Part per million	l
S Sarotherodon	l
SGR Specific growth rate	
Vit Vitamin	l