Oral Lactoferrin as a Source of Iron Supplementation in Pediatric Patients with Chronic Kidney Disease

Thesis

Submitted for Partial Fulfillment of the Master Degree in **Pediatrics**

By Rawan Ashraf Mohamed Al-Arian

M.B.B.ch (2012)

Faculty of Medicine-Ain Shams University

Under Supervision of Prof. Dr. Ihab Zaki El-Hakim

Professor of Pediatrics
Faculty of Medicine-Ain Shams University

Dr. Mohamed Samy El-Farsy

Lecturer of Pediatrics
Faculty of Medicine-Ain Shams University

Faculty of Medicine Ain Shams University 2017

Acknowledgement

First of all, all gratitude is due to Allah Almighty for blessing this work, until it has reached its end, as a part of his generous help, throughout my life.

Really I can hardly find the words to express my gratitude to **Prof. Dr. Ihab Zaki El-Hakim**, Professor of Pediatrics, Faculty of Medicine-Ain Shams University, for his supervision, continuous help, encouragement throughout this work and tremendous effort he has done in the meticulous revision of the whole work. It is a great honor to work under his guidance and supervision.

I would like also to express my sincere appreciation and gratitude to **Dr. Mohamed Samy El-Farsy**, Lecturer of Pediatrics, Faculty of Medicine-Ain Shams University, for his continuous directions and support throughout the whole work.

Last but not least, I dedicate this work to my family, whom without their sincere emotional support, pushing me forward this work would not have ever been completed.

Rawan Ashraf Mohamed Al-Arian

List of Contents

Pa	ıge
Acknowledgment	
List of Abbreviations	Ι
List of Figures	III
List of Tables	V
Introduction	1
Aim of the Work	3
Review of Literature	4
Chapter 1: Chronic Kidney Disease	4
Chapter 2: Anemia of Chronic Kidney Disease	28
Chapter 3: Lactoferrin	44
Patients and Methods	61
Results	67
Discussion	83
Conclusion	90
Recommendations	91
Summary	92
References	94
Arabic Summary	

List of Abbreviations

ARBs : Angiotensin II receptor blockers

bLF : Bovine lactoferrinBMI : Body Mass Index

BUN : Blood Urea Nitrogen

CAD : Coronary Artery Disease

CAKUT: Congenital abnormalities of kidney and urinary

tract

CHF : Congestive Heart FailureCKD : Chronic kidney disease

DMSA : Di Mercapto Succinic Acid

eGFR : estimated Glomerular Filtration Rate

EPO : Erythropoietin

ESRD : End Stage Renal DiseaseEnd stage renal diseaseGFR : Glomerular Filtration Rate

HCV : Hepatitis C virushLF : Holo-lactoferrin

HMP : Hexose Mono Phosphate

HS : Heparan sulfateIL-6 : Interleukin 6IV : Intravenous

IVP : Intra Venous Pyelography

KDOQI: Kidney Disease Outcomes Quality Initiative

LDL : Low-density lipoprotein

LF : Lactoferrin

LPS : Lipopolysacchride

LVH : Left Ventricular Hypertrophy

NCEP-C: The National Cholesterol Expert Panel on

Children

NKF : National Kidney Foundation

List of Abbreviations (Cont.)

NSAIDS: Non Steroidal Anti Inflammatory Drugs

PCr : Plasma Creatinine Concentration

pLf : Porcine lactoferrin

PTH : Parathyroid Hormone

RBC : Red blood cell

RDA : Recommended dietary allowance

rhGH : recombinant Human Growth Hormone

rLf : Recombinant lactoferrin

SDS : Standard Deviation Scores

TPTZ : 2,4,6-Tri-(2-pyridyl)-5-triazine

List of Figures

Fig.	Title	Page
1	Autosomal recessive polycystic kidney disease	6
2	Hands of a transfusion-dependent patient on long-term hemodialysis. Several uremia-	12
	related cutaneous disorders are visible	
3	Anemia in CKD	28
4	Mechanism of action of hepcidin	29
5	Purpura	32
6	Three-dimensional structure of biferric bovine lactoferrin at a resolution of 2.8 Angstroms	45
7	Iron uptake, transport, delivery and recycling in the human body	46
8	Mechanism of antibacterial action of lactoferrin (LF)	49
9	Mechanism of antiviral action of lactoferrin (LF)	51
10	Pie chart describing gender in patients group	68
11	Etiology of CKD among cases	68
12	Pie chart describing the stages of CKD in patients group	69
13	Serum iron (µmol/L) among the studied cases	71
14	Rate of change in serum iron among the studied cases	72

Fig.	Title	Page
15	Serum ferritin (µmol/L) among the studied cases	73
16	Rate of change in serum ferritin among the studied cases	74
17	Serum TIBC (µmol/L) among the studied cases	75
18	Rate of change in serum TIBC among the studied cases	76
19	Blood Hb (gm/dL) among the studied cases	78
20	Blood RBC (x1012/L) among the studied cases	80
21	Comparison between CKD stages regarding	81
	lab changes 6 months after intervention	

List of Tables

Table	Title	Page
1	Standardized terminology for stages of CKD	5
2	Stages of CKD	63
3	Basal demographic and clinical characteristics of the studied cases	67
4	Clinical manifestations of anemia among the studied cases	70
5	Serum iron (µmol/L) among the studied cases	70
6	Rate of change in serum iron among the studied cases	71
7	Serum ferritin (µmol/L) among the studied cases	72
8	Rate of change in Serum ferritin abnormality among the studied cases	73
9	Serum TIBC (µmol/L) among the studied cases	75
10	Rate of change in Serum TIBC among the studied cases	76
11	Blood Hb (gm/dL) among the studied cases	77
12	Blood RBC (x1012/L) among the studied cases	79
13	Comparison between CKD stages regarding lab changes 6 months after intervention	81
14	Side effects among the studied cases	82



Introduction





Aim of the Work





Review of Literature





Anemia of Chronic Kidney Disease





Chronic Kidney Disease





Lactoferrin





Patients and Methods

