

# EFFECT OF THE PAROTID SALIVARY GLAND ON CALCIUM AND AMYLASE ENZYME LEVELS IN BLOOD AND ITS INFLUNCE ON BONE HEALING IN ALBINO RATS

#### (HISTOLOGICAL AND RADIOGRAPHIC STUDY)

# Thesis Submitted in partial fulfillment for Doctor degree in Oral Biology By

### RADWA TAHER MOSTAFA ELSHARKAWY

(B.D.S.(2005), M.D.Sc.(2010))

Faculty of Oral and Dental Medicine -Cairo University

Assistant lecturer-Future University

Faculty of Dentistry
Ain Shams University
(2015)

# **Supervisors**

### Prof. Dr. Medhat A. El-Zainy

Professor of Oral Biology Faculty of Dentistry Ain Shams University

### Dr. Ahmed Mahmoud Halawa

Assistant professor of Oral Biology
Faculty of Dentistry
Ain Shams University

# مِسْمِ اللهِ الرَّحْمنِ الرَّحِيمِ هَالُمِ اللهِ الرَّحْمنِ الرَّحِيمِ هَالُمِ اللهِ الْمَا إِلاَّ مَا عَلَمْ لَذَا إِلاَّ مَا عَلَمْتَذَا إِنَّكَ أَذِهَ الْعَلِيمُ الْحَكِيمُ

حدق الله العظيم

اية ( ٣٢) سورة البهرة

### **Acknowledgement**

Endless grateful thanks to Allah for helping me to finish this work.

First of all, I'd like to express my deep gratitude and appreciation to **Prof. Dr. Medhat Ahmed El-Zainy** Prof. of Oral Biology and former vice dean, Faculty of Dentistry, Ain Shams University for his extremely precious help, continuous support and valuable guidance throughout this work.

I am also equally thankful to **Ass. Prof. Dr. Ahmed Mahmoud Halawa** Ass. Prof. of Oral Biology, Faculty of Dentistry, Ain Shams University for his effort, time and indeed valuable notices during all the different stages of this work.

Great thanks to **Prof. Dr. Souzi Farid Shinashin**, Head of Oral Biology Department, Faculty of Dentistry, Ain Shams University, for her continuous encouragement and support.

And I would like to thank all the staff members and all my colleagues in **Oral biology department**, **Future University in Egypt** which is a great honor to be a member of.

### **Dedication**

I would like to thank my beloved husband **Dr. Hesham Sayed**, Lecturer of Oral and Maxillofacial surgery, Cairo University for his great help and support in performing such work, and for his valuable assistance in the surgical procedures in this thesis.

Also I would like to thank my family for the love and support they have given me. They always have been there for me caring and helping till I finished this thesis.

Finally to my lovely children **Salma** and **Hassan**.

# **Contents**

	Page
• Introduction and Review of liter	ature1
• Aim of the study	24
• Materials and Methods	25
• Results	37
• Discussion	74
• Summary	88
• Conclusions	92
• References	93
• Arabic summary	

# **List of Figures**

Figure no.	Title	Page
Fig. 1: Photos of	the surgical proce	dure showing: (a) the
skin incision, (b) t	he surgical defect,	(c) the closure of the
wound in the area	of the masseter m	suscle and (d) the skin
suturing		29
Fig. 2: Photo show	ring the 3 mms trep	ohine bur used to make
a standardized surg	gical defect	30
Fig. 3: Photo show	ving the Digora so	ftware while obtaining
the radiographic b	one density of on	e of the experimental
rats		33
formed woven bo surgical defect, a numerous deeply peripheral part of appeared at the	one budding from uniform band of stained resting f the bony defect boundary of the	the periphery of the f lamellar bone with lines in the most t, old compact bone experimental cavity.
(H&EX100)		40

Figure no.	Title	Page
Fig. 5: Photomicro	ograph of group IA	showing irregular
bone trabeculae bud	dding from the periph	ery of the surgical
defect numerous e	entrapped large sized	osteocytes, wide
marrow cavities	filled with connec	tive tissue, few
inflammatory cells	s, blood vessels, line	e of demarcation
between new and o	ld bone and Resting	lines. (H&EX100)
		40
<b>Fig. 6:</b> Photomicrograph of group IA showing a continuous layer of flattened and round osteoblasts surrounding the bone trabeculae, fibrocellular connective rich in fibroblasts, few inflammatory cells and numerous eosinophilic giant cells and Epithelial lined capillary vessels. (H&EX200)		
Fig. 7: Photomic	rograph of group I	A showing new
collagen fibers of th	ne newly deposited wo	oven bone, marrow
cavities containing	g new collagen fibe	ers and the new
collagen fibers scat	tered in the connectiv	ve tissue. (Masson
Trichrome X 100)		41

Figure no.	Title	page
Fig. 8: photomicrograph	of experimental g	group A showing
minimal bone formation	n from the defe	ct margin, wide
marrow cavities and i	nflammatory cell	infiltrations in
thebone marrow cavities	and in the rest of	of the connective
tissues. (H&EX100)		44
Fig. 9: Photomicrograph woven bone trabeculae ventrapped osteocytes, no blood vessels congested inflammatory cell infiltra and in the rest of the contraction.	with numerous irredumerous dilated of with RBCs in actions in the bone	egularly arranged endothelial lined marrow spaces, marrow cavities
and in the rest of the c		
Fig. 10: Higher magn	ification of the	previous figure
showing numerous acti	ve basophilic sta	ained fibroblasts
were in both marrow ca	vities as well as i	n the connective
tissue of the defect cavi	ty, high density o	f collagen fibers
together with frequent a	areas of extravast	ed RBCS in the
connective tissue. (H&E	X200)	45

Figure no. Title Pag
Fig. 11: Photomicrograph of subgroup IIA showing few
collagen fibers of the newly deposited woven bone (green
color), the mature bone (red color) and the new collagen
fibers scattered in the connective tissue. (Masson
Trichrome X 100) <b>45</b>
<b>Fig. 12:</b> Photomicrograph of <b>subgroup IB</b> showing a definite reversal line between new and old bone, thick bone trabeculae with narrow marrow cavities and large osteocytes and muscle tissue in the center of the defect
(H&EX100) <b>48</b>
Fig. 13: Photomicrograph of subgroup IB showing
osteoblastic activity lining the marrow cavities and bone
trabeculae, reversal line between new and old bone, muscle
tissue in the center of the defect and organized pattern of
the havesian system in the peripheral part of the defect
(H&EX200) <b>48</b>

Figure no. Title	Page
Fig. 14: Photomicrograph of	subgroup IB showing
intermingling green and red area	s with prevalence green
areas of the newly formed bone	in the defect cavity and
complete red color of the old and	d new mineralized bone.
(Masson Trichrome X 100)	49
<b>Fig. 15:</b> Photomicrograph of showing less organized bone	
osteocytes, wide marrow cavities	
•	•
cells, osteoblastic activities lining	
the marrow cavities and line of d	
and old bone. (H&E X 100)	52
Fig. 16: Photomicrograph of	subgroup IIB showing
regularly arranged bone trabeculae	e of old bone with resting
lines, osteoblastic activity lining	the marrow cavities and
irregular bone trabeculae with entr	rapped large osteocytes in
wide lacunae. (H&E X 200)	52
Fig. 17: Photomicrograph of s	subgroup IIB showing
considerable amount of green are	as with less red areas in
between and some green areas	in the marrow spaces.
(Masson Trichrome X 100)	53

Figure no. Title Page
Fig. 18: Photomicrograph of Control group C showing
considerable amount of deposited bone with line of
demarcation, compact bone with haversian system at the
periphery of the defect. (H&EX100) <b>56</b>
Fig. 19: Photomicrograph of subgroup IC showing almost
a uniform double band of lamellar bone with normal
osteocytes and compact bone with haversian system at the
periphery of the defect. (H&EX200) <b>56</b>
Fig. 20: Photomicrograph of subgroup IC showing intermingling green areas of the new collagen fibers and
red areas of mature collagen with prevalence to red areas
indicate mineralized bone. (Masson Trichrome X 100) <b>57</b>

Fig. 22: Photomicrograph of subgroup IIC showing a
definite reversal line between new and old bone, a uniform
band of lamellar bone with normal osteocytes and
numerous resting lines at the periphery, and clear
osteoblastic activity was lining the marrow cavities.
(H&EX200) <b>60</b>
Fig. 23: Photomicrograph of subgroup IIC showing
intermingling green and red areas of the bone trabeculae
and green color in the marrow cavities indicates presence
of collagen fibers. (Masson Trichrome X 100) <b>61</b>
<b>Fig. 24:</b> Showing a sample of the radiographs of the <b>control group</b> mandibles taken at 4 weeks63
<b>Fig. 25:</b> Showing a sample of the radiographs of the experimental group mandibles taken at 4 weeks63
<b>Fig. 26:</b> Showing a sample of the radiographs of the control group mandibles taken at 8 weeks65
<b>Fig. 27:</b> Showing a sample of the radiographs of the experimental group mandibles taken at 8 weeks65
<b>Fig. 28:</b> Showing a sample of the radiographs of the control group mandibles taken at 12 weeks67
<b>Fig.29:</b> Showing a sample of the radiographs of the experimental group mandibles taken at 12 weeks67

# **List of Charts**

Chart no.	Title	Page
bone density both the contr	of the surgical defe ol and experimenta	g the mean radiographic ect and normal bone for l groups at 4 weeks post
bone density of the control a	of the surgical defect and experimental g	g the mean radiographic and normal bone of both groups at 8 weeks post
bone density of the control a	of the surgical defect nd experimental gr	t and normal bone of both roups at 12 weeks post
control and ex	sperimental groups a	bone densities of the at 4, 8 and 12 weeks post
serum amylas the pre-opera	e of the control and tive, 4 weeks, 8	the mean values of the dexperimental groups at weeks and 12 weeks
levels of the c weeks and 12	ontrol and experime weeks postoperativ	ental groups at 4 weeks, 8 e and comparing them to73

## **List of Tables**

Table no.	Title	Page
<b>C</b>	n of radiographic bone densi	
	laboratory results of the	
•	esults of the serum calcium te	
		73