



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل

THE PHYSIOLOGICAL ASSESSMENT OF SOME FACTORS AFFECTING THE PRODUCTION OF FRESHWATER FISH

By

Abo El-Saoud Hassan Mohamed Abo El-Saoud

(B.Sc. Agriculture, Zagazig
University, 1971)

(M.Sc., Suez Canal University 1991)

Thesis

Submitted in Partial Fulfilment of the Requirements
For the Degree Doctor of Philosophy-Fish Production

Under Supervision of

M. A. El-Alamy

Prof. Dr. M.A.El-Alamy
Professor of Animal Physiology
Animal Production Department
Faculty of Agriculture
Suez Canal University
Ismailia
Egypt

Danasoury

Prof. Dr. M.A.El-Danasoury
Professor of Fish Physiology
Animal Production Department
Faculty of Agriculture
Suez Canal University
Ismailia
Egypt

Eid

Prof. Dr. A. Eid
Professor of Fish Nutrition
Animal Production Department
Faculty of Agriculture
Suez Canal University
Ismailia
Egypt

Prof. Dr. Ahmed Fekry H. Badran
Professor of Fish Diseases
Faculty of Veterinary Medicine
Suez Canal University
Ismailia
Egypt

Animal Production and Fish Resources Department

Faculty of Agriculture
Suez Canal University
Ismailia, Egypt.

1999



APPROVAL SHEET

**TITLE: THE PHYSIOLOGICAL ASSESSMENT OF SOME
FACTORS AFFECTING THE PRODUCTION OF
FRESHWATER FISH.**

NAME: ABO EL-SAOUD HASSAN MOHAMED ABO EL-SAOUD

THESIS HAS BEEN APPROVED

By

PROFESSOR DR. AHMED MAHMOUD BADAWY

.....A.M. Badawy.....

PROFESSOR DR. IBRAHIM ABD EL-MAGID KHALEL

.....Ibrahim Khalil.....

PROFESSOR DR. M.A. EL-DANASOURY

.....Danasoury M.A.K......

PROFESSOR DR. AHMED FEKRY H. BADRAN

.....A.F. Badran.....

DATE: 21 / 3 / 1999

Committee in charge

ACKNOWLEDGEMENT

First of all the author is greatly indebted in all his work and his success to our Merciful God.

Cardial thanks and deep gratitude are to my Professor Dr. M.A. El-Alamy, Prof. of Animal physiology, Animal production Department, Faculty of Agriculture, Suez Canal University for his deep kind encouragement, valuable guidance and supervision.

Sincere thanks and deep gratitude are particular to Prof. Dr. M.A. El-Danasoury, Prof. of fish physiology, Animal production Department, Faculty of Agriculture, Suez Canal University, for his sincere help, faithful guidance and willing efforts to facilitate the difficulties during this work.

All thanks are due to Prof. Dr. A. Eid, Prof. of fish Nutrition, Animal production Department, Faculty of Agriculture, Suez Canal University, for his help and his encouragement during the work.

Cardial thanks and deep gratitude are to Prof. Dr. Ahmed Fekry Hussein Badran, Prof. of Fish Diseases and Mangement, Faculty of Veterinary Medicine, Suez Canal University, for his sincer help, valuable guidance, deep kind encouragement and willing efforts to facilitate the difficulties during this work.

All thanks are also to Dr. Salah El-Deen Mosilhy Aly, lecturer of pathology, Department of pathology and clinical pathology, Faculty of Veterinary Medicine, Suez Canal University, for his great cooperation.

Great thank to staff members of Animal production and fish resources department, Faculty of Agriculture, Suez Canal University, for quidance and willing efforts to facilitate the difficulties during the work.

CONTENTS

	Page
INTRODUCTION.....	1
REVIEW OF LITERATURE.....	3
I- Most common bacterial diseases of the Egyptian freshwater fishes.....	3
II- Some physiological parameters on freshwater fish after bacteria infections.	10
1- Blood Picture	10
2- Inorganic constituents of fish blood sera	15
3- Biochemical parameters.....	15
4- Liver transaminases	15
5- Alkaline phosphatase	19
6- Total protein.....	20
7- Bilirubin	21
III- Effect of vitamins C and E on fish	22
a- Effect of vitamin C on fish resistance against infection by bacteria (immunity).....	22
b- Effect of vitamin C on growth	29
c- Effect of vitamin E on fish resistance against infection by bacteria (immunity).....	31
d- Effect of vitamin E on growth	36
MATERIALS AND METHODS	38
* Bacterial Isolation and Identification	39
* Physiological studies after bacterial infections.....	46
* Physiological studies after treatment with a broad spectrum antibiotic and some vitamins.....	52
* Effect of some vitamins on productivity of Nile Tilapia ..	54
RESULTS AND DISCUSSION	57
1- Most common bacterial diseases of Egyptian freshwater fishes. .	57
2- Effect of bacteria on Armout catfish and Nile tilapia	66

	Page
* Blood picture	66
* Red corpuscles and relevant characteristics.....	66
* Total and differential leucocytic count for catfish and Nile Tilapia	72
* Blood inorganic constituents of Armout catfish and Nile Tilapia.....	77
* Clinical biochemical effects on Armout catfish and Nile Tilapia.....	86
* Liver glycogen in Armout Catfish and Nile Tilapia.....	97
* Histopathological studies	99
3- Physiological studies after treatment with a broad spectrum antibiotic and some vitamins.....	109
4- Effect of vitamin C and vitamin E on growth performance of Nile Tilapia	115
CONCLUSION	125
SUMMARY	126
REFERENCES	132
ARABIC SUMMARY	

List of Tables

Table	Page
1 Inorganic constituents of fish blood sera cited to some investigations in the literature.	15
2 Oxidase and O/F reactions with different bacteria	44
3 Chemical analysis of fish food for physiological studies after bacteria infections	47
4 Chemical analysis of fish food for physiological studies after treatment with a broad spectrum antibiotic and some vitamins	52
5 Morphological; cultural and biochemical characters of <i>Aeromonas hydrophila</i> ; <i>Pseudomonas fluorescens</i> ; <i>Flexibacter columnaris</i> ; <i>Edwardsiella tarda</i> and <i>Streptococcus faecalis</i> isolates	62
6 Prevalence of bacterial diseases among naturally infected <i>Clarias lazera</i> and <i>Oreochromis niloticus</i>	64
7 Mortality rate of <i>O. niloticus</i> experimentally infection with different bacterial species	65
8 Mean \pm S.E. for the physiological assessment of blood picture (Erythrocytic; Lucocytic; Hemoglobin and packed cell volume "P.C.V" in Armout catfish " <i>Clarias lazera</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	67
9 Mean \pm S.E. for the physiological assessment of blood picture (Erythrocytic; Lucocytic; Hemoglobin and packed cell volume "P.C.V" in Nile Tilapia " <i>Oreochromis niloticus</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	68
10 Mean \pm S.E. for differential Leucocytic count "Neutrophil; Esinophil; Basophil; Lymphocyte and Monocyte" in Armout catfish " <i>Clarias lazera</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	73
11 Mean \pm S.E. for differential Leucocytic count "Neutrophil; Esinophil; Basophil; Lymphocyte and Monocyte" in Nile Tilapia " <i>Oreochromis niloticus</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	74

Table	Page
12 Mean \pm S.E. for serum Inorganic constituents sodium "Na"; potassium "K"; magnesium "Mg" and Calcium "Ca" in Armout catfish " <i>Claris lazera</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	78
13 Mean \pm S.E. for serum Inorganic constituents sodium "Na"; potassium "K"; magnesium "Mg" and Calcium "Ca" in Nile Tilapia " <i>Oreochromis niloticus</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	79
14 Mean \pm S.E. for the physiological assessment of liver functions "biochemical parameters for Total protein; Albumin; Alikaline phosphatase "ALP" and Total bilirubin" in Armout catfish " <i>Clarias lazera</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	87
15 Mean \pm S.E. for the physiological assessment of liver functions "biochemical parameters for Total protein; Albumin; Alikaline phosphatase "ALP" and Total bilirubin" in Nile Tilapia " <i>Oreochromis niloticus</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	88
16 Mean \pm S.E. for physiological assessment of liver functions "biochemical parameter for Glutamic oxaloacetic transaminase "GOT"; Glutamic pyruvic transaminase "GPT"; fructose, 1,6 diphosphatase "F,1,6 diphosphatase and Glycogen in liver" in Armout catfish" " <i>Clarias lazera</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	93
17 Mean \pm S.E. for physiological assessment of liver functions "biochemical parameter for Glutamic oxaloacetic transaminase "GOT"; Glutamic pyruvic transaminase "GPT"; fructose, 1,6 diphosphatase "F,1,6 diphosphatase and Glycogen in liver" in Nile Tilapia " <i>Oreochromis niloticus</i> " post bacterial infection " <i>Pseudomonas fluorescens</i> "	94
18 Mean hemoglobin (gm/dl),packed cell volume (PCV%), Total protein (gm/dl),Albumin (g/dl) and mean erythrocyte (RBC) of <i>Oreochromis niloticus</i> fed diets containing vitamins, E+C, C and E under infection by <i>Pseudomonas fluorescens</i> and treated with oxytetracycline	110

Table	Page
19 Mean leucocytic (WBC) and differential leucocytic count of <i>Oreochromis niloticus</i> fed diets containing vitamins,E+C, C,E under infection by <i>Pseudomonas fluorescens</i> and treated with oxytetracycline	113
20 Effect of vitamins C and E on growth performance on Nile Tilapia	117
21 Chemical analysis of Tilapia nilotica " <i>Oreochromis niloticus</i> " after 42 days feeding period on experimental diets (% on dry matter bass)- Mean \pm S.E	121

List of Figures

Figure	Page
1 <i>Clarias lazera</i> suffered from abdominal ascitis and exophthalmia	58
2 <i>Oreochromis niloticus</i> suffered from enlarged friable liver	58
3 <i>Clarias lazera</i> suffered from haemorrhage patches	59
4 <i>Clarias lazera</i> suffered from severe distention of gall bladder	59
5 <i>Oreochromis niloticus</i> suffered from splenomegally	60
6 <i>Oreochromis niloticus</i> suffered from fin and tail rot	60
7 Kidney, of fish from the control group of catfish H & E stain x 100	100
8 Kidney, of catfish infected I/P by PS. FL. (21°C, 48h.), showing parenchymal edema and hemorrhage along with degeneration and necrosis of renal tubules H & E stain., x 100	100
9 Kidney, of catfish infected I/P by PS. FL. (29°C, 48h.), showing congestion, tubular nephrosis, lymphocytic infiltration, and necrosis of some melanomacrophages H & E stain. X 100	101
10 Kidney, of catfish infected I/W by PS. FL. (29°C, 48h.), showing parenchymal edema and hemorrhage, tubular, nephrosis and focal aggregation of melanomacrophages H & E stain, x 100	101
11 Kidney, of catfish infected I/P by PS. FL. (21°C, 144h.), showing necrosis of renal tubules, melanomacrophages and hemopoietic cells H & E stain, x 100	102
12 Kidney, of catfish infected I/P by PS. FL. (29°C, 144h.), showing perivascular fibrosis and parenchymal hemorrhage as well as tubular nephrosis and numerous mononuclear leukocytes, H & E stain, x 100	102
13 Liver of fish from the control group of catfish H & E stain, x 100.	103

Figure	Page
14 Liver of catfish infected I/P by PS. FL. (21°C, 48h.), showing congestion, vacuolar degeneration of hepatocytes and aggregation of melanomacrophages. H & E stain, x 100	103
15 Liver of catfish infected I/P by PS. FL. (29°C, 48h.), showing mild congestion in hepatic sinusoids, necrosis and vacuolar degeneration in most hepatic cells, H & E stain, x 100	104
16 Liver of catfish infected I/W by PS. FL. (21°C, 144h.), showing hepatic necrosis along with perivascular and perioductal fibrosis, H & E stain, x 100	104
17 Liver of Tilapia infected I/P by PS. FL. (21°C, 48h.), showing vacuolar and hydropic degeneration of hepatic cells and pancereatic degeneration, H & E stain, x 100	105
18 Liver of Tilapia infected I/W by PS. FL. (29°C, 48h.), showing congestion and vacuolar degeneration of most hepatic cells, H & E stain, x 100	105
19 Spleen, of catfish from the control group. H & E stain, x 100	106
20 Spleen of catfish infected I/W by PS. FL. (29°C, 48h.), showing, cogestion, edema and hemorrhage. H & E stain, x 100	106
21 Spleen of Tilapia infected I/P by PS. FL. (21°C, 48h.), showing parenchymal edema, and lymphoid depletion. H & E stain, x 100	107
22 Spleen of Tilapia infected I/W by PS. FL. (21°C, 144h.), showing parenchymal hemorrhage and focal aggregation of melanomacrophages, H & E stain, x 100	107