STUDY OF SOME ANAGIOGENIC FACTORS FOR UTILIZATION IN THE DIAGNOSIS OF BLADDER CANCER ASSOCIATED WITH URINARY BILHARZISIS AND/ OR SMOKERS

Submitted By Amany El Sayed Bakr

B.Sc. (Biochemistry), King Abdul Aziz University,1985 M.Sc. in Environmental Sci, Ain Shams University,1998

A thesis Submitted
Towards a Doctor of Philosophy Degree
In Environmental Science

Department of Biological Science Institute of Environmental Studies & Research Ain Shams University دراسة لبعض العوامل المخلقة للأوعية الدموية لاستخدامها في تشخيص سرطان المثانة المصاحب للمصابين بالبلهارسيا البولية و/أو المدخنين

رسالة للحصول على درجة دكتوراة الفلسفة في العلوم البيئية

مقدمة من

الطالبة / أماني السيد عبد المجيد بكر

بكالوريوس علوم (كيمياء حيوية) جامعة الملك عبد العزيز (1985) ماجستير العلوم البيولوجية البيئية – معهد الدراسات والبحوث البيئية جامعة عين شمس (1998)

قسم علوم بيولوجية معهد الدراسات والبحوث البيئية جامعة عين شمس

Approval Sheet

STUDY OF SOME ANAGIOGENIC FACTORS FOR UTILIZATION IN THE DIAGNOSIS OF BLADDER CANCER ASSOCIATED WITH URINARY BILHARZISIS AND/ OR SMOKERS

Submitted By

Amany El Sayed Bakr

B.Sc. (Biochemistry), King Abdul Aziz Univrsity,1985. M.Sc. in Environmental Sci, Ain Shams Univrsity,1999.

This thesis Towards a Doctor of Philosophy Degree in Environmental Sciene has been approved by:

Name Signature

- 1- Prof. Dr. Raouf Mohmed Mahmoud EL-Allawy Prof. of Biochemistry National Organization for Drug Control and Research.
- 2- Prof. Dr Ahmad Mohamed Salem Prof. of Biochemistry Faculty of Science Ain Shams University
- 3- Dr. Mervat Mohey El.Dein Abo El.Enin Ass.Prof of Clinical Pathology Faculty of Medicine AL-Azhar Girls University
- 4- Dr. Soheir Badr El Dien Hussin Ass. Prof. of Clinical and Biochemical Pathology

Faculty of Medicin
Ain Shams University

STUDY OF SOME ANAGIOGENIC FACTORS FOR UTILIZATION IN THE DIAGNOSIS OF BLADDER CANCER ASSOCIATED WITH URINARY BILHARZISIS AND/OR SMOKERS

Submitted By

Amany El Sayed Bakr

B.Sc. (Biochemistry), King Abdul Aziz Univrsity,1985. M.Sc. in Environmental Sci, Ain Shams Univrsity,1999.

This thesis Towards a Doctor of Philosophy Degree

Ι'n

Environmental Sciene

Department of Biological Biological and Physical Science

Under The Supervision of

1. Prof.Dr. Ahmad Mohamed Salem

Prof. of Biochemistry Faculty of Science Ain Shams University

2. Prof. Dr. Abd El-Hamid Abd EL.Kader Yousuf

Pro.of Urology

Faculty of Medicine

Ain Shams University

3. Dr.Soheir Badr El Dien Hussin

Ass. Prof. of Clinical and Biochemical Pathology Faculty of Medicine

Ain Shams University

4. Dr. Hala Ibrahim Awadallah

Ass. Prof. of medical Science Institute of Environmental studies

and Research

Ain Shams University

- 5. Dr.Nahla Mohamad Mohamad Awad
- 6. Ass. Prof. of Pathology in Cancer Early diagnostic Unit Ain Shams University Hospitals

دراسة لبعض العوامل المخلقة للاوعية الدموية لاستخدامها في تشخيص سرطان المثانة المصاحب للمصابين بالبلهارسيا البولية و/أو المدخنين

رسالةمقدمة من

الطالبة/ أماني السيد عبد المجيد بكر

بكالوريوس علوم (كيمياء حيوية) جامعة الملك عبد العزيز

ماجستير العلوم البيولوجية والطبيعية – قسم العلوم البيولوجية معهد الدراسات والبحوث البيئية جامعة عين شمس 1999

للحصول على درجة دكتوراة الفلسفة في العلوم البيئية قسم علوم بيولوجية

تحت اشراف

1- أ.د/ أحمد محمد سالم

أستاذ الكيمياء الحيوية - كلية العلوم - جامعة عين شمس

2- أ.د/ عبد الحميد عبد القادر يوسف

أستاذ الكلى والمسالك البولية والتناسلية والعقم كلية الطب جامعة عين شمس

3- د/ سهير بدر الدين محمد حسين

استشاري مساعد باتولوجية اكلينكية وكيميائية كلية الطب جامعة عين شمس

4- د/ هالة ابراهيم عوض الله

أستاذ مساعد بقسم العلوم الطبية معهد الدراسات والبحوث البيئية ـ جامعة عين شمس

5- د/ نهلة محمد محمد عوض

استشارى مساعد باثولوجى وحدة الاكتشاف المبكر للاورام

بمستشفي جامعة عين شمس

ختم الإجازة

أجيزت الرسالة بتاريخ / 2011

موافقة مجلس المعهد

2011/ /

موافقة الجامعة / 2011/

Abstract

<u>Background</u>: HIF-1 α has emerged as a useful target for cancer therapy few publications advertising the hypoxic inducing factor -1 α (HIF-1 α).

A variety of markers for identification of microvessels in histological sections are available, CD34 is one of the most commonly used factors. Our study was designed to investigate HIF-1 α in urine using Enzymelinked immunosorbent assay (ELISA) technique and CD34 in tumor tissues by immunohistochemistry method. *Methods*: Samples were collected from thirty nine malignant patients, fifteen benign patients, and fifteen as controls. Urine samples, pathological samples from parafine embedded tissues were included. HIF-1 α was detected using ELISA in urine pellete and CD34 was detected in immunohistochemistry in parafine sections. *Results*: There was a statistically significant difference between benign and malignant groups regarding HIF-1 α level but there was no significant difference between stages or grades of malignant samples as regard HIF-1 α activity and CD34 level. *Conclusion*: HIF-1 α is expressed in all histopathological types of bladder cancer and Cd34 was expressed in different tumor tissues.

List of Contents

Acknowledgment	i
List of Abbreviations	iii
List of Tables	viii
List of Figures	X
Introduction	1
Aim of the Work	3
Review of Literature	4
Cancer bladder	17
o Bilharziasis	23
o Smoking	27
o Angiogenesis	31
o HIF-1α	41
o CD34	50
o Angiogenesis inhibitors	54
Patients and Methods	61
Results	
Discussion	
Summary and Conclusion	
Recommendations	
References	
Arabic Summary	



Before all I would like to express my deep thanks to GOD, without his great blessings, I have never accomplished this work.

I would like to express my deep obligation to **Dr. Ahmed**Mohamed Salem. Professor of Biochemistry Ain Shams University

Faculty of Science. For his valuable and generous help, faithful supervision and great cooperation. I wood like to take this opportunity to thank him for his continuous encouragement and support throughout the whole work.

It is a great pleasure and honor to present my deepest gratitude to **Dr. Abd el. Hamid Yousuf** Professor of Urology Ain Shams University Faculty of Medicine for accepting the supervision of my work and for the helpful guidance, directions and encouragements throughout my working period.

Indeed I would like to express my deepest thanks to **Dr. Hala**Ibrahim Awadallah Ass. Prof. of medical Science Institute of

Environmental Studies and Research Ain Shams University for the

fruitful suggestions and sincere advice which have been the main factors

to complete this work.

It is a great pleasure to express my sincere gratitude and highest appreciation to **Dr. Soheir Bader El.Dien** Asst. Prof. of Clinical and Biochemical Pathology Ain Shams University under her guidance and constant supervision this work has been prepared.

I would like to express my sincere gratitude and deepest appreciation to **Dr. Nahla Mohamed Awad** Ass. Prof. of Pathology Early Cancer Detection Unit .Pathology department, Ain Shams University Hospitals, she spared no effort in helping me throughout this work.

My deepest appreciation is to **Dr. Sanaa Eissa** Professor of medical Biochemistry and molecular biology and head of Oncology Unit Faculty of Medicine Ain Shams University for her great support and valuable advice throughout the work.

I am too grateful to **Dr. Abo Zeid Awad Mansour**, Prof. of Urology and head Institute of Urology for his generous help and unlimited support in collection of samples.

I would like also to express my sincere gratitude and appreciation to **Dr. Yazid Hodhod** Prof. of Urology and head of Palestine Hospital and **Dr. Nema Abo Medien**, head of Palestine Hospital, Palastine Hospital and to all Palestine Hospital family for there helpful guidance, valuable advice, meticulous care, and generous help in this work.

I would be remiss if I failed to acknowledge My Mother, Father, Sister and my Daughter, for their tolerance and their emotional support pushing me to finish this work, many thanks.

Amany El Sayed Bakr



List of Abbreviations

AA : Aromatic amines

ABP : Aminobiphenyl

AIG1 : Androgen induced gene-1

AIM2 : Interferon inducible metalo protein-2

ANXA1 : Annexin Al

aFGF : Fibroblast growth factors: acidic

BC : Bladder cancer

bFGF : Basic fibroblast growth factors

IM2 : Interferon inducible metalls protein-2

CA : Carbonic anhydrases

G-CSF : Granulocyte colony- stimulating factor

CASP1 : Caspase 1, apoptosis related cysteine protease

CCNE : Human mRNA for cyclin-E binding protein1

CCNT2 : Cyclin T2

CD34 : Cluster of differentiation 34.

CDC2 : Cell cycle control gene CDC2.

CDKN1 : Cyclin dependent kinase inhibitor1

CFLAR : CASP8 and FADD-like apoptosis regulator

CLDN7 : Claudin 7

Cox : Cyclooxygenase

CT : Computed tomography

CTGF : Connective tissue growth factor

CTSD : CathepsinD

CYP : Cytochrome P450

CYR61 : Cysteini-rich angiogenic inducer 61

DPA1 : Histocompatibility complex, class II, DP alpha 1

DRB3 : Histocompatibility complex, class 11, DR beta-3

ECS : Endothelial cells.

EXU : Excretory Urography

ETS : E-twenty six family

FER : Human tyrosine kinase (FER) mRNA

GLUT1 : Glucose transporter-1 protein

GST : Glutathion S- transferase

HGF : Hepatocyte growth factor

HIF- 1α : Hypoxia inducible factor -1 alpha.

HLA-1 : Major histocompatibility complex, class II, DP beta 1

HPV : Human papilloma virus

HSPG2 : Heparan sulfate proteoglycan 2

IFNGR1 : Interferon gamma receptor1

IGL : Immunoglobulin lambda locus

IL-8 : Interleukin-8

IL13 : Interleukin-13

IL4R : Interleukin-4 receptor

Igfbp5 : Insulin-like growth factor binding protein 5

IFI30 : Interferon, gamma-inducible protein 30

ISUP : The International Society of Urological

Pathology

ITGA3 : Integrin alpha 3

ITGA5 : Integrin, alpha-5

ITGAE : Integrin alpha E

1RF1 : Interferon regulatory factor 1

KRT4 : Cytokeratin 4(408AA)

LAMA3 : Laminin alpha 3

MMP12 : Matrix metalloproteinase- 1 2

MRI : Magnetic resonance

MVD : Microvessel density

NAT : N acetylamine S-transferase.

NO : Nitric oxide

8-OHdG : 8-hydroxy-2-deoxyguanosine-

PAHS : Polycyclic aromatic hydrocarbons.

PDCD2 : Programmed cell death2

PD-ECGF : Platelet-derived endothelial cell growth factor .

PDGFR : Platelet-derived growth factor receptor

PDGF-BB : Platelet-derived growth factor-BB

PTN : Plerotrophin

PRG1 : Proteoglycan 1 secretory granule

Rb : Retinoblastoma proteins

RNH : Ribonuclease/angiogenin inhibitor

ROS : Reactive oxygen species

S100P : SI00 calcium binding protein

SF : Scatter factor

SCC : Squamous cell carcinoma

ST14 : Suppression of tumorigenicity14

STMN1 : Stathmin 1/oncoprotein 18

TGF-alpha : Transforming growth factor-alpha

TCC : Transitional cell carcinoma

TCFL1 : Transcription factor-like- 1

TJP2 : Tight junction protein 2

TNM : Tumor, lymph nodes, and metastasis

TP53 : Wild type P53 activated fragment1

TUS : Transurethral Ultrasound

TNFalpha : Tumor necrosis factor-alpha

UC : Urethelial carcinoma.

UGB7 : Integrine beta-7

VEGF : Vascular endothelial growth factor.

VEGFC : Vascular endothelial growth factor C

VPF : Vascular permeability factor

WHO : World Health Organization

WTAP : Wilms tumor1 associated protein

ZnF173 : Zinc finger protein173

List of Tables

Tab. No.	Title	Page No.
Table (1):	Summary of the TNM staging system	14
Table (2):	Grading of bladder cancer	16
Table (3):	Pro angiogenic factors.	28
Table (4):	Genes differentially up-regulated in superficial TCC of the bladder	
Table (5):	Genes differentially up-regulated in invasive TCC of the bladder ($P < 0.01$)	
Table (6):	Anti-angiogenic Factors	39
Table (7):	Anti-Angiogenic Foods	43
Table (8):	Frequency distribution of different clinicopathological factors among studied groups	
Table (9):	Clinicopathological Factors in Malignant Group	
Table (10):	Urine cytology among different studied groups	
Table (11):	Urine cytology pattern in relation to pathological factors in Bladder Cancer group	•
Table (12):	Mean Rank of HIF-1 α among different Groups	
Table (13):	Mean Rank of HIF-1α in relation to Clinicopathological Factors in Malignant Group	-