

Contents

Subjects	Page
List of abbreviations.....	II
List of Figures	IV
List of Tables	VII
• Introduction	1
• Aim of the work	5
• Embryology, Anatomy and Physiology	6
• Chronic Mesenteric Ischemia	34
♦ Pathophysiology	34
♦ Clinical Presentation	38
♦ Management.....	52
• Acute Mesenteric Ischemia	82
♦ Pathophysiology	83
♦ Diagnostic.....	94
♦ Management.....	107
• Summary	132
• References	138
• Arabic Summary	

List of Abbreviations

<i>Abbrev.</i>	<i>Meaning</i>
ATP	Adenosine Tri-Phosphate
AMI	Acute Mesenteric Ischemia
CK	Creatine Kinase
CMI	Chronic Mesenteric Ischemia
CT	Computed Tomography
CTA	CT Angiography
DM	Diabetes Mellitus
HD	Hemodialysis
IMA	Inferior Mesenteric Artery
IMV	Inferior Mesenteric Vein
IVC	Inferior Vena Cava
LDH	Lactate Dehydrogenase
LMWH	Low Molecular Weight Heparin
MAS	Mesenteric Artery Stenting
MDCT	Multi Detector CT
MOSF	Multi Organ System Failure
MRA	Magnetic Resonance Angiography
MRI	Magnetic Resonance Imaging
MVT	Mesenteric Venous Thrombosis
NOMI	Non Occlusive Mesenteric Ischemia
PAN	Poly-arteritis Nodosa
PSV	Peak Systolic Velocity

List of Abbreviations

PTA	Percutaneous Angioplasty
PTAS	PTA and Stenting
PTFE	Polytetrafluoroethylene
ROMS	Retrograde Mesenteric Stenting
rT-PA	Recombinant Tissue Plasminogen Activator
SGOT	Serum Glutamic Oxaloacetic Transaminase
SMA	Superior Mesenteric Artery
SMV	Superior Mesenteric Vein
TIPS	Transjugular Intrahepatic PortoSystemic Shunting
VKA	Vitamin K Antagonist

List of Figures


Figure	Title	Page
Fig. 1.1	Primitive dorsal and ventral mesenteries	7
Fig. 1.2	The branches of the abdominal aorta	9
Fig. 1.3	The abdominal aorta, inferior vena cava and their branches	10
Fig. 1.4	Branches of the celiac artery	12
Fig. 1.5	The SMA and its branches	18
Fig. 1.6	The distribution of the SMA and IMA	21
Fig. 1.7	The collateral vessels between the SMA and the IMA	22
Fig. 1.8	Portal venous system	25
Fig. 1.9	Magnetic resonance aorto-iliac angiogram	26
Fig. 1.10	Celiac axis and its branches on digital subtraction angiography	27
Fig. 1.11	The SMA and its branches on angiogram	28
Fig. 1.12	The marginal artery, on digital subtraction arteriogram	29
Fig. 1.13	The superior mesenteric vein and its branches	30
Fig. 2.1	Typical patient with CMI with significant weight loss and cachexia	40
Fig. 2.2	Selecrive SMA angiogram	44
Fig. 2.3	Angiographic documentation of extrinsic compression of the celiac artery by the median arcuate ligament	45
Fig. 2.4	Catheter-based contrast arteriogram of the aorta in the lateral projection	46
Fig. 2.5	Anteroposterior angiogram of a patient with CMI	47

List of Figures

Fig. 2.6	CT arteriogram of the upper abdomen	48
Fig. 2.7	Diffuse atherosclerosis with occlusion of the distal main trunk of the SMA (ileocolic artery)	49
Fig. 2.8	Working mechanism of gastric tonometry	31
Fig. 2.9	Antegradeaortoceliac-superior mesenteric artery bypass	60
Fig. 2.10	Right iliomesenteric bypass for retrograde revascularization of the SMA	63
Fig. 2.11	Celiac and superior mesenteric artery endarterectomy	64
Fig. 2.12	Mortality rate after PTA/S compared with surgical repair for CMI from 1988 to 2006	68
Fig. 2.13	An 85 year old woman presented with chronic abdominal pain and weight loss for 3 months and occlusion of the celiac axis and the SMA	75
Fig. 2.14	Mesenteric artery stenting performed through the femoral approach was complicated by side branch perforation	78
Fig. 3.1	AMI: distribution of etiologies in 402 patients	85
Fig. 3.2	3D volume rendering of arterial phase MDCT shows SMA occlusion consistent with an embolus	99
Fig. 3.3	CTA sagittal multiplanar reformat shows an acute thrombotic occlusion of the proximal SMA	100
Fig. 3.4	MR grading accuracy for the celiac artery, SMA and IMA stenosis with prospective conventional angiographic correlation	103

List of Figures

Fig. 3.5	CT scan of the abdomen in a patient with acute thrombosis of the SMV complicating acute pancreatitis	106
Fig. 3.6	Operative exposure of the infrapancreatic SMA and IMA	110
Fig. 3.7	Optimal orientation for retrograde SMA bypass	114
Fig. 3.8	Procedure volume for revascularization of AMI by PTA/S compared with open repairs from 1988 to 2006	118
Fig. 3.9	Mortality rate after PTA/S compared with surgical repairs for AMI from 1988 to 2006	120
Fig. 3.10	Retrograde open mesenteric stenting with a long 6 Fr sheath placed through the patched SMA	122
Fig. 3.11	Retrograde open mesenteric stenting; an intraoperative angiogram	123



List of Tables

List of Tables

<u>No.</u>	<u>Table</u>	<u>Page</u>
<u>2.1</u>	Shows diagnostic testing in CMI.	50
<u>3.1</u>	Conditions associated with MVT.	91



Introduction





Aim of the Work





Embryology, Anatomy and Physiology





Chronic Mesenteric Ischemia





Acute Mesenteric Ischemia





Summary





References





Arabic Summary

