RECOVERY OF SOME PRECIOUS METALS FROM INDUSTRIAL WASTE

A Thesis
Submitted to
Faculty of Science
Ain Shams University

By

Yasser Shibl Mahrous M.Sc. (2000)

For

The Degree of Ph.D. in Chemistry

Under the Supervision of

Prof. Dr. M.F. El-Shahat Prof. of Inorganic and

Analytical Chemistry Faculty of Science, Ain Shams University

Associated Prof. M.A. Barakat Associated Prof. of Chemical

Metallurgy Department,

(CMRDI)

Cairo, Egypt 2006

RECOVERY OF SOME PRECIOUS METALS FROM INDUSTRIAL WASTE

Thesis Advisors	Approved
Prof. Dr. M.F. El-Shahat	
Prof. of Inorganic and Analytical Chemistry Faculty of Science, Ain Shams University	
Associated Prof. M.A. Barakat	
Associated Prof. of Chemical Metallurgy Department, (CMRDI)	

Prof. Dr. El-Sayed A. Soliman

Head of Chemistry Dept.

ACKNOWLEDGEMENT

I would like to express my gratitude to **Prof**. **Dr**. **M.F**. **El-Shahat**, Professor of Inorganic and Analytical Chemistry, Faculty of Science, Ain Shams University for his sponsorship, constructive criticism and deep concern in this work.

I am cordially indebted and grateful to **Dr**. **M**.**A**. **Barakat**, Associated Professor of Chemical Metallurgy Dept., CMRDI for suggesting the problem of this thesis, his direct supervision, and for his valuable discussion and constructive criticism during the course of the work.

The continuous support of **Dr**. **M**.H.H. **Mahmoud**, Associated Professor of Chemical Metallurgy Dept., CMRDI, for his continuous guidance, discussion and unfailing support are deeply appreciated.

Thanks should be forwarded to all colleagues and technical staff elsewhere who helped me throughout the work and support me to issue this thesis.

الي كل من أراد لي النجاح دائماً وكان بجواري وفي مقدمتهم

TABLE OF CONTENTS

LIST OF TABLES	
LIST OF FIGURES	
LIST OF PLATES	
INTRODUCTION	
AIM OF THE WORK	
SUMMARY	·XVII
CHAPTER	
1. LITERATURE SURVEY	1
1.1 Dissertation Outline	··· 1
1.2 Secondary Sources of PGMs	_
1.3 Physical Properties	
1.4 Chemical Properties	
1.4.1 Platinum 1.4.2 Palladium	_
1.4.3 Rhodium	_
1.5 Importance and Uses	- 8
1.5.1 Platinum importance and uses	_
1.5.2 Palladium importance and uses	_
1.6 Market: Supply, Demand, and Price	· 11
1.7 Extraction and Recovery of PGMs	· 14
1.7.1 Pyrometallurgical processing of PGMs	
1.7.1.1 Fusion in molten metals	·· 14
1.7.1.2 Carbonization method	. 15
1.7.1.3 Collector metal method	. 15
1.7.1.4 Metal vapor metallog	
1.7.2.1 Chloride leaching	
1.7.2.2 Halides leaching rather than chlorides	
1.7.2.3 Thiourea leaching	
1.7.2.4 Cyanide leaching	

1.7.3 Electrometallurgical extraction	32
1.8 Separation and Purification of PGMs······	34
1.8.1 Metals precipitation······	34
1.8.1.1 Photo-reduction precipitation	
1.8.1.2 Electro-precipitation	
1.8.1.3 Bio- precipitation	
1.8.1.4 Electrobio –precipitation	
1.8.1.5 Chemical –precipitation	
1.8.3 Supported liquid membrane separation	_
1.8.4 Ion exchange separation	
1.9 References	
2. RECOVERY AND SEPARATION OF PALLADIUM FROM SPENT CATALYST	61
2.1 Abstract	_
2.2 Introduction	····· 61
2.3 Experimental	
2.3.1 Materials	
2.3.2 Chemicals	
2.3.3 Recovery and separation of palladium····································	
-	
2.4 Results and Discussion	67
2.4.1 Palladium leaching and recovery	
2.4.1.1 Effect of hydrochloric acid	
2.4.1.2 Effect of time	····· 70
2.4.1.3 Arrhenis plot for leaching process	····· 70
2.4.1.4 Effect of liquid / solid ratio	
2.4.2 Pallacium Separation 2.4.2.1 Effect of time	
2.4.2.2 Effect of formic acid amount	
2.4.2.3 Effect of pH	
2.4.2.4 Purity of separated palladium powder	
2.5 Estimated Cost Analysis	····· 77
2.6 Summary	····· 78
2.7 References	79

80
···· 80
···· 81
····· 81
····· 81
82
···· 82
·····83
83
····· 83
···· 85
•••• 86
88
89
···· 90
···· 91
91
···· 91
93
93
····· 95
95
95
95
····97
····97
···· 97
99
102
······103

4.4.3.3 Effect of solid / liquid ratio	
4.4.3.4 Effect of aluminum chloride and	
concentrations	
4.4.4 Dissolution in (FeCl ₃ & HNO ₃) leaching	
4.4.4.1 Effect of leaching time 4.4.4.2 Effect of leaching temperature	
4.4.4.3 Effect of solid / liquid ratio	
4.4.4.4 Effect of ferric chloride and nitric a	
4.4.5 Environmental task and the evolved g	
4.4.6 Dissolution in modified (FeCl ₃ & HNO ₃	
solution	116
4.4.6.1 Effect of hydrochloric acid addition	116
4.5 Summary	119
4.6 References······	
4.0 References	120
E COLVENT EVIDACTION OF DIATINUM AND	DUODIUM EDOM
5. SOLVENT EXTRACTION OF PLATINUM AND THEIR AQUEOUS SOLUTIONS	
	_
5.1 Abstract	
5.2 Introduction	124
5.3 Experimental	125
5.3.1 Preparation of stock Pt & Rh leach so	
5.3.2 Reagents	
5.3.3 Procedure	
5.3.3.1 In extraction stage	
5.3.3.2 In stripping stage	
5.4 Results and Discussion	129
5.4.1 Extraction of platinum and rhodium	
leaching solution	olvent extraction of
platinum and rhodium	
5.4.1.2 Effect of extraction time	
5.4.1.3 Effect of hydrochloric acid concent	
5.4.1.4 Effect of organic phase concentral	
5.4.1.5 Effect of liquid / liquid ratio	
5.4.1.6 Effect of tin (II) chloride addition-	
5.4.1.7 Effect of organic phase concentral	
5.4.1.8 The extraction behavior of differe	
metals	
5.4.2 Stripping of rhodium from organic ph	ase144

5.4.2.1 Effect of stripping time	144
5.4.2.2 Effect of stripping agent concentration	145
5.4.2.3 Effect of liquid / liquid ratio	
5.4.2.4 Rhodium purity	
5.4.3 Stripping of platinum to the aqueous phase	
5.4.3.1 Effect of stripping time	
5.4.3.2 Effect of aqueous phase concentration	149
5.4.3.3 Effect of liquid/ liquid ratio	
5.4.3.4 Platinum purity	150
5.5 Estimated Cost Analysis ······	152
5.6 Summary	153
5.7 References	154

ARABIC SUMMARY

LIST OF FIGURES

Figure (2-1)	, The flowsheet of the recovery and separation of palladium from spent Pd/Al ₂ O ₃ catalyst 66
Figure (2-2),	The XRD pattern of the spent catalyst sample 66
Figure (2-3),	The calculated distribution graph of Pd species as a function of free chloride concentration 69
Figure (2-4)	, The effect of hydrochloric acid concentration on the efficiency of Pd recovery at different concentration of H ₂ O ₂
Figure (2-5)	, The recovery of palladium as a function of time and temperature, at 7% HCl, 5% H2O271
Figure (2-6)	, Arrhenis plot for leaching process at 7% HCl, 5% H ₂ O ₂ 71
Figure (2-7),	, Effect of solid / liquid ratio on Pd recovery at 5% H ₂ O ₂ ·································
Figure (2-8)	, Effect of time on Pd separation at different temperatures ·······74
Figure (2-9)	The effect of addition of formic acid: Pd solution vol. ratio on the Pd separation at different temperatures
Figure (2-10), Effect of pH on Pd separation with 0.5 formic acid vol. ratio76
Figure (3-1)	, Effect of particle size on the efficiency of Pd recovery84
Figure (3-2)), The effect of temperature on the extraction efficiency of Pd at different time intervals from -0.200+0.065mm
Figure (3-3)	, The effect of HCI concentration on the extraction efficiency of Pd from -0.200+0.065mm85

	The application of chemical mechanism equation on the palladium dissolution reaction at different temperature
	The application of diffusion mechanism equation on the palladium dissolution reaction at different temperature
Figure (3-6), 1	The Arrhenius plot for the Pd dissolution reaction 88
Figure (4-1), 1	The XRD pattern of Pt- dust sample98
	The potential-pH diagram for platinum cation in aqueous solutions at 25°C····································
	The potential-pH diagram for platinum chloride complex in aqueous solutions at 25°C100
Figure (4-4), F	Rhodium chloride speciation diagram at 25°C101
	The effect of time on the dissolution efficiency of Pt & Rh using 2M AlCl ₃ and 2M HNO ₃ 103
	The effect of temperature on the dissolution efficiency of Pt & Rh using 2M AlCl3 and 2M HNO3105
	The effect of solid/ liquid ratio on the dissolution efficiency of Pt & Rh using 2M AlCl3 and 2M HNO3105
1	The effect of aluminum chloride concentration on the dissolution efficiency of Pt & Rh at 2M HNO3107
	The effect of nitric acid concentration on the dissolution efficiency of Pt & Rh at 2M AlCl ₃ 107
	The effect of time on the dissolution efficiency of Pt & Rh using 2M FeCl ₃ and 2M HNO ₃ 109
), The effect of temperature on dissolution efficiency of Pt & Rh using 2M FeCl ₃ and 2M HNO ₃ 111

	The effect of solid/ liquid ratio on the dissolution efficiency of Pt & Rh using 2M FeCl3 and 2M HNO3········111
	The effect of nitric acid concentration on the dissolution efficiency of Pt & Rh at 2M FeCl₃113
t	The effect of ferric chloride concentration on the dissolution efficiency of Pt & Rh at 2M HNO3113
	The effect of leaching solution composition on the amount of released gases117
	The effect of time on the dissolution efficiency of Pt & Rh using 1M FeCl ₃ & 2.8M HNO ₃ & 2.8M HCl117
! !	The comparison between (FeCl ₃ & HNO ₃) and its modified solution (FeCl ₃ & HCl & HNO ₃) as eaching solutions from the view of dissolution yield and environmental task118
	Chemical structure of tri-octyl phosphine oxide, FOPO (Cyanex 921)126
	Effect AICl₃ on the extraction behavior of Pt(IV) and Rh(III)129
	The calculated distribution graph of Rh species as function of free chloride concentration132
Figure (5-4), E	ffect of time on extraction of Pt & Rh134
Figure (5-5), I	Extraction of Pt & Rh in 4M HCl ······135
	Effect of HCl conc. on extraction efficiency of Pt & Rh136
	Effect of TOPO conc. on extraction efficiency of Pt

Figure (5-8),	The relation between log D and log [TOPO] for rhodium139
Figure (5-9),	Effect of liq./liq. ratio on extraction efficiency of Pt & Rh140
Figure(5-10),	Effect of time on extraction efficiency of Pt at different tin conc141
Figure (5-11)	, Effect of liq./liq. ratio on extraction efficiency of Pt at different concentration of TOPO142
Figure(5-12),	The relation between log D and log [TOPO] for platinum143
Figure (5-13)	, Stripping efficiency of rhodium as a function of stripping time146
Figure (5-14)	, The stripping efficiency of rhodium as a function of KOH concentration146
Figure (5-15	5), The effect of aq./org. phase ratio on the stripping efficiency of rhodium147
Figure (5-16)	, The effect of time on the stripping efficiency of platinum at different concentration of aqueous phase149
Figure (5-17)), The stripping efficiency of Pt as a function of hydrochloric acid concentration at different perchloric acid concentrations form 75 ppm loaded organic phase151
Figure (5-18)), The stripping efficiency of Pt as a function of org./ aq. phase ratio from 78 ppm loaded organic phase at different aqueous phase concentration

LIST OF PLATES

Plate (2-1),	A photograph for the spent palladium pellets	64
Plate (4-1),	The photograph of the nitric acid tower and its schematic diagram	94
Plate (4-2),	The photographs of used Pt- Rh catalyst and the produced platinum dust	
Plate (4-3),	The schematic diagram of the used leaching system for Pt- dust	96

LIST OF TABLES

Table 1-1: The common secondary resources of PGMs4	1
Table 1-2: The most important physical properties of platinum, palladium, and rhodium metals5	5
Table 1-3: Total supply of platinum, palladium, and rhodium from 2002 up to 20051	1
Table 1-4: Demand by application of platinum, palladium, and rhodium from 2002 up to 20051	2
Table 1-5: Average platinum, palladium, and rhodium prices in \$ per oz from 2002 up to 20061	2
Table 2-1: Estimated cost analysis of the process 7	7
Table 3-1: Size fraction distribution of spent Pd- Al ₂ O ₃ catalyst	2
Table 4-1: Size fraction for the platinum dust9	5
Table 4-2: XRF analysis for the platinum dust9	8
Table 5-1: Analytical determination of Pt(IV) and Rh(III)by atomic absorption spectrometer in the presence of increasing amounts of AlCl ₃	30
Table 5-2: Free energy values of rhodium chloride complexes13	32
Table 5-3: The extraction percentage of different leached Pt –dust metals14	14
Table 5-4: Estimated cost analysis of the process 15	52