Evaluation of the Combined Vaginal ring (NuvaRing) Clinical, Biochemical and Ultrasonograhic Studies

A Thesis
Submitted for the Fulfillment of M.D.degree in
Obstetrics & Gynecology

By

Dina Mohamed Refaat Dakhly

MB. Bch, M.sc

Assistant lecturer of Obstetrics and Gynaecology Faculty of medicine-Cairo University

Supervised by:

Dr. Maher Mohamed Ahmed Abd El Wahab

Professor of Obstetrics & Gynaecology Faculty of Medicine -Cairo University

Dr. Mohamed Mahmoud Waly

Professor of Obstetrics & Gynaecology Faculty of Medicine- Cairo University

Dr. Fawzy Ahmed Halawa

Professor of Biochemistry Faculty of Medicine- Cairo University

Faculty of Medicine
Cairo University
2010

بسم الله الرحمن الرحيم

﴿ قَالُوا سُبْحَانَكَ لاَ عِلْمَ لَنَا إِلاَّ مَا عَلَّمْتَنَا إِلاَّ مَا عَلَّمْتَنَا إِلَّا مَا عَلَيْمُ الْحَكِيمُ ﴾

صدق الله العظيم

سورة البقرة: آية (32)

Acknowledgement

First of all I would like to thank **Allah** who gave me the power and patience throughout my work.

I would like to thank **Dr. Maher Abd El-Wahab**, Professor of Gynecology and Obstetrics, Cairo University, for his great advice and supervision in this thesis.

I would like to express my gratitude to **Dr. Mohamed**Waly Professor of Gynecology and Obstetrics, Cairo University.

Many thanks to **Dr. Fawzy Halawa**, Professor of biochemistry, Cairo University, for the efforts he did to complete this study.

Finally, this work is my present to my family.

Abstract

NuvaRing, is a combined contraceptive vaginal ring that has been developed recently. it's comparable to combined oral contraceptive pills in action, but with lower hormonal levels. It acts manily by inhibition of ovulation as proved by hormonal profile and ultrasonographic assessment. Owing to the low hormonal level, it has minimal impact on the lipid and carbohydrate metabolism as well as hemostasis and liver function.

Key words

Contraceptive vaginal ring

Nuvaring

Ovarian Function

Hemostasis

Endometrial thickness

<u>Index</u>

Chapter 1

Introduction	1
Aim of Work	4
Chapter 2 Hormonal contraception	
Introduction	6
Historical overview	8
Preparations of combined hormonal contraception	13
Patterns of use	17
Chapter 3 Review of the combined contraception	ve vaginal
ring	
Introduction	25
Description	26
Pharmacokinetics	28
Mechanism of action	32
Indications	32
Use	35
Advantages	40
Disadvantages and Adverse events	41
Contraindications	54
Drug Interactions	55

Contraceptive efficacy	60
Cycle control	65
Compliance	75
Acceptability	76
Chapter 4 Patients and methods	
Objectives	82
Subjects	82
Study design	84
Study assessment	91
Statistical analysis	93
Chapter 5 RESULTS	96
Chapter 6 DISCUSSION	113
Chapter 7 SUMMARY	124
Chapter 8 REFERENCES	129
Chapter 9 ARABIC SUMMARY	148

List of tables

Table	Title	Page
Table.2.1	Prevalence of oral use of combined hormonal contraceptives worldwide	20
Table.3.1	Mean (SD) serum etonogestrel and ethinyl estradiol concentration $(n=16)$	29
Table. 3.2	Mean (SD) pharmacokinetic parameters of NuvaRing® (n=16).	30
Table.3.3	Percentage of women experiencing unintended pregnancy during the first year of typical use and the first year of perfect use of contraception and the percentage continuing use at the end of the first year: United States.	33
Table.3.4	Percentage of women reporting adverse events with NuvaRing and a COC in two non-comparative studies and three randomized controlled trials	51
Table.3.5	Incidence of adverse events according to the study performed by Roumen et al., 2001	53
Table 3.6	Contraceptive efficacy with NuvaRing in 2 non-comparative studies and in 2 randomized controlled trials comparing NuvaRing with 2 different COCs: 150LNG/30EE and DRSP/30EE (ITT population)	63
Table 3.7	Incidences (percentages) of bleeding as a proportion of intention-to treat evaluable cycles ^a according to Roumen et al., 2001	67
Table 3.8	The different pattern of bleeding in Oddsson et al., 2005a, b study between NuvaRing and COC	70
Table 3.9	The comparison between different patterns of bleeding in Ahrendt et al., 2006 study	73
<i>Table 3.10</i>	The incidence of intended bleeding pattern - defined as cycles with a withdrawal bleeding, no early or continued withdrawal bleeding, and no irregular bleeding - during NuvaRing and COC use in 1 large non-comparative study and 2 large randomized controlled trials	74

Table 5.1	The baseline demographic of the females	96
Table 5.2	Last used contraceptive method, Combinations of contraceptive methods could have been used.	96
Table 5.3	Results of the Questionnaire	98
Table 5.4	Patient satisfaction from NuvaRing use	99
Table 5.5	Incidence of adverse events	100
Table 5.6	FBS and PPBS changes with the NuvaRing	102
Table 5.7	Changes of lipid metabolism with NuvaRing use	103
Table 5.8	Liver enzymes values with Nuvaring use.	103
Table 5.9	Changes of antithrombin III and protein C with NuvaRing	104
Table 5.10	Hormonal levels with NuvaRing	105
Table 5.11	Maximum follicular diameter with NuvaRing	107
<i>Table 5.12</i>	Day 21 ultrasonographic assessment with NuvaRing use	108

List of figures

Figure	Title	Page
Figure 3.1	The combined contraceptive vaginal ring (NuvaRing®).	27
Figure 3.2	Evatane.	27
Figure 3.3	Mean serum concentration-time profile of etonogestrel and ethinyl estradiol during three weeks of NuvaRing® use.	30
Figure 3.4	NuvaRing insertion and removal	39
Figure 3.5	Incidence of irregular bleeding in the intent-to-treat (ITT) population according to Roumen et al., 2001	66
Figure 4.1	The questionnaire for recording of patient history, assessment of patient satisfaction, occurrence of side effects and recording of laboratory and ultrasonograhic findings	89
Figure 5.1	The last used contraceptive method	97
Figure 5.2	Results of the Questionnaire	98
Figure 5.3	Patient satisfaction	99
Figure 5.4	Incidence of adverse events	101
Figure 5.5	Carbohydrate metabolism with NuvaRing use	102

Figure 5.6	Liver enzymes with NuvaRing use	104
Figure 5.7	FSH level changes with Contraceptive vaginal ring	105
Figure 5.8	LH level changes with Contraceptive vaginal ring	106
Figure 5.9	17\beta estradiol changes with Contraceptive vaginal ring	106
Figure 5.10	Progesterone changes with Contraceptive vaginal ring	107
Figure 5.11	Maximum follicular diameter with NuvaRing.	108
Figure 5.12	Day 21 endometrial thickness with NuvaRing use	109
Figure 5.13	Day 21 uterine blood flow with NuvaRing use	109
Figure 5.14	A case with normal uterine Doppler blood flow	110
Figure 5.15	A case with decreased endometrial thickness 4mm	110
Figure 5.16	A case day 8 of the cycle with endometruim (9 mm)	111

Abbreviations

Abbreviation	Details
2hPPBS	2 Hours Post Prandial Blood Sugar
$17 \beta E_2$	17 Beta Estradiol
ALT	Alanine Transferase
AST	Aspartate Transaminase
CCVR	Combined Contraceptive Vaginal Ring
CI	Confidence Interval
CL	Apparent Clearance
COCs	Combined Oral Contraceptives
DRSP	Drospirenone
EE	Ethinyl Estradiol
ENG	Etonogestrel
FBS	Fasting Blood Sugar
FSH	Follicle-Stimulating Hormone
GES	Gestodene
HDL	High Density Lipoprotein
IARC	International Agency For Research On Cancer
Ib	Pounds
IMS	Institute of Medical Statistics
ITT	Intent-To-Treat
IUDs	IntraUterine Devices
IU/L	International unit per litre
IUS	IntraUterine System
Kg	Kilogram
LDL	Low Density Lipoprotein
LH	Luteinizing Hormone
LNG	Levonorgestrel
mg	Milligram

MHz	Mega Hertz	
mm	Millimeters	
Mm^2	Square meter	
ng/ml	Nano gram per milliliter	
<i>OCs</i>	Oral Contraceptives	
pg/ml	Pico gram per milliliter	
PI	Pearl Index	
PI	Pulsatility Index	
PP	Per Protocol	
RI	Resistance Index	
SD	Standard Deviation	
SHBG	Sex Hormone-Binding Globulin	
$t_{1/2}$	Half-Life	
Tmax	Time at which maximum serum drug concentration occurs	
TV Doppler	Transvaginal Doppler	
TVS	Transvaginal Sonography	
Ug	Microgram	
URTI	Upper Respiratory Tract Infection	
U/S	Ultrasonography	