

شبكة المعلومات الجامعية



Story of the story





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



أُ شبكة المعلومات الجامعية

### جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

### قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠%. To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائق


الإصلية تالفة

عين شمس آي شيكة المعلومات المامعية

@ ASUNET



# بالرسالة صفحات لم



## Formulation and evaluation of particulate systems for targeted delivery of vaccines

#### A Thesis

Presented to the Graduate School
Faculty of Pharmacy, Alexandria University
In Partial Fulfillment of the
Requirements for the Degree

Of

Doctor of Philosophy

In

Pharmaceutical Sciences (Pharmaceutics)

By

Sally Galal Abd El-Haleem

M. Pharm. Sci., Alexandria University



## Formulation and evaluation of particulate systems for targeted delivery of vaccines

Presented by

Sally Galal Abd El-Haleem

M. Pharm. Sci., Alexandria University

For the Degree

Of

**Doctor of Philosophy** 

In

**Pharmaceutics** 

Examiners' Committee  Prof. Dr. Nawal Holand Klabfall	Approved  Nawa Udalaal
Prof. Dr	Ele
Prof. Dr. Nalisla Ahmed Boraic	Natula Braine
- an Oranga Y Abdallah	10 My W

### **SUPERVISORS**

Prof. Dr. Nawal Mohamed Khalafallah	
Professor Emeritus of Pharmaceutics	
Department of Pharmaceutics	
D. C. D., Ossers Voycof Abdallab	
Prof. Dr. Osama Yousef Abdallah	
Professor Emeritus of Pharmaceutics	
Department of Pharmaceutics	
Prof. Dr. Hesham Said	
Professor of Biotechnology	
Institute of graduate studies and research	
Foreign supervisor from University of Lor	ndon, UK
Prof. Dr. Oya Alpar	
Professor Emeritus of Pharmaceutics	
School of Pharmacy	
University of London	

### Dedicated to

The Soul of My Beloved Inspiring Dad

My Great Mama

My Sincere Sister

And

My Dear A.D.S. triple



#### Acknowledgments

First of all I thank **Allah** for the countless blessings he has granted me, simply the blessing of existence....., faith, health, and persistence to finish this piece of research the way I wished it to be.

My deepest gratitude and sincere appreciation to Prof. Oya Alpar for giving me the chance to join her research group, instructive supervision and kind advice. It has been a rich life and science experience for me; thanks a lot.

I admit I have tried several times to phrase something to express what I want to say to my dearest Professors and Supervisors Prof. Nawal Khalfallah and Prof. Osama Abdallah, words always seem to be deficient, let me try this one "My uttermost respect, gratitude, and love, you have been and still teaching me a lot in science and life, never felt I'm dealing with professors but rather family members. This work would never come to completion without your noble scientific and moral support".

My sincere appreciation to Prof. Hesham Said, your guidance, advice and practical training at the beginning of this work were indispensible to complete it properly.

To all my colleagues in our cosmopolitan lab 341, working with you have added a lot to me as a person and researcher, thanks for all the good times. Special thanks to Dr. Soma for help with animal experiments, Dr. Xiong Wei and Manny for leading me in my first steps with cell culture work. Helena for problem solving tips in protein analysis. Haliza, Stephan, Richard, Afendi, Rania, Abd-Elbary, and my dear Rihab.

To my dear friends, Khuloud and Wafaa (Al Jamal sisters), Hanan, Naziha and Rihab, London would never be the same without you, I came with one sister, and flied back with 6, thanks for the valuable scientific lunch time discussions and the fun times we had in and out of SOP. Special thanks to Khuloud for providing me with key materials in this research work.

I'm deeply grateful for Mr. Mohamed El-beshbishi and Mr. Reda Ismail families, Magda, Reem, Sarah, and Alice; so I came back with much bigger family too, lucky me!

3. Particle purification and determination of the particle yield	31
4. Characterization of the nanoparticles	31
4.1. Particle size analysis	31
4.2. Analysis of Zeta potential	32
4.3. Nanoparticle morphology by transmission electron microscopy (TEM)	32
5. Protein adsorption to DC-Chol or LLD- modified nanoparticles	32
6. Determination of BSA loading capacity of DC-Chol or LLD- modified nanoparticles	32
7. In vitro release of BSA	33
8. Structural analysis of BSA released from the nanoparticles	33
8.1. Structural integrity by SDS-PAGE	33
8.2. Conformational stability of BSA	35
8.2.1. Secondary structure by Circular Dichroism (CD) spectroscopy	35
8.2.2. Tertiary structure by Spectroflourimetry	36
Results and Discussion	37
1. Preparation and characterization of DC-Chol and LLD modified nanoparticles	37
1. Preparation and characterization of DC-Chor and ELD modified handparticles	37
1.1. Choice of Solvent	38
1.2. Establishing a solvent/ non-solvent system	38
1.2.1 Chloroform/ethanol solvent/non-solvent system	38
1.2.2. THF/water solvent/non-solvent system	39
	40
1.3. Effect of polymer concentration.	42
1.4. Effect of Lipid type and concentration	45
3. Protein loading characteristics of DC-Chol and LLD modified nanoparticles	47
4. In vitro release studies of BSA from DC-Chol and LLD modified nanoparticles	51
4. In vitro release studies of BSA from DC-Choi and LLD modified handparticles	54
5. Structural analysis of BSA released from lipid modified PLA-PEG nanoparticles	54
5.1. Structural integrity by SDS-PAGE	56
Conclusions	61
Conclusions	ΟŢ
Chapter 2:	
Cationic Lipid Modified PLA-PEG Nanocomposites for Immunization Against	
Hepatitis B	
Turana dinasta a	(2
Introduction	62
Experimental	64
Materials	64
Instruments	65
Methods	65
1. Preparation and characterization of DC- and LLD- NPs	65
2. Cell culture.	65
3. Cell Viability (Cytotoxicity) studies	66
3.1. MTT assay	66
3.2. Measurement of transepithelial electrical resistance (TEER)	67
4. Cellular uptake of DC- or LLD- NPs by macrophage cell line (J774A.1)	67
5. Preparation of vaccine formulations.	68
6. In vitro release of HbsAg from nanoparticles	68
7. Structural integrity of HbsAg released from the NPs by SDS-PAGE	68

8. In vitro antigenicity of the released HbsAg by western blotting	09
9. Immunization studies with HbsAg loaded NPs	70
9.1. Animals	70
9.2. Immunization study protocol	<b>70</b>
9.3. Collection of samples	71
10. Characterization of the immune response	72
10.1. Analysis of systemic (serum) and mucosal Antibody response	72
10.2. Spleen cell cultures; In vitro re-stimulation of spleen cells and antigen specific	
cytokine analysis	72
10.2.1. Preparation of single cell suspensions	72
10.2.2. In vitro stimulation of Naïve and primed spleen cells with soluble	, =
antigen and cytokine analysis	73
10.3. Statistical analysis	74
10.5. Statistical alialysis	/ 🕶
Results and Discussion	75
	_
1. In vitro Cell Viability	75 75
1.1. MTT assay	75 70
1.2. Monolayer integrity	78
2. Cellular uptake Studies	81
3. Preparation of vaccine formulations	84
4. Release studies of HBsAg from vaccine formulations	85
4.1. Release rate	85
4.2. Structural integrity and in vitro antigenicity of the released HBsAg	86
5. Immunization studies	87
5.1. Analysis of HBsAg-specific responses after subcutaneous administration	87
5.1.1. Systemic IgG immune response	87
5.1.2. IgG subtype profiling	88
5.1.3. Splenocyte culture studies	90
5.2. Analysis of HBsAg-specific responses after intranasal administration	94
5.2.1. Systemic IgG immune response and IgG subtype profiling	94
5.2.2. Mucosal IgA immune response	96
5.2.3. Splenocyte culture studies	98
5.2.5. Optomody to culture blad solutions	
Chapter 3:	
Cationic Lipid Modified PLA-PEG Nanocomposites as DNA carriers	
Cattonic Dipla Mounta 1 Dir 1 2 0 1 miles in prosent	
Introduction	100
Experimental	104
Materials	104
Instruments	105
Methods	105
1. Preparation of the nanoparticles	105
1. Preparation of the nanoparticles	106
2. Loading the nanoparticles with plasmid DNA	106
3. Gel retardation assay	100
4. Ethidium bromide exclusion assay	107
5. Stability to polyanion exchange	10/

6. Stability to nuclease digestion	107
6. 1. Nuclease digestion	107
6.2. Analysis of DNA conformational stability using Densitometry	108
7. In vitro release rate studies	109
8. Structural integrity of the released plasmid DNA	110
8. Structural integrity of the released plasmid DNA	110
9. Cell culture	
10. Cell Transfection protocols	110
10.1. Seeding of Cell Culture Plates	110
10.2. In vitro cell transfection	110
10.3. Quantification of Luciferase Expression using Promega Luciferase Assay	
Kit	111
10.4. Quantification of Total Protein by Pierce BCATM Protein Assay Kit	111
11. Cell Viability (Cytotoxicity) Assay using Tetrazolium Dye (MTT)	111
12. Statistical analysis	111
12. Statistical alazy sistem	
Results and Discussions	112
1. DNA binding onto cationic NPs, effect of lipid type and concentration	112
1.1. Formation and colloidal properties of pDNA-nanoplexes	112
1.2. Binding capacity of cationic NPs & Physical stability of the nanoplexes	115
1.2. Binding capacity of cationic NPS & Filysical stability of the manopienes	116
1.3. Ethidium bromide exclusion assay	118
2. Stability to polyanion exchange	119
3. Stability to nuclease digestion	
4. Release rate studies	122
5. In vitro transfection studies	122

#### **LIST OF FIGURES**

Figure 1: Homing of primed lymphocytes at different mucosal sites6
Figure 2: Pharyngeal lymphoid tissue of Waldeyer's ring 8
Figure 3: Schematic overview of the consecutive steps towards successful nasal vaccine delivery9
Figure 4: TEM of typical ISCOMATRIX adjuvant <sup>®</sup>
Figure 5: TEM of influenza virosomes prepared from A/Johannesburg/33/94
influenza virus17
Figure 6: 3D modelling of Bovine serum albumin structure
Figure 7a: Chemical structure of DC-Chol28
Figure 7b: Chemical structure of the lipidic lysine dendron (LLD)
Figure 8: Effect of polymer concentration on the particle size of DC-10 NPs41
Figure 9. Effect of DC-Chol concentration on the colloidal characteristics of DC-NPs42
Figure 10. Effect of LLD concentration on the colloidal characteristics of LLD-NPs 43
Figure 11: Morphology of selected DC- and LLD- NPs as observed by TEM 44
Figure 12: Colloidal characteristics of DC-NPs in various media, (A) Particle size and (B) Zeta potential
Figure 13: Colloidal characteristics of LLD-NPs in various media, (A) Particle size and (B) Zeta potential
Figure 14. Adsorption isotherms of BSA by various DC-NPs at pH 5.548
Figure 15. Zeta potential values of BSA loaded DC-NPs after incubation with different mass ratios of BSA at pH 5.549
Figure 16. Adsorption isotherms of BSA by various DC-NPs at pH 5.5 49
Figure 17. Zeta potentials of BSA loaded LLD-NPs after incubation with different mass ratios of BSA at pH 5.550
Figure 18: In vitro release profiles of BSA off (A) DC-NPs and (B) LLD-NPs in HEPES/Tween buffer pH 7.4 at 37 °C
Figure 18. <i>In vitro</i> release profiles of BSA off LLD-NPs in HEPES/Tween buffer pH 7.4 at 37°C49
Figure 19. SDS-PAGE analysis of BSA released from various NPs after (A) 1 hour, (B) 14 days of incubation in HEPES/Tween buffer pH 7.4 at 37°C55

Figure 20: Conformational stability of BSA released from DC- and LLD-NPs after 1 day of incubation in HEPES/Tween pH 7.4 at 37 °C; (A) Fluorescence emission spectra, (B) Far UV circular dichroic scans
Figure 21A: Fluorescence emission spectra of BSA released from LLD-NPs after 14 day of incubation in HEPES/Tween pH 7.4 at 37 °C
Figure 21B: Far UV circular dichroic scans of BSA released from LLD-NPs after 14 day of incubation in HEPES/Tween pH 7.4 at 37 °C
Figure 22: Conformational stability of BSA released from DC- and LLD-NPs after 1 day of incubation in HEPES/Tween pH 7.4 at 37 °C; (A) Fluorescence emission spectra and (B) Far UV circular dichroic scans
Figure 23: Schematic presentation of Transwell membrane insert cell culturing system
Figure 24: Schematic representation of the sequential Ag-Ab reactions involved in the visualisation of protein bands in western blot technique
Figure 25: Immunization schedule by HBsAg loaded nanoparticles71
Figure 26: Schematic illustration of the experimental principle of DuoSet® Capture ELISA Development Systems
Figure 27: MTT assay of DC- and LLD- modified PLA-PEG nanoparticles in Calu-3 cells75
Figure 28: MTT assay of DC- and LLD- modified PLA-PEG nanoparticles in J774A.1 cells76
Figure 29: TEER of Calu-3 cells after 4h incubation with LLD-NPs (0.937 mg/cm <sup>2</sup> ) and DC-NPs (0.781 mg/Cm <sup>2</sup> )
Figure 30: Change of TEER of mucous depleted Calu-3 cells during 4h incubation with different amounts of LLD- and DC- NPs
Figure 31: Uptake of FITC-BSA labelled LLD- & DC- NPs by murine macrophages observed by fluorescence microscopy after 2 h incubation at 37 °C, and quenching of extracellular fluorescence by trypan blue dye
Figure 32: Uptake of FITC-BSA labelled LLD- & DC- NPs by murine macrophage cell line (J774A.1) after 2 h incubation at 37 °C. (A) % of phagocytic cells internalizing NPs & (B) fluorescence intensity (%)
Figure 33: In vitro release profiles of HBsAg off selected DC- and LLD- NPs in HEPES/Tween buffer pH 7.4 at 37 °C
Figure 34: (A) SDS-PAGE of HBsAg released from various vaccine formulations after 14 days incubation at 37°C, and (B) western blot analysis of the same samples