ANTIOXIDANT EFFECT OF SULFUR BATHS IN PATIENTS WITH Primary OSTEOARTHRITIS

Thesis

Submitted for Partial Fulfillment of Master Degree in Physical Medicine and Rehabilitation

By

Shaimaa Osman Abd El-Rahim Mahmoud

M.B., B.Ch. - Cairo University

Supervised by

Prof. Mervat Abd El-Hamid Reda

Professor of Physical Medicine, Rheumatology and Rehabilitation
Faculty of Medicine
Ain Shams University

Prof. Mona Abdullah El-Sebaie

Professor of Physical Medicine, Rheumatology and Rehabilitation
Faculty of Medicine
Ain Shams University

Dr. Rana Ahmed El-Hilaly

Lecturer of Physical Medicine, Rheumatology and Rehabilitation
Faculty of Medicine
Ain Shams University

Faculty of Medicine Ain Shams university 2012

Acknowledgement

I wish to thank and to express my sincere gratitude to **Prof. Dr. Mervat Abd El-Hamíd Reda** Professor of Physical Medicine, Rheumatology and Rehabilitation, Faculty of Medicine, Ain Shams University, for her indispensable guidance and keen suggestion in supervising the work. Her constructive encouragement, unforgettable help, tremendous efforts and support every step were behind the accomplishment of this work.

I wish to thank **Prof. Dr. Mona Abdullah El-Sebaíe** Professor of Physical Medicine, Rheumatology and Rehabilitation, Faculty of Medicine, Ain Shams University, for the valubale time, the great efforts she has given to me and her continuous guidance and encouragement in preparing this study.

I am also deeply grateful to **Dr. Rana Ahmed El-Hilaly** Lecturer of Physical Medicine, Rheumatology and Rehabilitation, Faculty of Medicine, Ain Shams University, for her help in performing this work and the great efforts she has given to me.

Shaimaa Osman Abd El-Rahim

Contents

Subjects	Page
List of Abbreviations	
List of Tables	VIII
List of Figures	X
Aim of the work	XII
Review of Literature	
- Chapter 1: Antioxidants	1
- Chapter 2: Osteoarthritis	71
- Chapter 3: Spa therapy	99
Patient and Methods	107
• Results	121
Discussion	147
Summary and conclusion	158

•	Recommendation	162
•	References	163
•	Arabic Summary	

ACT : Autologous chondrocyte transplantation

ACTH : Adrenocorticotropic hormone

AP-1 : Activator protein -1

ARE : Antioxidant response element

BMI : Body mass index

CAT : Catalase

CD : Cluster of differentiation

CoQ10 : Ubiquinol

Cu/ZnSOD : Copper-zinc superoxide dismutase

Da : Dalton

ECSOD : Extracellular superoxide dismutase

eGPx : Epididymal Glutathione peroxidase

eNOS : Endothelial nitric oxide synthase

EPR : Electron paramagnetic resonance

ESR : Erythrocyte sedimentation rate

EULAR: European League Against Rheumatism

Fe : Ferritin (Iron)

GCL : Glutamylcysteine ligase

GCLC : Heavy catalytic subunit of Glutamylcysteine

ligase

GCLM: Light modifier subunit of Glutamylcysteine ligase

GH : Growth hormone

GPxs : Glutathione peroxidase enzymes

GR: Glutathione reductase

Grx : Glutaredoxin

GSH : Glutathione

GSS : Glutathione synthetase

GST : Glutathione S-Transferase

GULO: Gulonolactone oxidase

 H_2O_2 : Hydrogen peroxide

HDL : High-density lipoprotein

HO: Heme Oxygenase

HOCl: Hypochlorous acid

IL: Interleukin

IL-1R: Interleukin -1 receptor

Keap1: Kelch-like ECH-associated protein 1

 α LA : α -Lipoic Acid

LDL : Low-density lipoprotein

LIF : Leukemia inhibitory factor

LO. : Alkoxyl radical

LOO. : Peroxyl radical

LOOH : Lipid hydroperoxide

MAPEG: Membrane-associated proteins in eicosanoid

and glutathione metabolism

MMPs : Matrix metalloproteases

Mn : Manganese

MnSOD : Manganese Superoxide dismutase

Msr : Methionine Sulfoxide Reductase

MT : Metallothionein

μM : Micromolar

NF- B : Nuclear factor kappa-B

nM : Nanomolar

NO : Nitric oxide

-NO : Nitroso

NO₂ : Nitrogen dioxide

Nrf : Nuclear factor-erythroid 2 p45-related factor

NSAID : Non-steroidal anti-inflammatory drugs

¹O₂ : Singlet oxygen

O₂- : Superoxide anion

O3 : Ozone

OA : Osteoarthritis

OARSI : Osteoarthritis research Society International

OCT : Autologous osteochondral transplantation

OH : Hydroxyl radical

ONOO- : Peroxynitrite

 α **PBN** : α -phenyl-tert-butylnitrone

PGE2 : Prostaglandin E2

PGOA : Primary generalized osteoarthritis

PHGPx: Phospholipid hydroperoxide Glutathione

peroxidase

PICOT: Protein kinase C interacting cousin of

thioredoxin

PON : Paraoxonase

Prx : Peroxiredoxin

Prxs : Peroxiredoxins

RA : Rheumatoid arthritis

RF : Rheumatoid factor

RNS: Reactive nitrogen species

ROS : Reactive oxygen species

SADOA : Slow-acting drugs for osteoarthritis

SF : Synovial fluid

SO₄ : Sulphates

SOD : Superoxide dismutase

SODs : Superoxide dismutase enzymes

Srx : Sulfiredoxin

SYSADOA : Symptomatic slow-acting drugs for

osteoarthritis

TAC : Total antioxidant capacity

TGR: Thioredoxin glutathione reductase

TNF : Tumor necrosis factor

TrxR : Thioredoxin Reductase

Trx : Thioredoxin

 α -TTP : α -tocopherol transfer protein

Txnip : Thioredoxin interacting protein

WBC : White blood cells

WOMAC: Western Ontario and McMaster Universities

OA Index

List of Tables

List of Tables

Table (1): Classification of antioxidants in biology and
medicine
Table (2): Basic Characteristics of the three isozymes of
mammalian SODs 13
Table (3): Criteria for classification of 1ry OA of the knee
107-108
Table (4): The procedure of measurement of TAC119-120
Table (5): Mean ages, BMI and disease duration of the study
group
Table (6): The descriptive statistical analysis of 20 cases before
treatment
Table (7): The descriptive statistical analysis of 20 cases after
treatment
Table (8): Clinical results of the study group before and after
treatment 125
Table (9): Pain, function capacity and severity results of the study group. 128

☐ List of Tables&

Table ((10): Sy	novial membr	ane hypertroph	y and	quad	riceps
wasting	g of the	study group be	efore and after	treatm	ent.	130
Table ((11): D	sistribution of	the studied ca	ses as	rega	ards TAC
before	and afte	er treatment				132
Table	(12):	Correlations	(spearman's	rho)	of	different
parame	eters to	age and duration	on of disease			138-139
Table	(13):	Correlations	(spearman's	rho)	of	different
parame	eters to	pain and functi	ional capacity l	pefore	treat	ment
140-141	1					
Table	(14):	Correlations	(spearman's	rho)	of	different
parame	eters to j	pain and functi	ional capacity a	after tr	eatm	ent142
Table	(15):	Correlations	(spearman's	rho)	of	different
parame	eters to	TAC before	treatment		••••	143-
Table	(16):	Correlations	(spearman's	rho)	of	different
parame	eters to	TAC after trea	tment			145

☐ List of FiguresÆ

List of figures

Figure (1): Primary osteoarthritis of the left knee
Figure (2): Normal Articular cartilage matrix
Figure (3): Histological features of a normal joint
Figure (4): The mean for measures of swelling, tenderness, range
of motion, effusion and stiffness before treatment
Figure (5): The mean for measures of swelling, tenderness, range
of motion effusion and stiffness after treatment
Figure (6): The mean and standard deviation for measures of pain,
functional capacity, and severity of 20 cases before and after
treatment
Figure (7): Synovial membrane hypertrophy and quadriceps
wasting positive and negative cases
Figure (8): TAC before & after treatment for 10 patients from case
number 1 to 10

☐ List of Figures&

Figure (9): TAC before & after treatment for 10 patients from case
number 11 to 20
Figure (10): The mean of total antioxidant capacity of 20 cases
before and after treatment
Figure (11): The correlation coefficient between age of patients &
TAC before and after treatment
Figure (12): The correlation coefficient between BMI of patients &
TAC before and after treatment