#### 2013

# Interobserver variations and concordance in most widely used histopathological grading and staging systems of chronic viral hepatitis

Thesis

Submitted for Partial Fulfillment of Master Degree in Pathology

By

Laila Magid Salah El din (M.B.B.Ch) Faculty of Medicine Ain Shams University

Supervised by

#### **Prof.Dr.Nadia Bayoumy Mahmoud**

Professor of Pathology
Faculty of Medicine – Ain Shams University

#### Prof.Dr.Ahmed Mohy El din Zaki

Professor of Pathology
Faculty of Medicine – Ain Shams University

#### **Dr.Nehal Ahmed Radwan**

Lecturer of Pathology
Faculty of Medicine – Ain Shams University

Faculty of medicine Ain-Shams University



First and foremost, I thank **ALLAH** for endowing me with health, patience, and knowledge to complete this work, as a part of generous help throughout my life.

It is with immense gratitude that I acknowledge the sincere support, kindness and help of my dear **Prof. Dr. Nadia Bayoumy**Mahmoud Professor of Pathology, Faculty of Medicine, Ain Shams University, it was a great honor to work under her supervision and guidance

I am profoundly grateful to my dear **Prof. Dr. Ahmed Mohy El din Zaki** Professor of Pathology, Faculty of Medicine, Ain Shams University, for his faithful understanding guidance, meticulous revision, and tremendous support.

My warmest thanks are expressed to **Dr. Nehal A. Radwan**, Lecturer of Pathology, Faculty of Medicine, Ain Shams University, for her outstanding unlimited help, support and valuable comments. Special thanks for her tremendous efforts in illustrative figures of our cases

Words can never express the deepest gratitude I have my beloved mum. You have been there for me my whole life. I don't only dedicate this work to you, I owe you my whole life and without you I would have been anything of what I'm.I would like to dedicate this work to my Dear beloved supporting brother, my lovely angle Lara and my dear beloved grandma. Thank you without your kind help and

support this work could not have come to completion. Specially, to my dear husband, for always being there for me.

Words stand short to express my profound gratitude and deep respect for my dear Professors and colleagues; whom without their appreciaiable participation in this study and support; this work would not have been possible. I'm really greatful for their valuable precise time, their meticulous effort, support and advice, I would like to dedicate this work to them:

Prof. Dr. Thanaa E.Helal

Prof. Dr. Nafissa M.A. El-Badawy

Prof. Dr. Nedal E. Hegazy

Prof.Dr.Ahmed Mohy El din Zaki

Prof. Dr. Faten Wagdi Ragheb

Prof.Dr. Manal Salman

**Dr.Nehal Ahmed Radwan** 

Dr Lobna Shash

Dr. Somia Ahmed

Assistant Lecturer Riham A. El Nazer

#### List of Contents

Title Po	age No.
	-
Introduction	
Aim of the Work	4
Review of Literature	_
Histology of the Liver	
Chronic Viral Hepatitis	
Etiology of viral hepatitis	
Epidemiology and prevalence of viral hepatitis	
Risk factors of infection and mode of transmission	
Pathogenesis of hepatic viral injury	
Clinical course of chronic viral hepatitis and prognosis	
Diagnosis of chronic viral hepatitis	
Liver Biopsy in Chronic Viral Hepatitis	
History of liver biopsy	
Indications of liver biopsy	
Types of liver biopsy;	
Effect of specimen size and site in the evaluation of ch	
viral hepatitis	42
Special stains	
Immunohistochemical staining	
Non-invasive methods for the assessment of liver fibro	osis $53$
Histopathology of Chronic Viral Hepatitis	55
Changes seen in chronic viral hepatitis	56
Characteristic features in HBV chronic hepatitis	68
Characteristic features in HCV chronic hepatitis (CH	C)71
Adjunctive information	76
Differential diagnosis of chronic hepatitis	81
Grading and Staging of Chronic Viral Hepatitis	88
History of grading and staging of chronic viral hepatit	
General principles of semiquantitative scoring grading	
staging systems of chronic hepatitis	
Most widely used grading and staging systems of chro	
hepatitis	

#### List of Contents (Cont...)

Choosing the scoring and staging system	108
Interobserver variations and concordance in most w	idely used
histopathological grading and staging systems of ch	ronic viral
hepatitis	
Writing the histopathological report of liver biopsy	of chronic
viral hepatitis	111
Treatment of Chronic Viral Hepatitis	113
Goal of therapy of chronic viral hepatitis	113
Pretreatment liver biopsy considerations	114
Therapy guidelines of HCV	115
Therapy guidelines of HBV	115
Materials and Methods	116
Results	124
Discussion	152
Conclusion	165
Recommendations	167
Summary	169
References	
Arabic Sumamry	

#### List of Tables

Table No.	Title	Page No.
Table (1):	Special stains used in liver biopsy	47
Table (2):	Implications of Confluent Necrosis	64
Table (3):	HAI (Histological activity index Numerical Scoring of Liver I Specimens.	Biopsy
Table (4):	The Scheuer system for grading staging chronic hepatitis	
Table (5):	The Ishak et al. scoring system	103
Table (6):	The METAVIR grading and staging sy	vstem 107
Table (7):	Ishak (necroinflammatory score)	126
Table (8):	Ishak system regarding the fibrosis scores, mean values for each slide taken for the 10 pathologists (observed)	e was
Table (9):	METAVIR (histological activity score) values for each slide was taken for t pathologists (observers)	the 10
Table (10):	METAVIR (Fibrosis Scoring) mean of for each slide was taken for the pathologists (observers)	ne 10
Table (11):	Strength of agreement of histopathol features of Ishak system among the pathologists in 55 cases of chronic hepatitis	he 10 viral
Table (12):	Strength of agreement of histopathol features of METAVIR system among pathologists (observers) in the studicases of chronic viral hepatitis	the 10 ed 55

## List of Tables (Cont...)

Table No.	Title	Page No.
Table (13):	Comparison of necroinflammatory Ishak with METAVIR score pathologists	for all
Table (14):	Comparison of fibrosis score of Is METAVIR fibrosis Score for all par	
Table (15):	Strength of agreement of parfeatures of Ishak system among pathologist for most varied slides	g the 10
Table (16):	Strength of agreement of histopar features of Metavir system amor pathologist for most varied slides	ng the 10

# List of Figures

Fig. No.	Title P	age No.
Fig (1):	Diagrammatic representation of the simple acin	
	and the zonal arrangement of hepatocytes	
Fig (2):	Schematic drawing of liver architecture	
Fig (3):	Diagram comparing the hepatic acinus with zon	
T. (4):	1, 2, and 3 to the hepatic lobule (dotted line)	
Fig (4):	Normal liver parenchymal microcirculatory zone	
Fig (5):	Drawing that compares liver blood flow in the	
	three zones of the acinus model with Matsumote	
Fig (6):	concept of liver architecture.	
TIR (O).	Light microscopy. Liver cell plates c longitudinally show	
Fig (7):	Normal portal tract with bile duct, hepa	
± ±5 \1/'	arteriole, portal venule, and clearly defin	
	limiting plate	
Fig (8):	The connective tissue of portal tracts consists	
-6 \-/	mainly collagen type I, which appears as thic	
	deep blue or green fibers on trichromestain	
Fig (9):	The spatial relationship among the different c	
_	types of the liver	
Fig (10):	Autopsy liver specimen exhibiting dilatation	
	sinusoids and Disse's space (arrow) wi	
	prominent sinusoidal lining cells including	
TP: (4.5):	endothelial and Kupffer cells	
Fig (11):	Granular staining of hepatocytes using HepPa	
	antibody excludes other cells and all structures	
E: ~ (10)·	the portal tract	
Fig (12): Fig (13):	Bile canaliculusBile flow through parenchymal zones	
Fig (14):	Cytokeratin 7 immunostaining of bile duct as	
T.12 (T.4).	bile ductules	
Fig (15):	CD10 immunostaining delineates the twig-li	
	structures of bile canaliculi, as well as the lum	
	of bile ducts and ductules	
Fig (16):	Liver biopsy from an older individual showing	
<b>J</b>	nuclear pleomorphism, binucleation, as	
	multinucleation	
Fig (17):	Epidemic of hepatitis C virus (HCV) in the world	
Fig (18):	The prevalence of HCV antibody and prevalence	
, .	HCV RNA	27
Fig (19):	Interpretation of HBV immunologic markers	39

Fig. No.	Title Pa	ge No.
Fig (20):	Normal liver. Portal tract stained with Masson	1
	trichrome	48
Fig (21):	Non-alcoholic steatohepatitis. Sirius red staining	
	highlights perisinusoidal fibrosis	
Fig (22):	Dark black staining of the reticulin fibers	
<b>-</b> • ()	(arrowheads) with reticulin stain	
Fig (23):	Chronic hepatitis with HBsAg containing ground	
T' (0.4):	glass hepatocytes <b>orcine</b> stain	
Fig (24):	Methylene blue staining of a cirrhotic liver	
E' - (05):	Collagen appears dark blue with methylene blue	
Fig (25):	Chronic viral hepatitis B: viral replicative phase	•
	Hepatitis B core antigen is localized in	l
	hepatocellular nuclei and, in several hepatocytes also in the cytoplasm and cell membrane	
Fig (26):	Chronic viral hepatitis B: viral replicative phase	
Fig (20):	Chronic viral hepatitis C. Viral antigen (HCV-E2)	
Fig (27).	appearing as positive cytoplasmic granules, is	
	localized in virtually every periportal hepatocyte	
	in this case.	
Fig (28):	Phlebitis of a portal vein in a liver with chronic	
118 (20)	hepatitis C	
Fig (29):	Interface hepatitis in chronic viral hepatitis	
Fig (30):	Lobular hepatitis in chronic hepatitis C	
Fig (31):	Confluent necrosis, reticulincollapse, sirus red	
	stain	
Fig (32):	Bridging necrosis extending from a terminal	[
•	hepatic venule to a portal tract	
Fig (33):	Porto-portal fibrosis evident with Massor	
	trichrome	
Fig (34):	Porto-central fibrosis evident with Massor	
	trichrome	
Fig (35):	Diagrammatic representations of the morphologic	
	features of chronic hepatitis	
Fig (36):	Ground-glass hepatocytes	
Fig (37):	Sanded nuclei in hepatocytes	
Fig (38):	Portal lymphoid follicle in chronic hepatitis C	
Fig (39):	Chronic viral hepatitis C: moderately dense porta	
	infiltrate, focus of interface hepatitis; marked	
	macro and mediovesicular steatosis; occasiona	
	apoptotic body (H&E)	74

Fig. No.	Title Page No.
Fig (40):	Mallory-Denk bodies. Ropey deeply eosinophilic
Fig (41):	cytoplasmic inclusions
Fig (42):	Oncocytic hepatocytes, seen in a wide range of chronic liver diseases, are seen in this section from a chronic hepatitis C
Fig (43):	Large cell change featured by cellular and nuclear enlargement, nuclear pleomorphism and multinucleation, prominent nucleoli, and preserved N:C ratio
Fig (44):	Small cell change featured by decreased cell volume, minimal nuclear pleomorphism, an increased N:C ratio, and increased nuclear density
Fig (45):	A PAS stain with enzyme digestion shows globules of alpha-1 antitrypsin. Neutral polysaccharides and basement membranes are stained bright pink and glycogen is seen as colorless areas
Fig (46):	Rhodanine stain shows brightorange to brown granules within hepatocytes. Copper is stained
Fig (47):	bright orange to brown and nuclei in blue
Fig (48):	cholangitis)
Fig (49):	central venules
Fig (50): Fig (51):	Schematic showing Scheuer's stages 0, 1, 2, and 3
Fig (52):	Schematic showing the four grades of portal- periportal activity (piecemeal necrosis) and confluent lobular necrosis according to Ishak's scoring system P-C, portal-central

Fig. No.	Title Page N	Vo.
Fig (53):	Schematic of the METAVIR algorithm showing (A) scores 0 to 3 of piecemeal necrosis (PMN); (B) scores 0 to 2 of lobular necrosis (LN)	107
Fig (54):	Schematic showing METAVIR fibrosis stages F0, F1, F2, F3, and F4	108
Fig (55):	Gender distribution of studied patients (n=55	124
Fig (56):	Strength of concordance (agreement) of histopathological features of Ishak system <i>among</i> the 10 pathologist (observers) in 55 cases of chronic viral hepatitis	132
Fig (57):	Strength of agreement of pathological features of METAVIR system among the 10 pathologist (observers) in 55 cases of chronic viral hepatitis	
Fig (58):	Chronic active hepatitis showed established cirrhosis and mild interface hepatitis (stage of fibrosis; modified Ishak: 6/6, METAVIR: F-4); (A: Hx&Ex200) (B: Masson trichrome x200)	144
Fig (59):	Chronic active hepatitis showed marked portal tract inflammation and bridging fibrosis (stage of fibrosis; modified Ishak: 5/6, METAVIR: F-3); (A: Hx&Ex100) (B: Masson trichrome x100)	144
Fig (60):	Chronic active hepatitis showed marked portal to portal bridging fibrosis (A: Hx&Ex100) (B: Masson trichrome x100).	
Fig (61):	Chronic active hepatitis showed lymphoid follicle formation and marked bile ductular proliferation (A: Hx&Ex200) (B: Masson trichrome x200)	145
Fig (62):	Chronic active hepatitis showed moderate macrovesicular steatosis (A: Hx&Ex200) (B: Masson trichrome x200)	145
Fig (63):	Chronic active hepatitis showed marked portal tract inflammation & entrapped hepatocytes (A) and lymphoid follicle formation (B) (Hx&E A, B: x200).	
Fig (64):	Chronic active hepatitis showing confluent necrosis (A) and focal lobular spotty necrosis (B) (Hx&E A: x100, B: x400)	
Fig (65):	Chronic active hepatitis showed moderate interface hepatitis (Hx&E A: x 200, B: x400)	

Fig. No.	Title Pag	ge No.
Fig (66):	Serial sections of one portal tract in a case of chronic active hepatitis not to be interpretated as lobular inflammation (Hx&E A, B, C: x 200, E, F, G: x400) (Masson trichrome D: x200, H: x400)	146
Fig (67):	Chronic hepatitis case showed no portal tract fibrosis (stage of fibrosis; modified Ishak: 0/6, METAVIR: F-0) (A: Hx&Ex100) (B: Masson trichrome x100)	147
Fig (68):	Chronic active hepatitis showed mild portal tract expansion (stage of fibrosis; modified Ishak: 1/6, METAVIR: F-0) (Masson trichrome A: x100, B: x200).	
Fig (69):	Chronic active hepatitis revealed mild portal tract fibrosis (stage of fibrosis; modified Ishak: 1/6, METAVIR: F-1) (Masson trichrome A: x100, B: x200).	147
Fig (70):	Chronic active hepatitis case showed prominent bridging fibrosis (stage of fibrosis; modified Ishak: 3/6, METAVIR: F-2) (A: Hx&E x40) (B: Masson trichrome x40)	148
Fig (71):	Chronic active hepatitis (stage of fibrosis; modified Ishak: 3/6, METAVIR: F-2), (A: Hx&Ex100) (B: Masson trichrome x100)	148
Fig (72):	Chronic active hepatitis with established cirrhosis (stage of fibrosis; modified Ishak: 6/6, METAVIR: F-4) (A: Hx&Ex100) (B: Masson trichrome x200)	148
Fig (73):	Chronic active hepatitis case showed fragmentation of liver tissue core, marked expansion of portal tract by fibrosis extending to the capsule (A, C, E: Hx&E x40, x100, x200) (B, D, F: Masson trichrome x40, x100, 200)	149
Fig (74):	Chronic active hepatitis case revealed fragmentation of liver tissue core with only one portal tract has mild fibrosis (A: Hx&Ex100) (B: Masson trichrome x100)	
Fig (75):	Subcapsular fibrosis in a case of chronic active hepatitis (A: Hx&Ex100) (B: Masson trichrome x100).	

Fig. No.	Title	Page No.
Fig (76):	Another case of chronic active hepatitis subcapsular fibrosis (A: Hx&Ex100) (B:	
Fig (77):	trichrome x100).	150
rig (77).	Portal tract granulomas in a case of chronic hepatitis with increasing the fibrosis status Hx&Ex100) (B: Masson trichrome x100)	age (A:
Fig (78):	Higher power views of the previous case portal tract granulomas comprising of epicells and giant cell (Hx&E, A: x200, B: x400	showed itheliod

#### List of Abbreviations

Abb.	Full term
A	Activty Score
AFP	Alfa feto protien
ALT	Alanine aminotransferase
CAH	Chronic active hepatitis
CD	Cluster of differentiation
CHB	Chroinc hepatitis B
CHB	Chronic hepatitis b
CHC	Chroinc hepatitis C
CK	Cytokeratin
CLH	Chronic lobular hepatitis
CPH	Chronic presistant hepatitis
DM	Diabetes mellitus
DNA	Deoxyribonucleic acid
EDHS	Egyptian demographic health survey
EM	Electron Microscope
ER	Estrogen Receptor
F	Fibrosis Score
GFAP	Synaptophysin, glial fibrillary acidic protein
H &E	Hematoxylin and eosin
HAI	Histological activity index
$\mathrm{HBcAg}$	Hepatitis B core antigen
${ m HBeAg}$	Hepatitis B
HBsAg	Hepatitis B surface antigen
HBV	Hepatitis B virus
HCC	Hepatocellular carcinoma
HCV	Hepatitis C virus
HDV	Hepatitis D