



Ain Shams University
Faculty of Education

Department of Biological Sciences and Geology

Biodiversity of Some Invertebrates of Mangrove Ecosystem in South Sinai, Egypt

**A THESIS SUBMITTED FOR
THE AWARD OF THE M.Sc. DEGREE
OF SCIENCE TEACHER PREPARATION
(ZOOLOGY)**

BY

Ahmed Rady Mohamed Ibrahim

(Ed.-B.Sc.)

General Diploma in Science Teacher Preparation – Zoology (2011)
Special Diploma in Science Teacher Preparation – Zoology (2012)

Supervised By

Prof. Dr. Nahed El-Sayed Ibrahim Abdou

Professor of Parasitology - Biological and Geological Sciences Department
Faculty of Education - Ain Shams University


Dr. Maged Mohamed Ali Fouda

Lecturer of Zoology, Zoology Department, Faculty of Science,
Al-Azhar University, Assuit Branch

TO


**BIOLOGICAL AND GEOLOGICAL SCIENCES DEPARTMENT-
FACULTY OF EDUCATION - AIN SHAMS UNIVERSITY**

Cairo - Egypt
(2016)



قَالُوا سُبْحَانَكَ
لَا عِلْمَ لَنَا إِلَّا مَا عَلَّمْتَنَا
إِنَّكَ أَنْتَ الْعَلِيمُ الْحَكِيمُ

سورة البقرة (٣٢)



Approval Sheet

Name: Ahmed Rady Mohamed Ibrahim

**Title: Biodiversity of Some Invertebrates of Mangrove
Ecosystem in South Sinai, Egypt**

Supervisors

Approved

Prof. Dr. Nahed El-Sayed Ibrahim Abdou

Professor of Parasitology, Biological and Geological
Sciences Department, Faculty of Education, Ain
Shams University

Dr. Maged Mohamed Ali Fouda

Lecturer of Zoology, Zoology Department, Faculty of
Science, Al-Azhar University, Assuit Branch

Contents

	Page
➤ List of tables	III
➤ List of figures	VI
➤ List of plates	X
➤ Acknowledgment	XIII
➤ Abstract	XVI
1. Introduction	1-6
➤ Aim of the work	7
2. Materials and methods	8-22
2.1. Description of study sites	11
2.2. Mangroves	19
2.3. Method of survey	21
2.4. Ecological parameters	22
3. Ecological parameters of Ras Mohamed and Nabq Protectorates	23-41
3.1. Review	23
3.2. Results	27
3.2.1. Temperature	27
3.2.2. Hydrogen ion concentration (pH)	29
3.2.3. Dissolved oxygen	30
3.2.4. Salinity	31
3.2.5. Habitats	33
3.3. Discussion	35
4. Macro-Invertebrates fauna of mangrove ecosystem in Ras Mohamed and Nabq Protectorates, South Sinai	42-84

4.1. Review	42
4.1.1. Cnidaria	43
4.1.2. Crustacea	44
4.1.3. Mollusca	48
4.1.4. Echinodermata	53
4.2. Results	56
4.3. Discussion	70
5. Occurrence pattern of macro-invertebrates	85-190
5.1. Review	85
5.2. Results	99
5.2.1. Distribution	99
5.2.2. Status of species	121
5.2.3. Overall abundance	132
5.2.4. Seasonal variations	136
5.2.5. Population density	144
5.2.6. Species richness	146
5.2.7. Zonation	150
5.2.8. Similarity Index	160
5.3. Discussion	162
6. General conclusion	191-192
7. Summary	193-200
8. References	201-261
➤ Plates	262
➤ Arabic summary	

List of tables

Table No.	Table title	Page
Table (1)	Seasonal changes in the values of surface water and air temperature.	27
Table (2)	Seasonal changes in the values of pH.	29
Table (3)	Seasonal changes in the values of dissolved oxygen.	30
Table (4)	Seasonal changes in the values of salinity.	31
Table (5)	List of macro-invertebrate fauna recorded from the mangroves at Ras Mohamed and Nabq Protectorates during the period of study from June 2013 to May 2014.	58
Table (6)	The total number and percentage of macro-invertebrate species recorded from different phyla during the present work.	67
Table (7)	The number of macro-invertebrate species and families recorded from different phyla in Ras Mohamed and Nabq Protectorates during the present study.	67
Table (8)	The density of the species studied during all seasons of the present work from Ras Mohamed and Nabq Protectorates.	102
Table (9)	The number of macro-invertebrates recorded from the studied areas.	117

List of tables

Table (10)	The distribution of invertebrate's phyla according to the sites of mangrove examined during the present work.	118
Table (11)	The status of macro-invertebrate fauna recorded from the mangroves at Ras Mohamed and Nabq Protectorates during the period of study.	123
Table (12)	The status of macro-invertebrate species in the mangrove channel of Ras Mohamed Protectorate during the period of study.	129
Table (13)	The status of macro-invertebrate species in the mangrove sites of Nabq Protectorate during the period of study.	130
Table (14)	Abundance of macro-invertebrate phyla from the five mangrove sites during the period of study.	133
Table (15)	seasonal variations of macro-invertebrate phyla reported from mangroves at Ras Mohamed and Nabq Protectorates.	138
Table (16)	The total number of macro-invertebrates from the five mangrove sites of Ras Mohamed and Nabq Protectorates during the seasons of study.	139
Table (17)	Richness of macro-invertebrate species recorded from mangroves sites during the seasons of study.	147
Table (18)	The list of macro-invertebrate species recorded from the different habitats of mangrove sites of study.	153

List of tables

Table (19)	The species similarity index between the five mangrove sites.	161
------------	--	-----

List of figures

Figure No.	Figure title	Page
Figure (1)	Map showing locations of Ras Mohamed and Nabq along the Egyptian Red Sea coast.	12
Figure (2)	Map showing the mangrove locations at Ras Mohamed and Nabq (Wadi – Kid) Protectorates.	13
Figure (3)	Mangrove swamps at Ras Mohamed.	14
Figure (4)	Mangrove swamps at El-Manqata.	15
Figure (5)	Mangrove swamps at Arwashia.	16
Figure (6)	Mangrove swamps at Abu Zubad.	17
Figure (7)	Mangrove swamps at El-Gharqana.	18
Figure (8)	The topography and shore profile of the typical mangrove swamps at South Sinai.	19
Figure (9)	Seasonal changes in the values of surface water temperature.	28
Figure (10)	Seasonal changes in the values of air temperature.	28
Figure (11)	Seasonal changes in the values of water pH.	29

List of figures

Figure (12)	Seasonal changes in the values of dissolved oxygen.	30
Figure (13)	Seasonal changes in the values of salinity.	32
Figure (14)	The number of macro-invertebrate species recorded from different phyla during the present work.	68
Figure (15)	The number of crustacean species according to their infraorders recorded during the present work.	69
Figure (16)	The number of molluscan species according to their classes recorded during the present work.	69
Figure (17)	The distribution of invertebrate's phyla according to the mangrove sites examined during the present work.	119
Figure (18)	The distribution of crustacean species in relating to the number of the mangrove sites in Ras Mohamed and Nabq Protectorates.	120
Figure (19)	The distribution of molluscan species in relating to the number of the mangrove sites in Ras Mohamed and Nabq Protectorates.	120
Figure (20)	The status of macro-invertebrate species in the mangrove channel of Ras Mohamed Protectorate.	131

List of figures

Figure (21)	The status of macro-invertebrate species in the mangrove sites of Nabq Protectorate.	131
Figure (22)	The abundance of macro-invertebrate phyla from the five mangrove sites during the period of study.	134
Figure (23)	The abundance of recorded brachyuran and anomuran species from the five mangrove sites during the period of study.	135
Figure (24)	The abundance of recorded gastropods, bivalves and polyplacophores species from the five mangrove sites during the period of study.	135
Figure (25)	Seasonal variations of phyla listed from mangroves at Ras Mohamed and Nabq Protectorates.	140
Figure (26 A, B & C)	Demonstrate the seasonal variations of infraorders of Crustacea recorded from mangroves sites.	141
Figure (27 A, B & C)	Demonstrate the seasonal variations of classes of Mollusca recorded from mangroves sites.	142
Figure (28)	The total number of macro-invertebrate specimens from the five mangrove sites according to the seasonality.	143
Figure (29)	The seasonal variation in values of richness of macro-invertebrate species recorded from the sites of study.	149

List of figures

Figure (30)	The number of macro-invertebrate species recorded from the different habitats of mangrove sites of study.	159
-------------	---	-----

List of plates

Plate No.	Species	Page
Plate (1)	<i>Cassiopea</i> sp.	262
Plate (2)	<i>Calappa hepatica</i> - <i>Dotilla sulcata</i> - <i>Grapsus granulatus</i> - <i>Ocypode saratan</i> - <i>Macrophthalmus depressus</i> - <i>Macrophthalmus telescopicus</i> - <i>Uca inversa</i> - <i>Uca tetragonon</i> - <i>Pseudograpsus elongatus</i>	264
Plate (3)	<i>Coenobita scaevola</i> - <i>Clibanarius</i> sp.	266
Plate (4)	<i>Diodora funiculata</i> - <i>Diodora ruppellii</i> - <i>Nerita orbignyana</i> - <i>Nerita sanguinolenta</i> - <i>Nerita quadricolor</i> - <i>Tectus dentatus</i> - <i>Trochus erithreus</i> - <i>Trochus submorum</i>	268
Plate (5)	<i>Turbo radiates</i> - <i>Siphonaria crenata</i> - <i>Acteon tornatilis</i> - <i>Bulla ampulla</i> - <i>Atys cylindricus</i> - <i>Ringicula acuta</i> - <i>Longchaeus teres</i> - <i>Otopleura mitralis</i>	270
Plate (6)	<i>Cymatium trilineatum</i> - <i>Psilaxis oxytropis</i> - <i>Bursa granularis</i> - <i>Cerithium rostratum</i> - <i>Cerithium caeruleum</i> - <i>Cerithium columna</i> - <i>Colina pinguis</i>	272
Plate (7)	<i>Clypeomorus bifasciata</i> - <i>Clypeomorus concisus</i> - <i>Cypraea microdon</i> - <i>Erosaria annulus</i> - <i>Erosaria nebrites</i> - <i>Mauritia grayana</i> - <i>Purpuradusta gracilis notata</i> - <i>Littorina scabra</i>	274
Plate (8)	<i>Echinolittorina marisrubri</i> - <i>Echinolittorina millegrana</i> - <i>Mammilla melanostoma</i> - <i>Notocochlis gualtieriana</i> - <i>Polinices mammilla</i> - <i>Planaxis sulcatus</i> - <i>Potamides conicus</i> - <i>Rissoina dorbignyi</i>	276

List of plates

Plate (9)	<i>Canarium erythrinum</i> - <i>Canarium mutabilis</i> - <i>Conomurex fasciatus</i> - <i>Gibberulus gibberulus albus</i> - <i>Tricornis tricornis</i> - <i>Malea pomum</i> - <i>Tonna perdix</i>	278
Plate (10)	<i>Engina mendicaria</i> - <i>Euplica festiva</i> - <i>Pyrene testudinaria</i> - <i>Conus arenatus aequipunctatus</i> - <i>Conus miliaris</i> - <i>Conus namocanus</i> - <i>Conus nigropunctatus</i> - <i>Conus taeniatus</i>	280
Plate (11)	<i>Fusinus verrucosus</i> - <i>Volema paradisiaca nodosa</i> - <i>Morula anaxeres</i> - <i>Morula granulata</i> - <i>Murex forskoeihii</i> - <i>Muricodrupa funiculus</i> - <i>Nassa situla</i> - <i>Thais savignyi</i>	282
Plate (12)	<i>Nassarius fenistratus</i> - <i>Nassarius obvelatus</i> - <i>Nassarius concinnus</i> - <i>Ancilla eburnea</i> - <i>Cronia martensi</i> - <i>Lophiotoma cingulifera erythraea</i> - <i>Vasum turbinellus</i>	284
Plate (13)	<i>Anadara antiquata</i> - <i>Arca navicularis</i> - <i>Barbatia trapezina</i> - <i>Glycymeris arabica</i> - <i>Brachidontes pharaonis</i> - <i>Brachidontes</i> sp. - <i>Modiolus auriculatus</i> - <i>Pinna muricata</i>	286
Plate (14)	<i>Isognomon nucleus</i> - <i>Saccostrea cucullata</i> - <i>Fragum nivale</i> - <i>Cardita variegata</i> - <i>Chama limbula</i> - <i>Cardiolucina semperiana</i> - <i>Chavania erythraea</i> - <i>Codakia tigerina</i>	288
Plate (15)	<i>Ctena divergens</i> - <i>Divalinga arabica</i> - <i>Divaricella macandreae</i> - <i>Lamellolucina dentifera</i> - <i>Atactodea striata</i> - <i>Asaphis violascens</i> - <i>Loxoglypta</i> sp. - <i>Moerella lactea</i>	290

List of plates

Plate (16)	<i>Pistris capsoides</i> - <i>Quidnipagus palatam</i> - <i>Scutarcopagia delicatula</i> - <i>Tellinella crucigera</i> - <i>Tellinella staurella</i> - <i>Tridacna maxima</i> - <i>Diplodonta</i> sp. - <i>Diplodonta subrotunda</i>	292
Plate (17)	<i>Callista florida</i> - <i>Circe rugifera</i> - <i>Circenita</i> <i>callipyga</i> - <i>Dosinia hepatica</i> - <i>Gafrarium</i> <i>pectinatum</i> - <i>Tapes deshaysi</i>	294
Plate (18)	<i>Acanthopleura haddoni</i>	296
Plate (19)	<i>Ophiocoma erinaceus</i> - <i>Ophiocoma scolopendrina</i>	298