

**EFFECTIVENESS OF VARIABLE MESSAGE SIGNS IN
IMPROVING THE ROAD NETWORK PERFORMANCE
THROUGH ROUTE GUIDANCE**

By

Eng. Ahmed Kamal Mostafa Ahmed

**A Thesis Submitted to the
Faculty of Engineering at Cairo University
In Partial Fulfillment of The
Requirements for the Degree of
MASTER OF SCIENCE
in
CIVIL ENGINEERING - PUBLIC WORKS**

**FACULTY OF ENGINEERING, CAIRO UNIVERSITY
GIZA, EGYPT
2016**

**EFFECTIVENESS OF VARIABLE MESSAGE SIGNS IN IMPROVING THE
ROAD NETWORK THROUGH ROUTE GUIDANCE**

By

Eng. Ahmed Kamal Mostafa

**A Thesis Submitted to the
Faculty of Engineering at Cairo University
In Partial Fulfillment of The
Requirements for the Degree of
MASTER OF SCIENCE
in
CIVIL ENGINEERING - PUBLIC WORKS**

Under the Supervision of

**Prof. Dr. Ahmed Atef
Gadallah**

**Prof. of Highway and
Airport Engineering
Faculty of Engineering
Cairo University**

Dr. Dalia Galal Said

**Associate Prof. of Highway
and Traffic Engineering
Faculty of Engineering
Cairo University**

Dr. Omar Osman Omar

**Assistant Prof. of Highway,
Traffic and Airport
Engineering
Faculty of Engineering
Cairo University**

**FACULTY OF ENGINEERING, CAIRO UNIVERSITY
GIZA, EGYPT
2016**

**EFFECTIVENESS OF VARIABLE MESSAGE SIGNS IN IMPROVING THE
ROAD NETWORK THROUGH ROUTE GUIDANCE**

By

Eng. Ahmed Kamal Mostafa
A Thesis Submitted to the
Faculty of Engineering at Cairo University
In Partial Fulfillment of The
Requirements for the Degree of
MASTER OF SCIENCE
in
CIVIL ENGINEERING - PUBLIC WORKS

**Approved by the
Examining Committee**

Prof. Dr. Ahmed Atef Gadallah, Prof. of Highway and Airport Engineering
Faculty of Engineering
Cairo University

Prof. Dr. Laila Salah Eldin Radwan, Prof. of Highway, Traffic and Airport Engineering
Faculty of Engineering
Cairo University

Prof. Dr. Hassan Abdel-Zaher Hassan, Prof. of Highway and Traffic Engineering
Faculty of Engineering
Ain Shams University

**FACULTY OF ENGINEERING, CAIRO UNIVERSITY
GIZA, EGYPT
2016**

Engineer's Name: Ahmed Kamal Mostafa
Date of Birth: 16/07/1988
Nationality: Egyptian
E-mail: ackmo16@hotmail.com
Phone: +201222345695
Address: Dokki, Giza
Registration Date: 1/10/2010
Awarding Date: / /2016
Degree: Master of Science
Department: Civil Engineering - Public Works



Supervisors:

Prof. Dr. Ahmed Atef Gadallah
Dr. Dalia Galal Said
Dr. Omar Osman Omar

Examiners:

Prof. Dr. Hassan Abdel-Zaher Hassan, Professor at Ain Shams University
Prof. Dr. Ahmed Atef Gadallah
Prof. Dr. Laila Salah Eldin Radwan

Title of Thesis:

Effectiveness of Variable Message Signs in Improving the Road Network Through Route Guidance

Key Words:

Variable Message Signs, Route guidance, Performance measures

Summary:

Over the last few decades in Egypt, traffic volumes have been increasing on road networks leading to congestions during peak hours. This could be mainly attributed to the lower efficiency of the road networks in terms of the traffic distribution and the randomness of driver's behavior. In an effort to ease traffic congestions, several methodologies were implemented that involve changing the geometrics of the road network or building new infrastructure. Converting traffic flows at intersections to U-turns to prevent left turns, building new bridges or tunnels, permanent closure of access to roads and rerouting traffic are a few examples of such enhancements. These methods have proven to be temporary as they improve the road network according to the current traffic flow and ignore the future demands of the road network.

Therefore, there is a need to find innovative ways to manage the increasing demand on the road network. This research aims provides a methodology for providing traffic management on congested road networks in Egypt by means of route guidance through the use of Variable Message Signs. Variable Message Signs are portable and easy to apply, and this research has proven its success in reducing travel times and queue lengths, therefore increasing average traveling speeds.

ACKNOWLEDGEMENTS

The author would like to express his appreciation to Prof. Dr. Ahmed Atef, Gadallah, Professor of Highway and Airport Engineering, Cairo University for his effort throughout the study and in his guidance and help in completing this study. His support and guidance throughout the completion of this research is very much appreciated and resulted in the enhancement of the thesis.

The author would also like to express his gratitude to Dr Omar Osman, Assistant Professor of Traffic, Highway and Airport Engineering, Cairo University. The role played by Dr Omar in this thesis was necessary for the completion of the thesis in such manner. His expertise in the fields of Traffic, Highway and Airport Engineering provided the tools needed to fulfill the requirements of the thesis.

The author greatly appreciates the role of Dr. Dalia Said, Assistant Professor of Traffic, Highway and Airport Engineering, Cairo University. The time she gave in enhancing the quality of the thesis is greatly appreciated. Her support and effort paved the way for this thesis. She acted as a role model throughout the process as she not only encourages and provides academics help but challenged and pushed the author throughout the process. The author wishes her the all the best.

The author would also like to thank the team at the Giza Traffic Department especially Akeed Wael Taher, Head of Planning, Giza Traffic Department. Without his effort in facilitating the site visits, this research could not have been possible. Akeed Wael provided energy sources on sit, police officers to assist in the experiments and CCTV recordings. All this data and assistance is greatly appreciated by the author. His interest in ITS proved greatly helpful throughout this process as he helped in the methodology of the thesis with his brilliant ideology in road planning. Akeed Wael is not only a leading traffic police but a leader in life and a leader to this country. His contribution to the academics proves how much he wants to help our country.

DEDICATION

The author would like to dedicate this thesis to his family, the rock which held him down through the whole process. My family gave me strength and support needed to complete this research. For my mother, my companion and my friend. She lifted me up when I was down and was always there for me.

For my father, the person that knew I had more knowledge and willpower than I ever could imagine. His support and help during this process gave me the push I needed. I also would like to thank my siblings who were my side every step of the way.

Thank you
Ahmed Kamal

TABLE OF CONTENTS

ACKNOWLEDGEMENT.....	i
DEDICATION.....	ii
TABLE OF CONTENTS.....	iii
LIST OF FIGURES.....	vi
LIST OF TABLES.....	viii
ABSTRACT.....	ix
CHAPTER 1. INTRODUCTION.....	1
1.1 General Introduction.....	1
1.2 Problem Statement and Research Objectives	1
1.3 Research Methodology and Thesis Organization.....	3
1.3.1. Research Methodology	3
1.3.2. Thesis Organization.....	4
CHAPTER 2. LITERATURE REVIW.....	6
2.1 Introduction	6
2.2 Variable Message Sign Types	6
2.2.1. Variable Message Unit Types	6
2.2.1.a. Permanent VMS:	6
2.2.1.b. Portable VMS:	7
2.2.1.c. Truck-Mounted VMS:	8
2.2.1.d. Board VMS:.....	8
2.2.2. Variable Message Sign Technology	9
2.2.2.a. Flip Disk VMS	10
2.2.2.b. Light Emitted Diode (LED) VMS	12
2.2.2.c. Fiber Optic VMS.....	14
2.2.2.d. Hybrid VMS	15
2.3 Variable Message Signs Display	15
2.3.1. VMS Design Matrixes.....	15
2.3.2. Messages Displayed on the VMS.....	16
2.4 Effectiveness of VMS in Improving the Road Network Performance	17
2.4.1 Questionnaires	17

2.4.2 Field Tests	19
2.5 Summary	21
CHAPTER 3. DATA COLLECTION PROCESS	22
3.1 Introduction	22
3.2 Site Selection	22
3.3 VMS Message Design	29
3.3.1. Basis on Choosing the VMS Message.....	29
3.3.2. Determination of VMS Size	30
3.4 Traffic Data Collection.....	35
3.4.1. Collected Traffic Data	36
3.4.2. Traffic Count	36
3.4.3 Field Data Collection Procedure	37
3.5 Summary	40
CHAPTER 4. DATA ANALYSIS AND RESULTS	42
4.1 General Introduction.....	42
4.2 Diversion Rate Calculation.....	42
4.2.1. Diversion Rates for Pilot Test	42
4.2.2. Field Test Diversion Rates	45
4.3 Estimation of Measure of Effectiveness to Assess the Benefit of VMS on the Road Network.....	55
4.3.1. Measuring the Effectiveness of the VMS on Travel Time Savings	55
4.3.1.a Statistical Analysis of the Differences in Travel Times:	56
4.3.2. Measuring the Effectiveness of the VMS on Reducing Queue Lengths	63
4.3.3. Measuring the Effectiveness of the VMS on Average Travel Speeds.....	64
4.4 Summary	66
CHAPTER 5. CONCLUSIONS AND RECOMMENDATIONS.....	68
5.1 Summary	68
5.1.1 Most Effective VMS Message.....	68
5.1.2 Effect of VMS on Travel Times	68
5.1.3 Effect of VMS on Queue Lengths	70

5.1.4 Effect of VMS on Overall Travel Speed	70
5.2 Recommendations for Future Research.....	71
REFERENCES.....	72

LIST OF FIGURES

Figure 1.1: Research Stages Sequence.	4
Figure 2.1: An Example of a Permanent VMS (Glazer and Iteris, 2003)	7
Figure 2.2: An Example of a Portable VMS in the United Kingdom (Mobile Traffic Solutions, 2012).....	7
Figure 2.3: An Example of a Truck-Mounted VMS (Truck Mounted Attenuat, 2016)	8
Figure 2.4: An Example of a Board VMS (AS&P, 2012).....	9
Figure 2.5: Flip Disk VMS Close Up (Wisconsin DOT, 2000)	11
Figure 2.6: Flip Disk VMS (FHART, 2015)	11
Figure 2.7: Flip Disk VMS Being Removed to be Replaced with New Technology in Virginia, USA (Virginia Department of Transportation, 2011)	12
Figure 2.8: VMS After Replacing Flip Disk Technology with Newer Technology Virginia, USA (Virginia Department of Transportation, 2011)	12
13	
Figure 2.9: LED VMS Close Up (Nissen Road Safety)	13
Figure 2.10: LED VMS Providing Journey Times to Motorists on I70 West, North of Evergreen, Colorado (Wikipedia, 2015).....	14
Figure 2.11: Fiber Optic VMS Close up (Made In Asia Company, 2013).....	14
Figure 2.12: Fiber Optic VMS Informing Drivers of Road Works	15
Figure 2.13: Character Matrix	16
Figure 2.14: Line Matrix	16
Figure 2.15: Full Matrix	16
Figure 2.16: Study Site of Nedal (2013)	19
Figure 3.1: Map of Giza Governorate with Site Locations.	23
Figure 3.2: Map of Study Sites (Site 1).....	24
Figure 3.3: Map of Study Sites (Site No. 2).	25
Figure 3.4: Map of Study Sites (Site No. 3).	26
Figure 3.5: Map of Study Sites (Site No. 4).....	27
Figure 3.6: Map of Study Sites (Site No. 5).	28
Figure 3.7: VMS Type 1.....	30
Figure 3.8: VMS Type 2.....	30
Figure 3.9: VMS Type 3.....	30
Figure 3.10: Letter Dimensions from the Egyptian Code	31
Figure 3.11: Letter Dimensions from the Egyptian Code	32
Figure 3.12: Letter Dimensions from the Egyptian Code	33
Figure 3.13: Guidance Sign Dimensions from the Egyptian Code	34
Figure 3.14 Sign Type (1)	35

Figure 3.15 Sign Type (2)	35
Figure 3.16 Sign Type (3)	35
Figure 3.17: Traffic Count Tally Sheet	37
Figure 3.18: VMS on Site for the First Period	38
Figure 3.19: VMS on Site from Behind	39
Figure 3.20: VMS on Site for the Second Period	39

LIST OF TABLES

Table 2.1: VMS Technology Advantages and Disadvantages. (Wisconsin Department of Transportation, Intelligent Transportation Systems Design Manual, 2000).....	10
Table 2.3: Consolidated responses to change of route messages	18
Table 2.4: Proportion of total traffic exiting to the right using slip ramp on Wednesday and Thursday (Nedal, 2013).....	20
Table 3.1: Description of Study Sites.....	29
Table 3.2: X-factor Table from the Egyptian Code.....	34
Table 4.1: Average Travel Times Before and After VMS.	56
Table 4.2: Queue Lengths Before and After VMS.....	64
Table 4.3: Average Travel Speeds Before and After VMS.....	65

ABSTRACT

Variable Message Signs (VMS) are a means of providing valuable information to roadway users and enhancing the performance of the road network. The likelihood of an accident occurring may also be reduced through the application of VMS by informing drivers of rough weather conditions and reduced visibility. Studying the effect of VMS on driver behavior and its effect on the performance of the road network is very important and can lead to significant improvements in travel times and reduce traffic congestion overall. The main objective of this research was to analyze the effectiveness of the use of VMS as a form of a route guidance tool in improving the efficiency of the road network. This was implemented through a number of case studies to identify the effectiveness of the Variable Message Signs under different incidents and different factors of the message sign itself. As this is a unique traffic guidance method to Egypt and has not been previously applied, the different factors that may affect the effectiveness of the sign to divert drivers had to be studied to fully understand the benefits of implementing VMS in Egypt.

To fulfill the research objective, traffic data was collected from five sites located in Giza Governorate, Egypt. At each location, the driver had the choice of two alternative routes leading to the same destination. The VMS informed the drivers that one of these routes was congested and to use the less congested alternative route to reach the destination. Special considerations were taken according to Egyptian driving behavior; and three different sign types were designed and applied to identify the most effective type of VMS on drivers.

Traffic counts for each route was recorded for twenty minutes without the VMS (normal conditions) and twenty minutes with the VMS applied to obtain the diversion rate of drivers from their original route choice to the alternative less congested route. Travel times for 30 vehicles were also recorded before and after the application of the VMS in order to obtain the average travel time with and without the VMS. Queue lengths were also recorded before and after applying the VMS.

CHAPTER 1. INTRODUCTION

1.1 General Introduction

Variable Message Signs (VMS) have been implemented since 1960 in the United States of America and are largely deployed on freeways, highways and in work zones throughout the world. VMS are traffic control devices used to provide motorist en-route traveler information. They are commonly installed on full-span overhead sign bridges, post-mounted on roadway shoulders, and overhead cantilever structures. The information is most often displayed in real-time and can be controlled either from remote centralized location or locally at the site. Traveler information displayed on VMS may be generated as a result of a planned or unplanned event, which is programmed or scheduled by operations personnel. Variable message signs are commonly used to warn of traffic congestion, accidents, incidents, roadwork zones, or speed limits on a specific segment of the network. The VMS may guide vehicles to alternative routes due to congestion, limit travel speed, inform of incidents or traffic conditions (IRC SP 085, May 2010).

Variable Message signs have recently been implemented in Egypt near the downtown Cairo, Egypt to inform motorists of parking vacancy's in the surrounding parking lots. However, VMS has not been applied to give route guidance to travelers. Due to the high congestion in Egypt, VMS have a large potential to improve the performance of the Egyptian road network. The intertwining nature of the road network in Egypt creates multiple routes the road user may choose to take leading to the same destination. This provides a suitable environment for the application of VMS.

The mountable version or portable version of the VMS are used in areas where the permanent VMS are not available. Portable VMS are used in areas where traffic patterns are temporary and the high cost of a permanent VMS is not needed. These areas are usually next to work zones, during the occurrence of a natural disaster, unusual traffic congestions, or traffic management for special events (United States Access Board Current, VMS Technologies and Applications).

The messages displayed on the sign can be programmed locally in the unit's control panel, or units equipped with a cellular modem can be programmed remotely via computer or phone. Trailer-mounted VMS can be equipped with a radar, camera, and other sensing devices as part of a smart work zone deployment.

1.2 Problem Statement and Research Objectives

Determining the effectiveness of the VMS on drivers and its effect in improving the performance of the road network is an important issue for determining the possibility of reducing traffic congestion through new technologies as the VMS. VMS is defined in the VMS Operations Manual, Texas Transportation Institute Texas A&M University System College Station, In Cooperation with New Jersey Department of Transportation Division of Research and Technology and U.S. Department of Transportation Federal Highway Administration, as “programmable traffic control devices that can usually display any combination of characters to present messages to motorists.”.