

بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ٢٥-١٥ مئوية ورطوية نسبية من ٢٠-١٠ في درجة حرارة من ٢٥-١٥ مئوية ورطوية نسبية من ٢٠-١٤. To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%

بعض الوثائـــق الأصليــة تالفــه

بالرسالة صفحات لم ترد بالاصل

EFFECT OF PLANTING DISTANCE AND TRAINING SYSTEM ON THE YIELD AND FRUIT QUALITY OF MANFALOUTY POMEGRANATES

Ву

EZZ EL-DIEN GADALLA HUSSEIN GADALLA

B.Sc. Agriculture (Pomology), Fac. of Agric., Assiut University, 1986

THESIS

SUBMITTED IN PARTIAL FULFILMENT OF

THE REQUIRED FOR THE DEGREE OF

MASTER OF SCIENCE

IN

HORTICULTURE (POMOLOGY)

DEPARTMENT OF HORTICULTURE
FACULTY OF AGRICULTURE
ASSIUT UNIVERSITY

Supervised by:

Prof. Dr. Shehata E. El-Kassas (Supervisor) Dr. Ahmed M. El-Sese Dr. Hassan A. Abdel-Galel Assiut University

Examined by:

Prof. Dr. A.M. Eid*
Prof. Dr. H.M. Mahmoud**
Prof. Dr. Sh.E. El-Kassas**
* Minia University
** Assiut University

2/9

APPROVAL SHEET

Title: Effect of planting distance and training system on the yield and fruit quality of Manfalouty pomegranates

Ву

EZZ EL-DIEN GADALLA HUSSEIN GADALLA

This thesis has been approved by:

H.M. Marzonto Elkassa Sil, M.M.

(Committee in charge)

Date: 26 //2/ 1994

Acknowledgement

ACKNOWLEDGEMENT

I would like to express my sincere thanks and appreciation to **Dr. Shehata El-Azab El-Kassas**, Professor of Pomology, Horticulture Department, Assiut University for supervising, suggesting the problem, providing facilities, technical advice and preparing this manuscript.

I am greatly indebted to **Dr. Ahmed Mokhless El-Sese**, Associate Professor of Pomology and **Dr. Hassan A. Abd El-Galil**, Lecturer of Pomology, Horticulture Department, Assiut University for their sincere help, and valuable guidance during carrying out this study.

Many great thanks to the following Staff members of Horticulture Department (Pomology), Assiut University for their valuable advice and generous help

- Dr. Mohamed A. Hussein, Prof. of Pomology.
- Dr. Samir Z. El-Agamy, Prof. of Pomology.
- Dr. Hamdy M. Mahmoud, Prof. of Pomology
- Dr. Kamilia I. Ahmed, Prof. of Pomology.
- Dr. T.K. El-Mahdy, Lecturer of Pomology.
- Dr. F.M. Ahmed, Lecturer of Pomology
- Dr. A.Y. Abdallah, Lecturer of Pomology
- Dr. A.M. El-Salhy, Lecturer of Pomology
- Dr. M.M. Harhash, Lecturer of Pomology
- Dr. R.A.A. Mostafa, Lecturer of Pomology

Deep thanks are also due to all other Staff members of Horticulture Department (Pomology), Assiut University, for their generous help, and advice throughout the whole course of this study.

The author wishes to express his deep gratitude to my colleagues of pomology Department, Assiut University, together with every one offered his help to make the work possible.

I am indebted to my family for giving me love, continual support, encouragement, inspiration and making valuable suggestions.

Contents

CONTENTS

	Page
LIST OF TABLES	
INTRODUCTION	1
REVIEW OF LITERATURE	4
1 - Flowering and fruit setting	4
1.1. Flower bud formation	4
1.2. Bearing habits	5
1.3. Flowering period and fruit setting	7
2 - Planting distance	10
3 - Training systems	23
MATERIALS AND METHODS	25
\cdot	31
I - Flowering	31
I-1- The weekly proportion of perfect flowers	٠.
(as percent) relative to the weekly total	
number of both perfect and male flowers.	31
I-2- The weekly percentage of perfect flowers	
relative to total number of perfect	
flowers/tree	39
II- Fruit setting	45
II-1- Initial fruit set	45
II-1-a- The weekly initial fruit sett-	
ing (as percent) relative to	
previous weekly labelled per-	
fect flowers	45
II-1-b- The weekly initial fruit set	
relative to total perfect flow-	
ers/trees	49
II-2- Ultimate fruit retention	56
II-2-a- The percentage of successive	
ultimate fruit retention from	
weekly production of perfect	
flowers	56

•
II-2-b- The percentage of weekly ultim- ate fruit retention relative to total perfect flowers/tree 63
<pre>II-2-c- Ultimate fruit retention rela- tive to total number of perfect</pre>
flowers per tree 68
III- Fruit yield 70
~
III-2- Yield in kg per tree 7
IV- Fruit quality 78
IV-1- Physical fruit proportions 78
IV-1-a- Fresh weight per fruit 78
IV-1-b- Percentage of arils 83
IV-1-c- Percentage of fruit splitting - 83
IV-1-d- Percentage of sunburned fruits- 83
IV-2- Chemical fruit properties 80
IV-2-a- Total soluble solid (TSS) of
juice 80
IV-2-b- Total acidity of juice 88
IV-2-c- Total soluble solids/acid ratio 90
IV-2-d- Reducing sugars of juice 93
SUMMARY AND CONCLUSION 9
LITERATURE CITED 104
ADADIC CIMMADV

Page

LIST OF TABLES

able No.		Page
1	Effect of planting distance and flowering period on the average weekly percentage of perfect flowers of Manfalouty pomegranate (based on total weekly perfect and male flowers) during 1992 and 1993 seasons	
2	Effect of number of main stems per bush and flowering period on the average weekly percentage of perfect flowers of Manfalouty pomegranate (based on total weekly perfect and male flowers) during 1992 and 1993 seasons	
3	Effect of planting distance and number of main stems per bush on the average weekly percentage of perfect flowers of Manfalouty pomegranate (based on total weekly perfect and male flowers) during 1992 and 1993 sesons.	
4	Effect of planting distance and flowering period on the average weekly percentage of perfect flowers of Manfalouty pomegranate (from total perfect flowers/tree) during 1992 and 1993 seasons.	
5	Effect of number of main stems per buch and flowering period on the average weekly percentage of perfect flowers of Manfalouty pomegranat (from total perfect flowers/tree) during 1992 and 1993 seasons.	
6	Effect of planting distance and number of main stems per bush on the average weekly percentage of perfect flowers of Manfalouty pomegranate (from total perfect flowres/tree) during 1992 and 1993 sesons.	
7	Initial fruit set (as percent) of Manfalouty pomegranate (relative to previous weekly labelled perfect flowers) as affected by planting distance during 1992 and 1993 seasons.	
8	Initial fruit set (as percent) of Manfalouty pomegranate (relative to previous weekly labelled perfect flowers) as affectd by number of main stems per shrub during 1992 and 1993 seasons.	

	•	Page
9	Initial fruit set (as percent) of Manfalouty pomegranate (relative to previous weekly labelled perfect flowers) as affected by planting distance and number of main stem per bush during 1992 and 1993 sesons.	50
10	Initial fruit set of Manfalouty pomegranate fruits (relative to total perfect flowers/tree) as affected by planting distance during 1992 and 1993 seasons.	52
11	Initial fruit set of Manfalouty pomegranate fruits (relative to total perfect flowers/tree) in response to number of main stems per bush during 992 and 1993 seasons.	54
12	Initial fruit set of Manfalouty pomegranate fruits (relative to total perfect flowers/tree) as affected by planting distance and number of main stems per bush during 1992 and 1993 seasons.	55
13	Effect of planting distance and flowering period on weekly ultimate fruit retention (No. of harvested fruits of different weeks relative to weekly No. of perfect flowers) of Manfalouty pomegranate during 1992 and 1993 seasons.	57
14	Effect of number of main stems per bush and flowering period on weekly ultimate fruit retention (No. of harvested fruits relative to weekly No. of perfect flowers) of Manfalouty pomegranate during 1992 and 1993 seasons.	59
15	Effect of planting distance and number of main stems per bush on weekly ultimate fruit reten- tion (No. of harvested fruits relative weekly No. of perfect flowers) of Manfalouty pomegrn- ate during 1992 and 1993 sesons.	61
16	Effect of planting distance and flowering period on weekly ultimate fruit retention (No. of harvested fruits/total No. of perfect flowers) of Manfalouty pomegranate during 1992 and 1993 seasons.	63
17	Effect of number of main stems per bush and flowering period on weekly ultimate fruit retention (No. of harvested fruits/total No. of perfect flowers) of Manfalouty pomegranate during 1992 and 1993 seasons.	66