

# 127, 17 27, 17 (20) 77, 17 (20









# جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



# يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15-20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of 15 – 25c and relative humidity 20-40 %



ثبكة المعلومات الجامعية





Information Netw. " Shams Children Sha شبكة المعلومات الجامعية @ ASUNET بالرسالة صفحات لم ترد بالأص



Evaluation of prognostic effect of medical management in coronary artery disease patients using Thalium 201 single photon emission computed tomographic imaging

#### **THESIS**

Submitted For Partial Fulfillment of the Requirements of Master Degree in Cardiology

BY **Dalia Yehia Abdel-Hamid**M.B.B.Ch, Assiut University

#### SUPERVISED BY

Prof. Samir S.Abdel-Kader
Professor of Cardiology
Faculty of medicine
Assiut University

Prof. Adel H. Allam
Professor of Cardiology
Faculty of medicine
Al-Azhar University

Barca

Faculty of medicine Assiut University 2002

#### **ACKNOWLEDGMENT**

First and foremost, thanks to **ALLAH**, the most kind and the most merciful.

I would like to express my sincere, and deep appreciation to prof.Dr/ Samir Sayed Abdel-Kader, professor and head of cardiology department, faculty of medicine, Assiut University, for his great help, valuable guidance, and continuous encouragement. His kindness and paternal attitude cannot be expressed in words.

Indeed, words do fail me when I come to express my deep gratitude to **Prof. Dr/ Adel Allam**, Assis.Professor of cardiology Faculty of medicine, Al Azhar University, for his paternal help, sincere guidance, and continous support through this work...

Lastely, I feel thankful to all members in department of cardiology, faculty of medicine Assiut University, and all members in the department of cardiology, Faculty of medicine, Al Azhar University, who helped me and illuminated the way for performing this study.

## **Contents**

	Page
Introduction and aim of work	1
Review of literature	4
Atherosclerotic Heart Disease and Medical Treatment	•
Beta adrenergic blocking agents	10
Nitrates	14
Calcium channel blockers	
Aspirin	
Lipid lowering drugs	21
Myocardial Perfusion Imaging (MPI)	24
Historical Background	
Instrumentation	
Radiopharmaceuticals	30
Patient protocol	
Imaging Protocol	46
Image Interpretation	51
Patients and methods	62
Results	72
Discussion	112
Summary and Conclusions	
References	
Arabic summary	130

## **Tables**

Table (1) Identification data and baseline clinical findings of total
population73
Table (2A) Exercise ECG findings in the first study79
Table (2B) Exercise ECG findings in the second study80
Table (2C) Comparison between the first and second study as regard
stress ECG findings81
Table (2D) Comparison of rest and peak values of stress ECG
findings86
Table (3A) myocardial perfusion imaging findings in the first
study88
Table (3B) myocardial perfusion imaging findings in the second
study89
Table (3C) Comparison of myocardial perfusion imaging findings
between the first and second studies90
Table (4A) Comparison of identification data and baseline clinical
findings of patients who had >20% improvement in the 2 <sup>nd</sup> MPI study
versus those who hadn't96
Table (4B) Comparison of stress ECG findings in patients who had >20%
improvement versus those who hadn't97
Table (4C) Comparison of MPI findings in patients who had >20%
improvement versus those who hadn't99
Table (4D) Comparison of follow up data in patients who had >20%
improvement versus those who hadn't102
Table (5A) Comparison of identification data and baseline clinical
findings of patients who had hard events versus those who
nadn't105

Table (5B) Comparison of stress ECG findings in patients wi	ho had hard
events versus those who hadn't	106
Table (5C) Comparison of myocardial perfusion imaging	
patients who had hard events versus those who hadn't	108

•

,

.

## Figures

I-Review of literature:
Figure (1) Normal thallium-201 single photon emission computed
tomography (SPECT). Short axis slices56
Figure (2) Normal thallium-201 single photon emission computed
tomography (SPECT). Horizontal long axis slices57
Figure (3) Normal thallium-201 single photon emission computed
tomography (SPECT). Vertical long axis slices58
Figure (4) A SPECT TI-201 images. Short axis slices. Showing total
reversibility of an anterior wall defect59
Figure (5) A SPECT TI-201 images. Horizontal long axis slices.
Showing a defect in the apex and septum with partial reversibility60
Figure (6) A SPECT Tl-201 images. Vertical long axis slices. showing a
defect in the anterior wall, apex and part of the inferior wall, with no
reversibility on the 4 hours reinjection images61
II-Patients and methods:
Figure (A) A SPECT T1-201 images. Short axis slices. Showing near
total reversibility of a defect involving the apex and anterior
wall70
Figure (B) Schematic representation of the 13 segment model71
III-Results
Figure (1) Distribution of risk factors among patient population74
Figure (2) Distribution of event rate among patient population75
Figure (3A) Comparison between the 1 <sup>st</sup> & 2 <sup>nd</sup> studies as regard stress
ECG, heart rate83

	Figure (3B) Comparison between the 1 <sup>st</sup> & 2 <sup>nd</sup> studies as regard stress
	ECG, blood pressure84
	Figure (3C) Comparison between the 1 <sup>st</sup> & 2 <sup>nd</sup> studies as regard stress
	ECG, stage of exercise85
	Figure (3D) Comparison between the 1 <sup>st</sup> & 2 <sup>nd</sup> studies as regard stress
	ECG, chest pain with exercise86
	Figure (4) Comparison between the 1 <sup>st</sup> & 2 <sup>nd</sup> studies as regard MPI92
	Figure (5) Comparison of MPI parameters in the 2 <sup>nd</sup> scan between patients with >20% improvement versus those with <20% improvement
	Figure (6) Comparison of L/H ratio and exercise induced LV dilatation in
	the 2 <sup>nd</sup> scan between patients with >20% improvement versus those with
	<20%improvement
	Figure (7) Comparison of stage of exercise of the 2 <sup>nd</sup> study in patients
	who had hard events versus no hard events
	Figure (8) Comparison of MPI parameters of the 2 <sup>nd</sup> study in patients
_	who had hard events versus no hard events
	Figure (9): A SPECT Tc-99m images. Short axis slices. A patient shows
	more than 20% improvement in his 2 <sup>nd</sup> MPI scan110
	Figure (10): A SPECT Tl-201 images. Short axis slices. A patient shows
	almost no improvement in his 2 <sup>nd</sup> MPI scan