







شبكة المعلومـــات الجامعية التوثيق الالكتروني والميكروفيا.



جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

40-20 في درجة حرارة من 15-20 منوية ورطوبة نسبية من


To be kept away from dust in dry cool place of 15 – 25c and relative humidity 20-40 %











THE EFFECT OF PLANT DENSITY AND NITROGEN FERTILIZER ON MAIZE SILAGE BY

Tamer Goma El-gaafarey

Thesis
Submitted in partial Fulfillment
of the Requirements for
the Degree

of

MASTER OF SCIENCE

In

(Field Crops)

Department of Crop Science
Faculty of Agriculture
Minufiya University

2007



Minufiya University Faculty of Agriculture Agronomy Department

APPROVAL SHEET

THE EFFECT OF PLANT DENSITY AND NITROGEN FERTILIZER ON MAIZE SILAGE

The Researcher: Tamer Goma El-gaafarey

Thesis Approved by:

Thesis Approved by:		
Name	Position	Signature
Prof. Dr. El Sayed Hamed El-seidy	Prof. and chief of Agronomy, Faculty of Agriculture, Tanta University	E.H. EL-Seidy
Prof. Dr. Mahmoud El-Desoky Ibrahiem	Prof. of Agronomy, Faculty of Agriculture Minufiya University	Sbrokin
<i>Prof.</i> Dr. Shaaban Ahmed El-Shamaraka	Prof. of Agronomy, Faculty of Agriculture Minufiya University	Fran
<i>Prof.</i> Dr. Farouk Metwalli Ali Nagy	Chief Researcher in Forage Department -Field Crops Res. Inst. Agric. Res. Center	5. M. NI

Discussion date: / /2007

 Minufiya University Faculty of Agriculture Department Agronomy

APPROVAL SHEET

THE EFFECT OF PLANT DENSITY AND NITROGEN FERTILIZER ON MAIZE SILAGE

The Researcher: Tamer Goma El-gaafarey

Thesis Supervised by:

Name	Position	Signature
<i>Prof. Dr.</i> Abdel-Hamid A.Nawar	Prof. of Agronomy, Faculty of Agriculture Minufiya University	Kawa
Prof. Dr. Shaaban Ahmed El-Shamarka	Prof. of Agronomy, Faculty of Agriculture Minufiya University	Shew
<i>Prof. Dr.</i> Farouk Metwalli Ali Nagy	Chief Researcher in Forage Department –Field Crops Res. Inst. Agric. Res. Center	J.M. Ph
<i>Dr</i> . Naged Abdel –Azim Gaafar	Agronomy Department, Faculty of Agriculture Minufiya university	Vagedgaafa

Discussion date: 29/5/2007

; ; . !

ACKNOWLEDGMENT

The author wishes to express his deepest gratitude and sincere appreciation to Prof. Dr. A. A.Nawar, professor of Agronomy. Department of Agronomy, Faculty of Agriculture, Menufiya University, for his supervision planning, valuable advice and encouragement during the course of the study and preparation of the manuscript.

Grateful appreciation is also due to Prof. Dr. Shaaban Ahmed El-Shamaraka professor of Agronomy .Department of Agronomy, Faculty of Agriculture, Menufiya University for their supervision and valuable advice during the duration of this study.

Deepest gratitude is also offered to Prof.Dr. Farouk Metwalli Ali Nagy Chief Researcher, Forage Crops Department, Field Crops Institute, Agriculture Research Center (ARC), for suggestion the research problem and valuable advice through the course of the field work and during preparation of the manuscript.

Thanks are also due to Dr.Naged Abdel -Azim Gaafar Lecturer of agronomy Department Faculty of Agriculture Minufiya University for his encouragement during the course of the study and preparation of the manuscript.

The author wishes also to express deepest gratitude to all the staff members of the forage Research Team at Sakha Agriculture Research Station for their various facilities through different steps of this work.

Finally, I would like to thank my parents and me family for their patience, sacrifices and sincere encouragement during the course of this study.

		,	
•			•
	•		-
			-
			·

CONTENTS	page
I-INTRODUTION	1 3 18
A- First ExperimentStudies traits	18 20
- Yield components	20
- Forage and Silage qualities	21
B-The second experiment	22
-Treatments	22
- Studied traits	23
IV- RESULTS AND DISCUSSION	
A-First Experiment	24
Experiment A-1 (MAIZE EXPERIMENT).	24
A-Fresh and Silage yield (ton/fed)	24
a-1- Effect of varieties, plant density, nitrogen level	24
a-2- Interactions between varieties x plant density, varieties x nitrogen level	27
B-Dry forage and Silage yield (ton/fed)	
b-1- Effect of varieties, plant density, nitrogen level	32
b-2- Interactions between varieties x plant density, varieties x nitrogen level and plant density x nitrogen level	32 37
C- Fresh and dry leaves Percentage per plant.	43
2- 1- Effect of varieties, plant density, and nitrogen level. 2-2- Interactions between varieties x plant density, varieties x nitrogen level and plant density x nitrogen level	43 47

D- Dry matter percentage of fresh forage and silage yield.	51	
d- 1- Effect of varieties, plant density, and nitrogen level.		
d-2- Interactions between varieties x plant density, varieties x nitrogen level and plant density x nitrogen level		
	56	
E- Forage and Silage qualities	62	
E-1- Crude protein (CP) %	62	
E -1-1- Effect of varieties, plant density, nitrogen level	62	
E-1-2- Interactions between varieties x plant density, varieties x nitrogen level and plant density x nitrogen level	65	
E-2-Crude fibers (CF) %	- 0	
E -2- 1- Effect of varieties, plant density, nitrogen level.	70	
E-2-2- Interactions between varieties x plant density,	70	
varieties x nitrogen level and plant density x nitrogen level	73	
E-3-Ether Extract percentage (E.E) %	76	
E-3-1- Effect of varieties, plant density, nitrogen level.	76	
E-3-2- Interactions between varieties x plant density,	76	
varieties x nitrogen level and plant density x nitrogen level	79	
E -4 - Ash percentage %	02	
E-4- 1- Effect of varieties, plant density, nitrogen level.	83	
E-4-2- Interactions between varieties x plant density,	83	
varieties x nitrogen level and plant density x nitrogen level	87	
E-5-Nitrogen free extract (NFE) %	00	
E-5- 1- Effect of varieties, plant density, nitrogen level.	90 90	
E-5- 1- Interactions between varieties x plant density, varieties x nitrogen level and plant density x nitrogen level		
		E- 6 - Organic matter (OM) %
E-6- 1- Effect of varieties, plant density, nitrogen level.	97 97	