



Ain Shams University

**DYNAMIC SOIL-STRUCTURE INTERACTION
FOR LOW AND HIGH RISE BUILDINGS**

BY

Eng. Mohamed Fouad Ahmed Mohamed El-taib.

B.Sc. 2002 (Structural Engineering)

Faculty of Engineering at Shoubra - Benha University

A thesis

**Submitted in Partial Fulfillment for The
Requirements of the Degree of Master of Science
In Structural Engineering**

Supervisors

Dr. Hesham M. Helmy

Associate Professor of Geotechnical and Foundation Engineering

Head of Soil Mechanics and Foundations Research Unit

Ain Shams University

Dr. Mohamed Saffan Abd El-gawad

Assistant Professor of Structural Engineering

Ain Shams University

Cairo - 201



Ain Shams University

**DYNAMIC SOIL-STRUCTURE INTERACTION
FOR LOW AND HIGH RISE BUILDINGS**

BY

Eng. Mohamed Fouad Ahmed Mohamed El-taib.

B.Sc. 2002 (Structural Engineering)

Faculty of Engineering at Shoubra - Benha University

A thesis

**Submitted in Partial Fulfillment for The
Requirements of the Degree of Master of Science**

In Structural Engineering

THESIS APPROVAL

EXAMINERS COMMITTEE

SIGNATURE

Prof. Dr. Mohamed H. Rabee

Professor of Geotechnical Engineering
Faculty of Engineering, Helwan University

.....

Prof. Dr. Mohamed A. Abdel_Motaal

Professor of Geotechnical Engineering
Faculty of Engineering, Ain Shams University

.....

Dr. Hesham M. Helmy

Associate Professor of Geotechnical
Engineering, Ain Shams University

.....

Date: / / 2017



Ain Shams University
Department of Structural Engineering

Name: Mohamed Fouad Ahmed Mohamed EL-Taib

Thesis: Dynamic Soil Structure Interaction for Low and High Rise Buildings

Degree: The M.Sc. Degree in Civil Engineering

Supervisors Committee

Dr. Hesham M. Helmy

Associate Professor of Geotechnical

and Foundation Engineering

Ain Shams University

Dr. Mohamed Saffan Abd El-gawad

Assistant Professor of Structural Engineering

Ain Shams University

Date: / / 201

Statement

This dissertation is submitted to Ain Shams University for the degree of Master of Science in Structural Engineering. The work included in this thesis was carried out by the author in the Department of Structural Engineering, Ain Shams University, no part of this thesis has been submitted for a degree or qualification at any other University or Institution.

Mohamed Fouad EL-Taib

Signature

.....

RESEARCHER DATA

Name: Mohamed Fouad Ahmed Mohamed EL-Taib

Date of Birth: 1980 / 2 / 7

Place of Birth: Cairo \ Egypt

Last Academic Degree: Bachelor of Enwinding

Field of Specialization: Structural Engineering

University Issued the Degree: Benha University

ACKNOWLEDGMENT

I would like to express my deepest thanks for **Dr. Hesham Mohamed Helmy**, Assoc. Prof. of Geotechnical Engineering, Ain Shams University, for his support, advice and graving the true basics of the research, which lead to new and useful idea. I am also extremely grateful to **Dr. Mohamed Saffan**, Assoc. Prof. of Structural Engineering, Ain Shams University for his support, advice and patience in supervising this work.

Eng. Mohamed Fouad El-Taib

AIN SHAMS UNIVERSITY
FACULTY OF ENGINEERING
DEPARTMENT OF STRUCTURAL ENGINEERING

Abstract of M.Sc. thesis submitted by:

Eng. Mohamed Fouad El-Taib

Title of thesis:

**DYNAMIC SOIL-STRUCTURE INTERACTION
FOR LOW AND HIGH RISE BUILDINGS**

ABSTRACT

When structures in direct contact with ground, like building, tunnels and bridge foundations exposed to Earthquake forces, this forces applied externally to the elements of the structures or develop internally in the ground, both of the structure and the ground in fact deform and move in a compatible manner, and this because of the dependency of each other as a result of their intimate physical contact. Problems like these are referred to as dynamic soil structure interaction (DSSI) problems.

This thesis studies the effect of soil on the dynamic behavior of structures. Full interaction between soil, substructure and superstructure are represented as a Dynamic Soil-Structure Interaction (DSSI) problem, using the finite element method (**MIDAS GTS** program). Nonlinear behavior of soil is taken according to Mohr coulomb theory a damping ratio. El Centro

earth quake have been used to predict the effects of **DYNAMIC SOIL-STRUCTURE INTERACTION (DSSI)**. comparison between the results of the sophisticated full interaction model and the simplified models (either using springs or hinged supports) is illustrated, the base shear and although the internal forces due to seismic excitation of sophisticated full interaction model is less than the base shear and internal forces of simplified models (either using springs or hinged supports) as expected, also axial force Bending moment and the shear force diagrams of the sophisticated full interaction model are more realistic than of simplified models.

Key Notes: Dynamic Soil Structure Interaction (DSSI) - Finite Element - High Rise Building-Low Rise Building - Mohr Coulomb Theory- El Centro earthquake – seismic loads.

TABLE OF CONTENTS

AKNOWLEDGMNT.....	iv
ABSTRACT	v
TABLE OF CONTENTS	vii
LIST OF FIGURES	v
LIST OF TABLES.....	xxiv
CHAPTER 1.....	1
1-INTRODUCTION	3
1.1 GENERAL.....	3
1.2 Statement of the problem	5
1.3 RESEARCH OBJECTIVES	6
CHAPTER 2.....	7
2- LITRATURE REVIEW	8
2.1- Dynamics of Soil-Structure Interaction	8
2.1.1 Kinematic Interaction.....	10
2.1.2 Inertial Interaction.....	13
2.2 Gazetas dynamic springs and dashpots.....	15
2 3 Finite element modeling	22
2.3.1 Finite element size	23
2.3. 2 Absorbing Lysmer boundaries.....	24
2.4 Previous Studies	27
CHAPTER 3	33
3 – METHODOLOGY	34
3.1 INTRODUCTION.....	34
3 .2 Interaction between Ground and Structure during Earthquake	35

3. 2 METHOD OF ANALYSIS	37
3.2.1 First model (Full modeling of soil foundation and super-structure)	38
3.2.1.1 Ground Motion:	38
3.2.1.2 Soil Properties	40
3.2.1.3 Boundary Conditions	41
3.2.1.4 Structural Properties:	47
3.2.1.4.1 First model 2 storey building	47
3.2.1.4.2 Second model 10 storey building.....	49
3.2.1.4.3 Third model 30 storey building.....	52
3.2.2 Second model (modeling of foundation as springs and super-structure)	56
3.2.2.1 Structural Properties:	57
3.2.2.1.1 First model 2 storey building	57
3.2.2.1.2 Second model 10 storey building.....	58
3.2.2.1.3 Third model 30 storey building.....	59
3.2.3 Third model (modeling of foundation as hinged support and super-structure)	62
3.2.3.1 Structural Properties:	63
3.2.3.1.1 First model 2 storey building	63
3.2.3.1.2 Second model 10 storey building.....	64
3.2.3.1.3 Third model 30 storey building.....	66
CHAPTER 4.....	68
4 – Results and Discussion	69
4.1 introductions	69
4.2 Effect of base flexibility.....	71
4.2.1 The studied models	71

4.2.2 The studied parameters	72
4.2.3 Results and Discussion	72
4.2.3.1 Effect of earthquake wave propagation through the soil medium	72
4.3 Effect of base flexibility	94
4.3.1 The studied models	94
4.3.2 The studied parameters	95
4.3.3 Results and Discussion	95
4.3.3.1 Effect of earthquake wave propagation through the soil medium	95
4.4 Effect of base flexibility	116
4.4.1 The studied models	116
4.4.2 The studied parameters	117
4.4.3 Results and Discussion	117
4.4.3.1 Effect of earthquake wave propagation through the soil medium	117
4.5 Effect of base flexibility	138
4.5.1 The studied models	138
4.5.2 The studied parameters	139
4.5.3 Results and Discussion	139
4.5.3.1 Effect of earthquake wave propagation through the soil medium	139
4.6 Effect of various coefficient of static subgrade reaction.....	160
4.6.1 The studied models	160
4.6.2 The studied parameters	161
4.6.3 Results and Discussion	162

4.6.3.1 Effect of earthquake wave propagation through the soil medium and using various coefficient of sub grade reaction	162
4.6 FORMULAS AND CHARTS FOR IMPEDANCES OF FOUNDATIONS	168
4.6.1 The studied models	168
4.6.2 The studied parameters	168
4.6.3 Results and Discussion	169
4.6.3.1 Effect of earthquake wave propagation through the soil medium	169
CHAPTER 5.....	191
5 – Conclusions.....	192
5.1 introductions	192
5.2 the base shear and the internal forces	193
References.....	196

LIST OF FIGURES

Figure 2.1: Averaging effect (Left), Decreasing motion amplitude with depth (centre), Wave scattering at the corners (right)

Figure 2.2: Amplitude of transfer function between free-field motion and foundation input motion for different foundation shapes. (a) Translational motion (b) Torsional motion (Veletsos & Prasad, 1989)

Figure 2.3: Examples of using dampers to model radiation damping

Figure 2.4: Modeling the sub-and super-structure and solving the equations in one step (Kramer, 1996)

Figure 2.4: Cone model and corresponding lumped-parameter models for foundation on surface of homogeneous half-space (Wolf and Deeks, 2004): a) Truncated semi-infinite cone, b) Spring dashpot- mass model for translational degree of freedom, c) Spring-dashpot-mass model for rotational degree of freedom

Figure 2.5: Dynamic stiffness coefficient of disk on homogeneous half-space in horizontal motion for Poisson's ratios $\nu = 0.2$ computed after (Wolf, 1994)

Figure 2.6: Rigid foundation block with its six degrees of freedom

Figure 2.7: A foundation-structure system on layered soil (a), the associated rigid and massless foundation (b) and physical interpretation of dynamic spring and dashpot in vertical mode of vibration (c) adapted after (Gazetas, 1991) and (Mylonakis et al., 2006)

Figure 2.8: Graphs accompanying Table 2.2 (Mylonakis al., 2006)

Figure 2.9: Modeling soil-structure system using FEM with applied artificial boundary

Figure 2.10: Dashpots connected to each degree of freedom of a boundary node representing absorbing boundaries

Figure 3.1: Wave propagation during SSI (Miura, 2011)

Figure 3.2: The 1940 El Centro earthquake, NS horizontal acceleration component and total displacement.

Figure 3.3: Surface spring elements on a mesh in MIDAS-GTS (Cunha and Correia 2012)

Figure 3.4 plan layouts of the structure used in analyses

Figure 3.4 elevation layouts of the structure used in analyses

Figure 3.5 3D view of the soil and structure used in analyses

Figure 3.6 plan layouts of the structure used in analyses

Figure 3.6 elevation layouts of the structure used in analyses

Figure 3.7 3D view of the soil and structure used in analyses

Figure 3.8 plan layouts of the structure used in analyses

Figure 3.8 elevation layouts of the structure used in analyses

Figure 3.9 3D view of structure used in analyses

Figure 3.10: The 1940 El Centro earthquake, NS horizontal acceleration component

Figure 3.11- 3D view of the soil and structure used in analyses

Figure 3.12- 3D view of the soil and structure used in analyses

Figure 3.13- 3D view of structure used in analyses

Figure 3.14: The 1940 El Centro earthquake, NS horizontal acceleration component

Figure 3.15- 3D view of the soil and structure used in analyses

Figure 3.16- 3D view of the soil and structure used in analyses

Figure 3.17 3D view of structure used in analyses

Figure 4.1- results of the base shear for the three analysis models

Figure 4. 2- results of the total drift for the three analysis models[Frame at axe (A-A)]

Figure 4.3- results of the total drift for the three analysis models

[Frame at axe (B-B)]

Figure 4.4- results of the total drift for the three analysis models[Frame at axe (C-C)]

Figure 4.5- results of the total drift for the three analysis models [Frame at axe (D-D)]

Figure 4.6- results of the total drift for the three analysis models [Frame at axe (E-E)]

Figure 4.7- results of the axial force for the three analysis models Exterior frame [Column at axis (E-E and 1-1)]

Figure 4.8- results of the axial force for the three analysis models Exterior frame [Column at axis (E-E and 2-2)]

Figure 4.9- results of the axial force for the three analysis models Exterior frame [Column at axis (E-E and 3-3)]